



## DIAGONAL MATRICES

### Why

TODO; arise often.

### Definition

Let  $m, n$  be natural numbers. Then  $(i, i)$  is a *diagonal index*, if  $i \in \{1, 2, \dots, 1, \dots, \min\{m, n\}\}$ . A *diagonal entry* of a  $m \times n$  matrix is an entry corresponding to a diagonal index; we say that such entries are *on the diagonal*. An entry that is not on the diagonal is *off the diagonal*; we call these the *off diagonal entries*. The entries  $(i, j)$  for  $i > j$  are *below the diagonal* and  $j < i$  are *above the diagonal*.

A  $m \times n$  *diagonal matrix* is one whose entries off the diagonal are zero. In other words, its only nonzero entries are on the diagonal. Though the diagonal entries need not be nonzero, they may be zero.

If all the values of a diagonal matrix are positive or non-negative we call it a *positive diagonal* or *nonnegative diagonal* matrix. We emphasize the following subtlety: A positive diagonal matrix is diagonal and has positive entries; it has positive diagonal entries, yes, but it may not have arbitrary off-diagonal entries. In other words, the modifier “diagonal” takes precedence over the modifiers “positive” and “nonnegative.”

A *scalar* matrix is a square diagonal matrix whose diagonal entries are identical.

