

INDEX MATRICES

Definition

An index sequence of order n is a finite sequence of distinct elements of $\{1, 2, \ldots, n\}$ whose length is less than or equal to n. We call the ith coordinate of an index sequence the i-index of the sequence. The index matrix associated with an index sequence is the $r \times n$ matrix whose i, jth entry is 1 if the index sequences's ith coordinate is j, and 0 otherwise. If r = n then the index matrix is a permutation matrix.

Multiplying a vector by an index matrix produces a permuted subvector. The *subvector* of an n-vector associated with a length-r index sequence is the product of the $r \times n$ index matrix with the n-dimensional vector. Its ith entry is the i-index entry of the vector.

Other terminology

Some authors use the term *index set* for index sequences; but since these are sequences (which are functions), they are not sets of indices, so we avoid this usage.

Notation

Let $r \leq n$ be natural numbers. Let $\alpha: \{1, 2, \ldots, r\} \to \{1, 2, \ldots, n\}$ be an index sequence. We denote the index matrix associated with α by P_{α} . This matrix P_{α} is an element of $\mathbf{N}^{r \times n}$ and is defined by

$$(P_{\alpha})_{ij} = \begin{cases} 1\&j = \alpha(i) \\ 0\&\text{otherwise.} \end{cases}$$

Let A be a nonempty set and let $x \in A^n$. then the subvector of x associated with P_{α} (and so with α) is

$$P_{\alpha}x = \left(x_{\alpha(1)}, \dots, x_{\alpha(r)}\right)$$

We denote the product $P_{\alpha}x$ by x_{α} . We denote the product $P_{\alpha}XP_{\alpha}^{\top}$ by $X_{\alpha\alpha}$.

