

REAL NORM

Why

We generalize our notion of *size* to *n*-dimensional space.

Definition

The norm (or Euclidean norm) of $x \in \mathbb{R}^n$ is

$$\sqrt{x_1^2 + x_2^2 + \dots + x_n^2}.$$

Notation

We denote the norm of x by ||x||. In other words, $||\cdot|| : \mathbb{R}^n \to \mathbb{R}$ is a function from vectors to real numbers. The notation follows the notation of absolute value, the *magnitude* of a real number, and the double verticals remind us that x is a vector. A warning: some authors write |x| for the norm of x when it is understood that $x \in \mathbb{R}^n$.

We understand the norm of x by comparison with the distance function $d: \mathbb{R}^n \times \mathbb{R}^n \to \mathbb{R}$. On one hand, the norm of x is d(x,0). So ||x|| measures the length of the vector x from the origin 0. On the other hand, d(x,y) = ||x-y||. So ||x-y|| measures the distance between x and y.

Properties

The norm has several important properties

1. $\|\alpha x\| = |\alpha| \|x\|$, called (absolute) homogeneity,

- 2. $||x+y|| \le ||x|| + ||y||$, called the triangle inequality,
- 3. $||x|| \ge 0$, called *non-negativity*, and
- 4. $||x|| = 0 \longleftrightarrow x = 0$, called definiteness.

Visualization



