

## REAL EGOPROX SEQUENCES

# Why

In the case that it is not possible to easily identify (or guess) the limit of a sequence, we are naturally interested in a simple condition on the sequence which is equivalent to convergence.

### **Definition**

A sequence  $(x_n)_{n\in\mathbb{N}}$  in **R** is said to be *egopox* (or *Cauchy* or a *Cauchy sequence*) if for every  $\varepsilon > 0$ , there exists  $N \in \mathbb{N}$  so that for all m, n > N,  $|x_m - x_n| < \varepsilon$ . We call this property of the sequence (eventual) egoproximity.

#### **Notation**

We sometimes denote this property as

$$|x_n - x_m| \to 0$$
 as  $m, n \to \infty$ .

### Example

For example, consider  $\lim_{N\to\infty} \sum_{n=1}^N 1/n^3$ .

## Sufficiency in R

Clearly a convergent sequence is egoprox.<sup>1</sup> What of the converse? Recall that we think of egoprox sequences as "bunching up." For the reals, if a sequence is bunching up, then our intuition is that it should be converging. In other words, an

<sup>&</sup>lt;sup>1</sup>Future editions may elaborate here.

egoprox real sequence always converges. The egoprox condition is sufficient. Bunching up is sufficient.

**Proposition 1.** If  $(x_n)_{n \in \mathbb{N}}$  is egoprox, then there exists  $x_0 \in \mathbb{R}$  so that  $\lim_{n \to \infty} x_n = x_0$ .

In other words, in **R** egoproximity is equivalent to convergence. The above is sometimes called the *Bolzano-Weierstrass* theorem.

