



Why

How many ways can we select k chairs from a set of size n ? Here, and throughout this sheet, $1 \leq k \leq n$.

Seating k guests in n chairs

First, we ask: how many ways are there to seat k guests in n chairs? We start by numbering the guests. Then, the first guest can be seated in any of the n chairs—or in n ways. Having seated this first guest, the next guest can be seated in any of the $n - 1$ remaining chairs. Having seated these first two guests, the third can be seated in any of the remaining $n - 2$ chairs. And so on. We conclude that the number of ways of seating k guests in n chairs is

$$n(n-1)(n-2) \cdots (n-k+1)$$

Factorial notation. We can express this number can be expressed as

$$\frac{n!}{(n-k)!}$$

For example, with $n = 7$ and $k = 3$,

$$7 \cdot 6 \cdot 5 \cdot 4 = \frac{7 \cdot 6 \cdot 5 \cdot 4 \cdot 3 \cdot 2 \cdot 1}{4 \cdot 3 \cdot 2 \cdot 1}$$

If we agree that the number of ways to seat no people in n chairs is 1, then the ration of fraction on the right also makes sense for $k = 0$. In other words $n!/n! = 1$.

Selecting k chairs out of n

Now we ask our original question: How many ways are there to select k chairs out of n ? Observe that our previous discussion involved seating k guests in n chairs. We could break this down in a different way—first we select the k chairs, and *then* we select how to place people in the chairs. Denote the number of ways to do the first task by x . We have seen that

there are $k!$ ways to do the second task. So by the fundamental principle the number of ways to do this task is $x \cdot k!$, which must be the same as our expression above

$$x \cdot k! = \frac{n!}{(n-k)!}$$

We conclude that

$$x = \frac{n!}{k!(n-k)!} = \frac{(n)(n-1) \cdots (n-k+1)}{k!}$$

Notation

We denote this number by

$$\binom{n}{k}$$

read aloud as “ n choose k ”. Another notation is $C(n, k)$, where C is meant to stand for *combination* or *choice*.

Number of subsets

The number of subsets of size k from a finite set of n elements is $\binom{n}{k}$. Since there is one subset of size 0 from a set of size n (the empty set) and one subset of size n (the whole set), it is a pleasant validation of our convention that $0! = 1$ that

$$\binom{n}{0} = \binom{n}{n} = 1.$$

