



## Why

We want to split up a measure and the pieces should not—roughly speaking—overlap.<sup>1</sup>

## Definition

A measure is *concentrated* on a set if the measure on the complement of the set is zero. A signed or complex measure is *concentrated* on a set if its variation is concentrated on the set.<sup>2</sup>

Two measures (or signed or complex measures) are *mutually singular* if there exists a set on which one is concentrated and on whose complement the other is concentrated. In other words, there exists a decomposition of the space into two sets such that one measure is concentrated on one piece and the other measure is concentrated on the other piece.

## Notation

Let  $(X, \mathcal{A})$  be a measurable space and let  $\mu$  be a measure. Then  $\mu$  is concentrated on a set  $C \in \mathcal{A}$  if  $\mu(X - C) = 0$ . If  $\nu$  is a signed or complex measure, then  $\nu$  is concentrated on  $C \in \mathcal{A}$

---

<sup>1</sup>Future editions will improve upon this justification. It may be that the intuition from linear algebra need be more explicitly used. This would seem right, since dealing with signed measures and such is partly to make the space of measures a vector space.

<sup>2</sup>Future editions may remove the dependence on variation of a measure. The benefit is observed in the next paragraph.

if  $|\nu|$  is concentrated on  $C$ ; in which case  $|\nu|(X - C) = 0$ .

Let  $\mu$  and  $\nu$  be measures on  $(X, \mathcal{A})$ . Then  $\mu$  and  $\nu$  are mutually singular if there exists a set  $A \in \mathcal{A}$  so that  $\mu$  is concentrated on  $A$  and  $\nu$  is concentrated on  $X - A$ . We denote that two measures are singular by  $\mu \perp \nu$ , read aloud as “mu perp nu”.

### Exercises

**Exercise 1.** *Let  $\mu$  and  $\nu$  be measures on a measurable space  $(X, \mathcal{A})$  such that for any  $\varepsilon > 0$ , there is a set  $A \in \mathcal{A}$  such that  $\mu(A) < \varepsilon$  and  $\nu(C(A)) < \varepsilon$ . Show that  $\mu \perp \nu$ .*

