

### Undirected Subgraphs

# Why

We look at a particular subset of vertices and the edges involved between them.

## **Definition**

Suppose  $\mathcal{G}=(V,E)$  is an undirected graph. An undirected graph (V',E') is a subgraph of  $\mathcal{G}$  if  $V'\subset V$  and  $E\subset E'$ . The vertex-induced subgraph of an undirected graph (V,E) induced by a subset of vertices  $W\subset V$  is the undirected graph with vertices W and all edges between vertices in W. The edge-induced subgraph of an undirected graph (V,E) induced by vertices  $F\subset E$  whose edge set is F and whose vertices are those vertices adjacent to the edges of F.

#### **Notation**

Let  $W \subset V$  and define F by

$$F = \{ \{v, w\} \in E \mid v, w \in W \}.$$

The subgraph induced by W is the undirected graph (W, F).

Some authors denote the subgraph induced by W by G(W) or (W, E(W)) or G[W]. We avoid this notation, as it abuses G, which is no longer an ordered pair, but (in our standard function notation) now indicates a function on subsets of V with a complicated codomain. Other authors occasionally refer to the "subgraph W", instead of "the subgraph G(W)". Again, we avoid this practice.

For  $D \subset E$ , the subgraph induced by D is the undirected graph (U, D) where

$$U = \{v \in V \mid \exists e \in D : x \in e\}$$

Similarly, people write G(D) or (V(D), D). We avoid this.

## Connected components

A set of vertices W in G is connected if there is a path between any two vertices  $v, w \in W$ . A set of vertices W in G is maximimally connected if there is no other vertex  $v \notin W$  connected to a vertex in W. A connected component of G is the subgraph induced by a maximally connected set of vertices

Since the vertex set of a graph can always be partitioned into sets maximally connected vertices, and a connected components is connect, we think of the connected components of G as the connected "pieces" of G.

# Cliques

A set of vertices is *complete* if the subgraph induced is complete. A set of vertices W is *maximally complete* if the subgraph induced is complete and there is no vertex  $v \notin W$  which is connected to every vertex in W. In other words, there is no other vertex which we can add to W so that the induced subgraph is still complete.

We call a *maximally complete* set of vertes a *clique*. Some authors define a clique in the way we have defined a complete set of vertices, without reference to the maximality.

