



## Why

Let  $A \in \mathbf{R}^{m \times n}$  and define  $f : \mathbf{R}^n \rightarrow \mathbf{R}^m$  by  $f(x) = Ax$ . Then  $f$  is a linear function from  $\mathbf{R}^n$  to  $\mathbf{R}^m$ . Conversely, suppose  $g : \mathbf{R}^n \rightarrow \mathbf{R}^m$  is a linear function. Then there exists a matrix  $B \in \mathbf{R}^{m \times n}$  so that  $g(z) = Bz$ . Does this function have an inverse?

## Derivation

If  $A \in \mathbf{R}^{m \times n}$ , with  $m \neq n$ , then the inverse of  $f$  can not exist. For a square matrix  $A \in \mathbf{R}^{n \times n}$ ,  $B \in \mathbf{R}^{n \times n}$  is a *left inverse* if  $BA = I$ . In other words,  $B$  is a left inverse element of  $A$  in the algebra of matrices with the operation of multiplication.  $C \in \mathbf{R}^{n \times n}$  is a *right inverse* if  $AC = I$ .

## Definition

We call a square matrix  $A$  *invertible* if there is  $B \in \mathbf{R}^{n \times n}$  so that  $BA = I$ .

Now suppose that  $A \in \mathbf{R}^{n \times n}$ . Of course, the inverse may not exist. Consider, for example if  $A$  was the  $n$  by  $n$  matrix of zeros. If there exists a matrix  $B$  so that  $BA = I$  we call  $B$  the *left inverse* of  $A$  and likewise if  $AC = I$  we call  $C$  the *right inverse* of  $A$ . In the case that  $A$  is square, the right inverse and left inverse coincide.

**Proposition 1.** *Let  $A, B, C \in \mathbf{R}^{n \times n}$ . Let  $BA = I$  and  $AC = I$ . Then  $B = C$ .*

*Proof.* Since  $BA = AC$  we have  $BBA = BAC$  so  $B = C$  since  $BA = I$ . □



