

FAMILY SET OPERATIONS

Why

Family set operations are common. TODO: this works for infinite stuff too

Definition

We define the set whose elements are the objects which are contained in at least one family member the family union. We define the set whose elements are the objects which are contained in all of the family members the family intersection.

Notation

We denote the family union by $\bigcup_{\alpha \in I} A_{\alpha}$. We read this notation as "union over alpha in I of A sub-alpha." We denote family intersection by $\bigcap_{\alpha \in I} A_{\alpha}$. We read this notation as "intersection over alpha in I of A sub-alpha."

Results

Proposition 1. For an indexed family $\{A_{\alpha}\}_{{\alpha}\in I}$ in S, if $I=\{i,j\}$ then

$$\bigcup_{\alpha \in I} A_{\alpha} = A_i \cup A_i$$

and

$$\cap_{\alpha \in I} A_{\alpha} = A_i \cap A_j.$$

PROPOSITION 2. For an indexed family $\{A_{\alpha}\}_{{\alpha}\in I}$ in S, if $I=\emptyset$, then

$$\bigcup_{\alpha \in I} A_{\alpha} = \emptyset$$

and

$$\bigcap_{\alpha \in I} A_{\alpha} = S.$$

Proposition 3. For an indexed family $\{A_{\alpha}\}_{{\alpha}\in I}$ in S.

$$C_S(\cup_{\alpha\in I}A_\alpha)=\cap_{\alpha\in I}C_S(A_\alpha)$$

and

$$C_S(\cap_{\alpha\in I}A_\alpha) = \cup_{\alpha\in I}C_S(A_\alpha).$$

