



## Why

We want to do subtraction.<sup>1</sup>

## Definition

Consider the set  $\omega \times \omega$ . This set is the set of ordered pairs of  $\omega$ . In other words, the ordered pairs of natural numbers.

We say that two of these ordered pairs  $(a, b)$  and  $(c, d)$  is *integer equivalent* the  $a + d = b + c$ . Briefly, the intuition is that  $(a, b)$  represents  $a$  less  $b$ , or in the usual notation “ $a - b$ ”.<sup>2</sup> So this equivalence relation says these two are the same if  $a - b = c - d$  or else  $a + d = b + c$ .

**Proposition 1.** *Integer equivalence is an equivalence relation.*<sup>3</sup>

We define the *set of integer numbers* to be the set of equivalence classes (see *Equivalence Relations*) under integer equivalence on  $\omega \times \omega$ . We call an element of the set of integer numbers an *integer number* or an *integer*. We call the set of integer numbers the *set of integers* or *integers* for short.

---

<sup>1</sup>Future editions will change this why. In particular, by referencing *Inverse Elements* and the lack thereof in  $\omega$ .

<sup>2</sup>This account will be expanded in future editions.

<sup>3</sup>The proof is straightforward. It will be included in future editions.

## Notation

We denote the set of integers by  $\mathbf{Z}$ . If we denote integer equivalence by  $\sim$  then  $\mathbf{Z} = (\omega \times \omega) / \sim$ .

