

# MEASURE VECTOR SPACE

## Why

If both signed measures are finite, then their difference is always well-defined. Is the difference a finite signed measure?

### **Preliminary Result**

**Prop. 1.** A linear combination of finite signed measures is a finite signed measure.

*Proof.* Let  $(X, \mathcal{A})$  be a measurable space. Let  $\mu$  and  $\nu$  be finite signed measures. Let R denote the real numbers. Then  $(\alpha \mu)(\varnothing) = \alpha \cdot \mu(\varnothing) = \alpha \cdot 0 = 0$ . Also for  $(A_n)_n \subset \mathcal{A}$  disjoint,

$$(\alpha\mu)(\cup A_n) = \alpha\mu(\cup A_n) = \alpha \sum_{n=1}^{\infty} \mu(A_n)$$
$$= \sum_{n=1}^{\infty} \alpha\mu(A_n) = (\alpha\mu)(A_n)$$

.

Similarly,  $(\mu + \nu)(\emptyset) = \mu(\emptyset) + \nu(\emptyset) = 0$ . And, for  $(A_n)_n \subset \mathcal{A}$  disjoint,

$$(\mu + \nu)(\cup A_n) = \mu(\cup A_n) + \nu(\cup A_n) = \sum_{n=1}^{\infty} \mu(A_n) + \sum_{n=1}^{\infty} \nu(A_n)$$
$$= \sum_{n=1}^{\infty} \mu(A_n) + \nu(A_n) = \sum_{n=1}^{\infty} (\mu + \nu)(A_n)$$

### Main Result

**Prop. 2.** The set of finite signed measures is a vector space.

*Proof.* Use the previous proposition. Observe that the function  $\mu \equiv 0$  is a measure. and  $\nu + \mu = \nu$  for all measures  $\nu$ .

### Notation

Denote the set of real numbers by R. We denote the vector space of signed measures on measurable space  $(X, \mathcal{A})$  by by  $M(X, \mathcal{A}, R)$ .

