



## Definition

Suppose  $V$  is a subspace over  $\mathbf{F}$ . A vector space  $U$  over  $\mathbf{F}$  is a *subspace* (or *linear subspace*, *vector subspace*) of  $V$  if  $U \subset V$  and vector addition and scalar multiplication defined for  $U$  agree with those defined for  $V$ . In other words, a subspace is a subset of a vector space which is closed under vector addition and scalar multiplication.

For example, the entire set of vectors is a subspace. As a second example, the set consisting only of the zero vector is a subspace; we call this the *zero subspace*. These two subspaces are the *trivial subspaces*. A *nontrivial subspace* is a subspace that is not trivial.

## Notation

Let  $(V, \mathbf{F})$  be a vector space. Let  $U \subset V$  with

$$\alpha u + \beta v \in U$$

for all  $\alpha, \beta \in \mathbf{F}$  and  $u, v \in U$ . Then  $U$  is a subspace of  $(V, \mathbf{F})$ .

## Characterization

**Proposition 1.** *Suppose  $V$  is a vector space over a field  $\mathbf{F}$  and  $U \subset V$ .  $U$  is a subspace if and only if  $U$  satisfies*

1.  $0 \in U$  (contains additive identity)
2.  $u + w \in U$  for all  $u, w \in U$  (closed under addition)
3.  $\alpha u \in U$  for all  $\alpha \in \mathbf{F}$  and  $u \in U$  (closed under scalar addition)

## Properties

**Proposition 2.** *The intersection of a family of subspaces is a subspace.*

**Proposition 3.** *There exists a family of subspaces whose union is not a subspace;*

**Remark 1.** *In other words: the union of a family subspaces need not be a subspace.*

**Proposition 4.** *A subspace must contain the zero vector; in other words, every subspace is nonempty.*



