

# CM1005 - Introduction to Programming I

BSc Computer Science

Nathan Donovan



University of London

April 2024


# 1 p5.js - JavaScript Library for Creative Coding

## Using p5.js

- Projects / programs must be opened at the folder level in Brackets.io / other IDE for live preview to work.
- Work on sketch.js file only.
  - index.html is boilerplate for the sketch to run as a web page.
  - p5.min.js is the p5.js library code.

Function used to set up the sketch, width and height are specified in pixels with the origin (0,0) at the top left hand corner of the browser window:

```
function setup() {  
  createCanvas(width, height);  
}
```



Origin pixel highlighted in red at (0, 0), example canvas is 20 x 20 pixels.

## Drawing and Shape Functions

Function used to contain the drawing commands in the sketch:

```
function draw() {  
  // Various functions available as part of the p5.js library  
}
```

Example p5.js shape functions used:

```
// rect() syntax  
rect(x, y, width, height, [tl], [tr], [br], [bl]);  
/*  
  tl = top-left radius  
  tr = top-right radius  
  br = bottom-right radius  
  bl = bottom-left radius  
*/  
  
// ellipse() syntax  
ellipse(x, y, width, [height]); // height is optional  
  
// point() syntax  
point(x, y); // point() is a single pixel unless modified with strokeWeight()  
              // Can only be colored with stroke(), not fill()  
  
// triangle() syntax  
triangle(x1, y1, x2, y2, x3, y3);  
  
// vertex() syntax  
vertex(x, y); // Can be used to construct complex shapes  
              // Used exclusively with beginShape() and endShape()  
  
// Example:  
beginShape(); // fill(), stroke() etc. to be used before beginShape() called  
vertex(x1, y1);  
vertex(x2, y2);  
vertex(x3, y3);  
endShape();  
  
// beginShape() syntax  
beginShape([kind]);  
/*  
  kind = POINTS, LINES, TRIANGLES, TRIANGLE_FAN, TRIANGLE_STRIP, QUADS, QUAD_STRIP or TESS  
  
  examples shown in p5.js reference documentation  
*/
```

## Colour Functions

Example p5.js color functions used:

```
// stroke() syntax
stroke(red, green, blue, [alpha]); // alpha is optional
// red, green, blue and alpha values are between 0 and 255

// fill() syntax
fill(red, green, blue, [alpha]); // alpha is optional
// red, green, blue and alpha values are between 0 and 255

// noFill() syntax
noFill(); // Disables fill color for shapes
```