```
> restart;
  read("c:/appl/appl7.txt");
                                     PROCEDURES:
AllPermutations(n), AllCombinations(n, k), Benford(X), BootstrapRV(Data),
   CDF: CHF: HF: IDF: PDF: SF(X, [x])), CoefOfVar(X), Convolution(X, Y),
   Convolution IID(X, n), Critical Point(X, prob), Determinant(MATRIX), Difference(X, Y),
   Display(X), ExpectedValue(X, [g]), KSTest(X, Data, Parameters), Kurtosis(X),
   Maximum(X, Y), MaximumIID(X, n), Mean(X), MGF(X), Minimum(X, Y),
   MinimumIID(X, n), Mixture(MixParameters, MixRVs),
   MLE(X, Data, Parameters, [Rightcensor]), MLENHPP(X, Data, Parameters, obstime),
   MLEWeibull(Data, [Rightcensor]), MOM(X, Data, Parameters),
   NextCombination(Previous, size), NextPermutation(Previous), OrderStat(X, n, r, ["wo"]),
   PlotDist(X, [low], [high]), PlotEmpCDF(Data, [low], [high]),
   PlotEmpCIF(Data, [low], [high]), PlotEmpSF(Data, Censor),
   PlotEmpVsFittedCDF(X, Data, Parameters, [low], [high]),
   PlotEmpVsFittedCDF(X, Data, Parameters, [low], [high]),
   PlotEmpVsFittedSF(X, Data, Parameters, Censor, low, high),
   PPPlot(X, Data, Parameters), Product(X, Y), ProductIID(X, n),
   QQPlot(X, Data, Parameters), RangeStat(X, n, ["wo"]), Skewness(X), Transform(X, g),
   Truncate(X, low, high), Variance(X), VerifyPDF(X)
```

Procedure Notation:

X and Y are random variables

Greek letters are numeric or symbolic parameters

x is numeric or symbolic

n and r are positive integers, n >= r

low and high are numeric

g is a function

Brackets [] denote optional parameters

"double quotes" denote character strings

MATRIX is a 2 x 2 array of random variables

A capitalized parameter indicates that it must be
entered as a list --> ex. Data := [1, 12.4, 34, 52.45, 63]

Variate Generation:

ArcTanVariate(alpha, phi), BinomialVariate(n, p, m), ExponentialVariate(lambda), NormalVariate(mu, sigma), UniformVariate(), WeibullVariate(lambda, kappa, m)

DATA SETS:


BallBearing, HorseKickFatalities, Hurricane, MP6, RatControl, RatTreatment, USSHalfBeak


ArcSinRV(), ArcTanRV(alpha, phi), BetaRV(alpha, beta), CauchyRV(a, alpha), ChiRV(n),

```
ExponentialPowerRV(lambda, kappa), ExtremeValueRV(alpha, beta), FRV(n1, n2),
    GammaRV(lambda, kappa), GeneralizedParetoRV(gamma, delta, kappa),
    GompertzRV(delta, kappa), HyperbolicSecantRV(), HyperExponentialRV(p, l),
    HypoExponentialRV(l), IDBRV(gamma, delta, kappa), InverseGaussianRV(lambda, mu),
    InvertedGammaRV(alpha, beta), KSRV(n), LaPlaceRV(omega, theta),
    LogGammaRV(alpha, beta), LogisticRV(kappa, lambda), LogLogisticRV(lambda, kappa),
    LogNormalRV(mu, sigma), LomaxRV(kappa, lambda), MakehamRV(gamma, delta, kappa),
    MuthRV(kappa), NormalRV(mu, sigma), ParetoRV(lambda, kappa), RayleighRV(lambda),
    StandardCauchyRV(), StandardNormalRV(), StandardTriangularRV(m),
    StandardUniformRV(), TRV(n), TriangularRV(a, m, b), UniformRV(a, b),
    WeibullRV(lambda, kappa)
Error, attempting to assign to `DataSets` which is protected.
     declaring `local DataSets`; see ?protect for details.
> bf := ExponentialRV(2);
  bfname := "ExponentialRV(2)";
                 bf := [[x \rightarrow 2 e^{-2x}], [0, \infty], ["Continuous", "PDF"]]
                         bfname := "ExponentialRV(2)"
                                                                                (1)
> #plot(1/csch(t)+1, t = 0..0.0010);
   #plot(diff(1/csch(t),t), t=0..0.0010);
   #limit(1/csch(t), t=0);
> solve(exp(-t) = y, t);
                                    -\ln(y)
                                                                                (2)
|> # discarded -ln(t + 1), t-> csch(t),t->arccsch(t),t -> tan(t),
> #name of the file for latex output
   filename := "C:/LatexOutput/Trash.tex";
   t \rightarrow 1/(\ln(t+2)), t \rightarrow \tanh(t), t \rightarrow \sinh(t), t \rightarrow arcsinh(t),
   t \to csch(t+1), t \to arccsch(t+1), t \to 1/tanh(t+1), t \to 1/sinh(t+1),
   t-> 1/arcsinh(t+1), t-> 1/csch(t)+1, t-> tanh(1/t), t-> csch(1/t), t-> arccsch(1/t), t-> arctanh(1/t)]:
  base := t \rightarrow PDF(bf, t):
  print(base(x)):
   #begin loopint through transformations
   for i from 1 to 22 do
   #for i from 1 to 3 do
      print( "i is", i, "
     ------;
```

ChiSquareRV(n), ErlangRV(lambda, n), ErrorRV(mu, alpha, d), ExponentialRV(lambda),

```
g := glist[i]: \\ 1 := bf[2][1]; \\ u := bf[2][2]; \\ Temp := Transform(bf, [[unapply(g(x), x)],[1,u]]); \\ \#terminal output \\ PlotDist(PDF(Temp), 0, 40); \\ PlotDist(HF(Temp), 0, 40); \\ od; \\ od; \\ filename := "C:/LatexOutput/Trash.tex" \\ 2 e^{-2x} \\ "i is", 1, \\ " \\ g := t \rightarrow t^2 \\ l := 0 \\ u := \infty \\ Temp := \left[ \left[ y \sim \rightarrow \frac{e^{-2\sqrt{y^*}}}{\sqrt{y^*}} \right], [0, \infty], ["Continuous", "PDF"] \right]
```






"i is", 2,
" ______


$$g := t \to \sqrt{t}$$

$$l := 0$$

$$u := \infty$$

$$Temp := \left[\left[y \to 4 e^{-2y^2} y \to \right], [0, \infty], ["Continuous", "PDF"] \right]$$






"i is", 3,


$$g := t \to \frac{1}{t}$$

$$l := 0$$

$$u := \infty$$

$$Temp := \left[\left[y \to \frac{2 e^{-\frac{2}{y}}}{y \to^{2}} \right], [0, \infty], ["Continuous", "PDF"] \right]$$





$$g := t \rightarrow \arctan(t)$$


$$l := 0$$

$$u := \infty$$

$$Temp := \left[\left[y \sim \rightarrow 2 e^{-2\tan(y \sim)} \left(1 + \tan(y \sim)^2 \right) \right], \left[0, \frac{1}{2} \pi \right], \left[\text{"Continuous", "PDF"} \right] \right]$$


WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable,
$$\frac{1}{2}$$
 π



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable,
$$\frac{1}{2}$$
 π



"i is", 5,
" ______

$$g := t \rightarrow e^{t}$$


$$l := 0$$

$$u := \infty$$

 $Temp := \left[\left[y \sim \rightarrow \frac{2}{y \sim^3} \right], [1, \infty], ["Continuous", "PDF"] \right]$


WARNING(PlotDist): Low value provided by user, 0 is less than minimum support value of random variable

Resetting low to RV's minimum support value



WARNING(PlotDist): Low value provided by user, 0 is less than minimum support value of random variable

Resetting low to RV's minimum support value




"i is", 6,
" ______


$$g \coloneqq t \to \ln(t)$$

$$l \coloneqq 0$$

$$u \coloneqq \infty$$

$$Temp \coloneqq \left[\left[y \to 2 e^{-2e^{y^{\sim}} + y^{\sim}} \right], \left[-\infty, \infty \right], \left[\text{"Continuous", "PDF"]} \right]$$







"i is", 7,

$$g := t \rightarrow e^{-t}$$
$$l := 0$$
$$u := \infty$$

 $Temp := [[y \sim \rightarrow 2 \ y \sim], [0, 1], ["Continuous", "PDF"]]$ WARNING(PlotDist): High value provided by user, 40is greater than maximum support value of the random variable, 1



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random variable, 1




"i is", 8,


$$g := t \rightarrow -\ln(t)$$

$$l := 0$$

$$u := \infty$$

$$Temp := \left[\left[y \sim \rightarrow 2 e^{-2e^{-y}\sim -y\sim} \right], \left[-\infty, \infty \right], \left[\text{"Continuous", "PDF"} \right] \right]$$






"i is", 9,
" _______


$$g := t \rightarrow \ln(t+1)$$

$$l := 0$$

$$u := \infty$$

$$Temp := \left[\left[y \rightarrow 2 e^{-2e^{y} + 2 + y} \right], [0, \infty], ["Continuous", "PDF"] \right]$$





"i is", 10,

$$g := t \rightarrow \frac{1}{\ln(t+2)}$$


$$l := 0$$

$$u := \infty$$


$$Temp := \left[\begin{bmatrix} \frac{1}{y^{\sim}} & \frac{1}{y^{\sim} - 4y^{\sim} - 1} \\ y^{\sim} & \frac{2 e^{y^{\sim}} & y^{\sim} - 4y^{\sim} - 1}{y^{\sim}} \\ \end{bmatrix}, \left[0, \frac{1}{\ln(2)} \right], \left[\text{"Continuous", "PDF"} \right] \right]$$

WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable,
$$\frac{1}{\ln(2)}$$



variable,
$$\frac{1}{\ln(2)}$$




$$g := t \rightarrow \tanh(t)$$

$$l := 0$$


$$u := \infty$$

$$Temp := \left[\left[y \sim \rightarrow \frac{2}{\left(y \sim +1 \right)^2} \right], [0, 1], ["Continuous", "PDF"] \right]$$

WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random variable, 1



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random variable, 1
Resetting high to RV's maximum support value





$$g := t \rightarrow \sinh(t)$$

$$l := 0$$

$$u := \infty$$

$$Temp := \left[\left[y \sim \rightarrow \frac{2}{\left(y \sim + \sqrt{y \sim^2 + 1} \right)^2 \sqrt{y \sim^2 + 1}} \right], [0, \infty], ["Continuous", "PDF"] \right]$$






"i is", 13,


$$g := t \rightarrow \operatorname{arcsinh}(t)$$

$$l := 0$$

$$u := \infty$$

 $Temp := \left[\left[y \sim \rightarrow 2 e^{-2 \sinh(y \sim)} \cosh(y \sim) \right], \left[0, \infty \right], \left[\text{"Continuous", "PDF"} \right] \right]$





"i is", 14,

$$g := t \rightarrow \operatorname{csch}(t+1)$$


$$l := 0$$

$$u := \infty$$

$$Temp := \left[\left[y \sim \rightarrow \frac{2 e^{2-2 \operatorname{arccsch}(y \sim)}}{\sqrt{y \sim^2 + 1} |y \sim|} \right], \left[0, -\frac{2}{-e + e^{-1}} \right], \left[\text{"Continuous", "PDF"} \right] \right]$$


WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable,
$$-\frac{2}{-e+e^{-1}}$$



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable,
$$-\frac{2}{-e+e^{-1}}$$



$$g := t \rightarrow \operatorname{arccsch}(t+1)$$


$$l := 0$$

$$u := \infty$$


$$Femp := \left[\left[y \sim \rightarrow \frac{2 \operatorname{e}^{\frac{2 \left(\sinh(y \sim) - 1 \right)}{\sinh(y \sim)}} \operatorname{cosh}(y \sim)}{\sinh(y \sim)^2} \right], \left[0, \ln(1 + \sqrt{2}) \right], \left[\text{"Continuous", "PDF"} \right] \right]$$

WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable,
$$\ln(1+\sqrt{2})$$



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random variable, $\ln\left(1+\sqrt{2}\right)$



"i is", 16,

$$g := t \to \frac{1}{\tanh(t+1)}$$

$$l := 0$$


$$u := \infty$$

$$Temp := \left[\left[y \to \frac{2 e^{2-2 \operatorname{arctanh}\left(\frac{1}{y \to 0}\right)}}{y \to 2-1} \right], \left[1, \frac{-e - e^{-1}}{-e + e^{-1}} \right], \left[\text{"Continuous", "PDF"} \right] \right]$$

WARNING(PlotDist): Low value provided by user, 0 is less than minimum support value of random variable

Resetting low to RV's minimum support value WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random


variable,
$$\frac{-e-e^{-1}}{-e+e^{-1}}$$



WARNING(PlotDist): Low value provided by user, 0 is less than minimum support value of random variable

Resetting low to RV's minimum support value WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable,
$$\frac{-e-e^{-1}}{-e+e^{-1}}$$



"i is", 17,

$$g := t \to \frac{1}{\sinh(t+1)}$$


$$l := 0$$

$$u := \infty$$

$$Temp := \left[\left[y \sim \rightarrow \frac{2 e^{2 - 2 \arcsin \left(\frac{1}{y \sim}\right)}}{\sqrt{y \sim^2 + 1} |y \sim|} \right], \left[0, -\frac{2}{-e + e^{-1}} \right], \left[\text{"Continuous", "PDF"} \right] \right]$$


WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable,
$$-\frac{2}{-e+e^{-1}}$$



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable,
$$-\frac{2}{-e+e^{-1}}$$



"i is", 18,

$$g := t \to \frac{1}{\operatorname{arcsinh}(t+1)}$$


$$l := 0$$

$$u := \infty$$

$$Temp := \left[y \to \frac{2 e^{2-2\sinh\left(\frac{1}{y\sim}\right)}\cosh\left(\frac{1}{y\sim}\right)}{v^{2}}, \left[0, \frac{1}{\ln\left(1+\sqrt{2}\right)} \right], \left[\text{"Continuous", "PDF"} \right] \right]$$


WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable,
$$\frac{1}{\ln(1+\sqrt{2})}$$



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable,
$$\frac{1}{\ln(1+\sqrt{2})}$$



"i is", 19,

$$g := t \to \frac{1}{\operatorname{csch}(t)} + 1$$


$$l := 0$$

$$u := \infty$$

Temp :=
$$\left[\left[y \sim \rightarrow \frac{2}{\sqrt{y \sim^2 - 2 y \sim + 2}} \left(y \sim -1 + \sqrt{y \sim^2 - 2 y \sim + 2} \right)^2 \right]$$
, [1, ∞], ["Continuous" "PDF"]


WARNING(PlotDist): Low value provided by user, 0 is less than minimum support value of random variable

Resetting low to RV's minimum support value



WARNING(PlotDist): Low value provided by user, 0 is less than minimum support value of random variable 1

Resetting low to RV's minimum support value



"i is", 20,


$$g := t \rightarrow \tanh\left(\frac{1}{t}\right)$$

$$l := 0$$


$$u := \infty$$

$$Temp := \left[\left[y \sim \rightarrow -\frac{2 e^{-\frac{2}{\arctan h(y \sim)}}}{\arctan h(y \sim)^2 \left(y \sim^2 - 1\right)} \right], [0, 1], ["Continuous", "PDF"] \right]$$

WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random variable, 1



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random variable, 1



$$g := t \rightarrow \operatorname{csch}\left(\frac{1}{t}\right)$$

$$l := 0$$

$$u := \infty$$

$$Temp := \left[\left[y \sim \rightarrow \frac{2 e^{-\frac{2}{\operatorname{arccsch}(y \sim)}}}{\sqrt{y \sim^2 + 1} \operatorname{arccsch}(y \sim)^2 |y \sim |} \right], [0, \infty], ["Continuous", "PDF"] \right]$$

