

```
> restart;  
read("c:/appl/appl7.txt");
```

PROCEDURES:

*AllPermutations(n), AllCombinations(n, k), Benford(X), BootstrapRV(Data),
CDF:CHF:HF:IDF:PDF:SF(X, [x]), CoefOfVar(X), Convolution(X, Y),
ConvolutionIID(X, n), CriticalPoint(X, prob), Determinant(MATRIX), Difference(X, Y),
Display(X), ExpectedValue(X, [g]), KSTest(X, Data, Parameters), Kurtosis(X),
Maximum(X, Y), MaximumIID(X, n), Mean(X), MGF(X), Minimum(X, Y),
MinimumIID(X, n), Mixture(MixParameters, MixRVs),
MLE(X, Data, Parameters, [Rightcensor]), MLENHPP(X, Data, Parameters, obstime),
MLEWeibull(Data, [Rightcensor]), MOM(X, Data, Parameters),
NextCombination(Previous, size), NextPermutation(Previous), OrderStat(X, n, r, ["wo"]),
PlotDist(X, [low], [high]), PlotEmpCDF(Data, [low], [high]),
PlotEmpCIF(Data, [low], [high]), PlotEmpSF(Data, Censor),
PlotEmpVsFittedCDF(X, Data, Parameters, [low], [high]),
PlotEmpVsFittedCDF(X, Data, Parameters, [low], [high]),
PlotEmpVsFittedSF(X, Data, Parameters, Censor, low, high),
PPPlot(X, Data, Parameters), Product(X, Y), ProductIID(X, n),
QQPlot(X, Data, Parameters), RangeStat(X, n, ["wo"]), Skewness(X), Transform(X, g),
Truncate(X, low, high), Variance(X), VerifyPDF(X)*

Procedure Notation:

*X and Y are random variables
Greek letters are numeric or symbolic parameters
x is numeric or symbolic
n and r are positive integers, $n \geq r$
low and high are numeric
g is a function
Brackets [] denote optional parameters
"double quotes" denote character strings
MATRIX is a 2 x 2 array of random variables
A capitalized parameter indicates that it must be
entered as a list --> ex. Data := [1, 12.4, 34, 52.45, 63]*

Variate Generation:

*ArcTanVariate(alpha, phi), BinomialVariate(n, p, m), ExponentialVariate(lambda),
NormalVariate(mu, sigma), UniformVariate(), WeibullVariate(lambda, kappa, m)*

DATA SETS:

*BallBearing, HorseKickFatalities, Hurricane, MP6, RatControl, RatTreatment, USSHalfBeak
ArcSinRV(), ArcTanRV(alpha, phi), BetaRV(alpha, beta), CauchyRV(a, alpha), ChiRV(n),*

*ChiSquareRV(n), ErlangRV(lambda, n), ErrorRV(mu, alpha, d), ExponentialRV(lambda),
 ExponentialPowerRV(lambda, kappa), ExtremeValueRV(alpha, beta), FRV(n1, n2),
 GammaRV(lambda, kappa), GeneralizedParetoRV(gamma, delta, kappa),
 GompertzRV(delta, kappa), HyperbolicSecantRV(), HyperExponentialRV(p, l),
 HypoExponentialRV(l), IDBRV(gamma, delta, kappa), InverseGaussianRV(lambda, mu),
 InvertedGammaRV(alpha, beta), KSRV(n), LaPlaceRV(omega, theta),
 LogGammaRV(alpha, beta), LogisticRV(kappa, lambda), LogLogisticRV(lambda, kappa),
 LogNormalRV(mu, sigma), LomaxRV(kappa, lambda), MakehamRV(gamma, delta, kappa),
 MuthRV(kappa), NormalRV(mu, sigma), ParetoRV(lambda, kappa), RayleighRV(lambda),
 StandardCauchyRV(), StandardNormalRV(), StandardTriangularRV(m),
 StandardUniformRV(), TRV(n), TriangularRV(a, m, b), UniformRV(a, b),
 WeibullRV(lambda, kappa)*

Error, attempting to assign to `DataSets` which is protected.
 Try declaring `local DataSets`; see ?protect for details.

```

> bf := MuthRV(1);
bfname := "MuthRV(1)";
bf := [[x -> (e^x - 1) e^(-e^x + x + 1)], [0, infinity], ["Continuous", "PDF"]]
bfname := "MuthRV(1)"

```

(1)

```

> #plot(1/csch(t)+1, t = 0..0.0010);
#plot(diff(1/csch(t), t), t=0..0.0010);
#limit(1/csch(t), t=0);
> solve(exp(-t) = y, t);

```

-ln(y) (2)

```

> # discarded -ln(t + 1), t -> csch(t), t -> arccsch(t), t -> tan(t),
> glist := [t -> t^2, t -> sqrt(t), t -> 1/t, t -> arctan(t), t
-> exp(t), t -> ln(t), t -> exp(-t), t -> -ln(t), t -> ln(t+1),
t -> 1/(ln(t+2)), t -> tanh(t), t -> sinh(t), t -> arcsinh(t),
t -> csch(t+1), t -> arccsch(t+1), t -> 1/tanh(t+1), t -> 1/sinh(t+1),
t -> 1/arcsinh(t+1), t -> 1/csch(t)+1, t -> tanh(1/t), t -> csch
(1/t), t -> arccsch(1/t), t -> arctanh(1/t) ]:
base := t -> PDF(bf, t):
print(base(x)):

for i from 1 to 22(glist) do
    print("i is", i, " -----")
    -----");
    g := glist[i]:
    l := bf[2][1];
    u := bf[2][2];
    Temp := Transform(bf, [[unapply(g(x), x)], [l, u]]);

    #print("l and u", l, u);
    #print("g(x)", g(x), "base", base(x), bfname);

```

```

print("f(x)", PDF(Temp, x));
#print("F(x)", CDF(Temp, x));
#print("IDF(x)", IDF(Temp));
#print("S(x)", SF(Temp, x));
print("h(x)", HF(Temp, x));
#print("mean and variance", Mean(Temp), Variance(Temp));
#assume(r > 0); mf := int(x^r*PDF(Temp, x), x = Temp[2][1] ..
Temp[2][2]);
#print("MF", mf);
#print("MGF", MGF(Temp));
PlotDist(PDF(Temp), 0, 40);
PlotDist(HF(Temp), 0, 40);
latex(PDF(Temp,x));
#print("transforming with", [[x->g(x)],[0,infinity]]);
#X2 := Transform(bf, [[x->g(x)],[0,infinity]]);
#print("pdf of X2 = ", PDF(X2,x));
#print("pdf of Temp = ", PDF(Temp,x));
od;

```

$$(e^x - 1) e^{-e^x + x + 1}$$

"i is", 1,

"-----"

$$g := t \rightarrow t^2$$


$$l := 0$$


$$u := \infty$$

$$Temp := \left[\left[y \rightarrow \frac{1}{2} \frac{(e^{\sqrt{y}} - 1) e^{-e^{\sqrt{y}} + \sqrt{y}} + 1}}{\sqrt{y}} \right], [0, \infty], ["Continuous", "PDF"] \right]$$

$$\text{"f(x)", } \frac{1}{2} \frac{(e^{\sqrt{x}} - 1) e^{-e^{\sqrt{x}} + \sqrt{x}} + 1}}{\sqrt{x}}$$

$$\text{"h(x)", } \frac{1}{2} \frac{e^{\sqrt{x}} - 1}{\sqrt{x}}$$






```
1/2\,{\frac { \left( {{\rm e}^{\sqrt {x}}}-1 \right) {{\rm e}^{\{-
{
{\rm e}^{\sqrt {x}}\}+\sqrt {x}+1}}}{\sqrt {x}}}}
"i is", 2,
" _____
-----"
```


```
g := t→√t
l := 0
u := ∞

Temp := [ [y~→2 (e^{y^2} - 1) e^{-e^{y^2} + y^2 + 1} y~], [0, ∞], ["Continuous", "PDF"] ]

"f(x)", 2 (e^{x^2} - 1) e^{-e^{x^2} + x^2 + 1} x

"h(x)", 2 (e^{x^2} - 1) x
```






```


2\, \left( {{\rm e}^{\left\{ {x^2} \right\}} -1 \; \right) {{\rm e}^{\left\{ { - {{\rm e}^{\left\{ {x^2} \right\}}} \right.}}
\left. {\left\{ {x^2} \right\}} \right\} +\left\{ {x^2} \right\} +1}}x
"i is", 3,
" _____
-----"

```

$$\begin{aligned}
&g:=t\rightarrow \frac{1}{t} \\
&l:=0 \\
&u:=\infty \\
Temp:=&\left[\left[y\rightsquigarrow \frac{\left(e^{\frac{1}{y\sim}}-1\right)e^{-\frac{e^{y\sim}y\sim-y\sim-1}}{y\sim}}}{y\sim^2}\right],\left[0,\infty \right],\left["Continuous","PDF"\right] \\
&\text{"f(x)",}\frac{\left(e^{\frac{1}{x}}-1\right)e^{-\frac{e^{\frac{1}{x}}x-x-1}}{x}}{x^2}
\end{aligned}$$

$$h(x) = \frac{\left(\frac{1}{e^x} - 1\right) e^{-\frac{1}{e^x} x - x - 1}}{x^2 \left(-1 + e^{-\frac{1}{e^x} x - x - 1}\right)}$$





```
{\frac {{{\rm e}^{{x}^{-1}}}-1}{{x}^2}}{{\rm e}^{-{\frac {{{\rm e}^{\{x^{-1}\}}x-x-1}{x}}}}
"i is", 4,
" _____"
"-----"
```


```
g := t→arctan(t)
l := 0
u := ∞
Temp := [ [y~→(etan(y~) - 1) e-etan(y~) + tan(y~) + 1 (1 + tan(y~)2) ], [0, 1/2 π], ["Continuous",
"PDF"] ]
```

```
"f(x)", (etan(x) - 1) e-etan(x) + tan(x) + 1 (1 + tan(x)2)
"h(x)", (etan(x) - 1) (1 + tan(x)2)
```

WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable, $\frac{1}{2} \pi$


Resetting high to RV's maximum support value



*WARNING(PlotDist): High value provided by user, 40
is greater than maximum support value of the random*

variable, $\frac{1}{2} \pi$

Resetting high to RV's maximum support value



```

\left( {\rm e}^{\tan \left( x \right)} \right)^{-1} \right) {\rm e}^{\left\{ -\right.}
{\rm e}^{\tan \left( x \right)} \left. \right\} + \tan \left( x \right) + 1} \left. \right\}
\left( 1 + \right.
\left. \left( \tan \left( x \right) \right)^2 \right)
"i is", 5,
" -----
-----"


```

```

g := t→et
l := 0
u := ∞
Temp := [[y~→(y~ - 1) e1 - y~], [1, ∞], ["Continuous", "PDF"]]
"f(x)", (x - 1) e1 - x
"h(x)",  $\frac{x - 1}{x}$ 

```


*WARNING(PlotDist): Low value provided by user, 0
is less than minimum support value of random variable*



*WARNING(PlotDist): Low value provided by user, 0
is less than minimum support value of random variable*

1


Resetting low to RV's minimum support value




```
\left( x-1 \right) {{\rm e}}^{\{1-x\}}
"i is", 6,
" _____
-----"
```

$$g:=t\rightarrow \ln(t)$$
$$l:=0$$
$$u:=\infty$$

$$Temp:=\Big[\Big[y\leadsto\left(e^{e^{y\leadsto}}-1\right)e^{-e^{e^{y\leadsto}}+e^{y\leadsto}+1+y\leadsto}\Big],\left[-\infty,\infty\right],\left["Continuous","PDF"\right]\Big]$$
$$\text{"f(x)",}\left(e^{e^x}-1\right)e^{-e^{e^x}+e^x+1+x}$$
$$\text{"h(x)",}\left(e^{e^x}-1\right)e^x$$





```
\left( {{\rm e}^{\left( {{\rm e}^x} \right)}-1 \right) {{\rm e}^{-\left( {{\rm e}^x} \right.}}
\left. \left. {{\rm e}^x} \right) +\left( {{\rm e}^x} +1+x \right)} \right.
```

```
"i is", 7,
" _____
      "
```

$$\begin{aligned} g &:= t \rightarrow e^{-t} \\ l &:= 0 \\ u &:= \infty \end{aligned}$$


$$Temp := \left[\left[y \rightarrow - \frac{(y-1) e^{\frac{y-1}{y}}}{y^3} \right], [0, 1], ["Continuous", "PDF"] \right]$$

$$\text{"f(x)", - \frac{(x-1) e^{\frac{x-1}{x}}}{x^3}}$$

$$h(x), \frac{(x-1) e^{\frac{x-1}{x}}}{x^2 \left(-x + e^{\frac{x-1}{x}} \right)}$$


WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random variable, 1

Resetting high to RV's maximum support value



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random variable, 1


Resetting high to RV's maximum support value




```
-{\frac {x-1}{{x}^{3}}}{\rm e}^{{\frac {x-1}{x}}}}
"i is", 8,
" _____
-----"
```

$$g:=t\rightarrow -\ln(t)$$
$$l:=0$$
$$u:=\infty$$

$$Temp:=\Big[\Big[y\leadsto\big(e^{e^{-y}}-1\big)\,e^{-e^{e^{-y}}+e^{-y}+1-y}\Big],\big[-\infty,\infty\big],\big["Continuous","PDF"\big]\Big]$$
$$\text{"f(x)",}\big(e^{e^{-x}}-1\big)\,e^{-e^{e^{-x}}+e^{-x}+1-x}$$
$$\text{"h(x)",}-\frac{\big(e^{e^{-x}}-1\big)\,e^{-e^{e^{-x}}+e^{-x}+1-x}}{-1+e^{-e^{e^{-x}}+1+e^{-x}}}$$





```


\left( {{\rm e}^{\left\{ {\rm e}^{-x} \right\}} -1 \right) {{\rm e}^{-\left\{ {\rm e} \right.}}
^{\{
{\rm e}^{-x} \}}}+{\rm e}^{-x}+1-x\}
"i is", 9,
" -----
-----"


```

```

g := t→ln(t+1)
l := 0
u := ∞
Temp := [[y~→(e^{y~}-1) e^{-e^{y~}-1+e^{y~}+y~}], [0, ∞], ["Continuous", "PDF"]]
"f(x)", (e^{e^x}-1) e^{-e^{e^x}-1+e^x+x}
"h(x)", (e^{e^x}-1) e^x

```





```
\left( {{\rm e}^{\left( {{\rm e}^{\left\{ x\right\}} -1\right)} -1} \right) {{\rm e}^{-\left( {{\rm e}^{\left\{ \right.}
e\right\}^{\left\{ \right.}
{\rm e}^{\left\{ x\right\}} -1\right)} +\left( {{\rm e}^{\left\{ x\right\}} +x\right)}
"i is", 10,
" -----
-----"
```

$$g:=t\rightarrow \frac{1}{\ln(t+2)}$$
$$l:=0$$
$$u:=\infty$$

$$Temp:=\left[\left[y\rightsquigarrow \frac{\left(e^{\frac{1}{e^{y\sim}}}-2-1\right)e^{-\frac{\frac{1}{e^{y\sim}}-2_{y\sim}-e^{y\sim}}{y\sim}+y\sim-1}}{y\sim^2}\right],\left[0,\frac{1}{\ln(2)}\right],\left["Continuous",\right.\\ \left."PDF"\right]$$


$$\text{"f(x)", } \frac{\left(e^{\frac{1}{e^x}-2}-1\right) e^{-\frac{e^{\frac{1}{x}}-2 x-e^{\frac{1}{x}} x+x-1}}{x}}{x^2}$$

$$\text{"h(x)", } -\frac{\left(e^{\frac{1}{e^x}-2}-1\right) e^{-\frac{e^{\frac{1}{x}}-2 x-e^{\frac{1}{x}} x+x-1}}{x}}{x^2\left(-1+e^{-e^{\frac{1}{x}}-2+\frac{1}{e^x}}-1\right)}$$

WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable, $\frac{1}{\ln(2)}$


Resetting high to RV's maximum support value



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable, $\frac{1}{\ln(2)}$

Resetting high to RV's maximum support value



$$\frac{\frac{e^{\left(e^{x^{-1}}-2\right)-1}x^2}{e^{-\left(\frac{e^{\left(e^{x^{-1}}-2\right)x-e^{x^{-1}}}\right)}{x+x-1}\{x\}}}}{x}}{x}}{x}}$$

"i is", 11,

"-----
-----"

$$g:=t\rightarrow \tanh(t)$$

$$l:=0$$

$$u:=\infty$$

$$Temp:=\left[\left[y\rightsquigarrow-\frac{\left(-y\sim-1+\sqrt{-y\sim^2+1}\right)e^{\frac{\operatorname{arctanh}(y\sim)\sqrt{-y\sim^2+1}+\sqrt{-y\sim^2+1}-y\sim-1}}{\sqrt{-y\sim^2+1}}}}{\left(-y\sim^2+1\right)^{3/2}}\right],\left[0,\right.$$

1], ["Continuous", "PDF"]]


$$\text{"f(x)", } - \frac{\left(-x - 1 + \sqrt{-x^2 + 1} \right) e^{\frac{\operatorname{arctanh}(x) \sqrt{-x^2 + 1} + \sqrt{-x^2 + 1} - x - 1}{\sqrt{-x^2 + 1}}}}{\left(-x^2 + 1 \right)^{3/2}}$$

"h(x)",


$$\left(\left(-x - 1 + \sqrt{-x^2 + 1} \right) e^{\frac{\operatorname{arctanh}(x) \sqrt{-x^2 + 1} + \sqrt{-x^2 + 1} - x - 1}{\sqrt{-x^2 + 1}}} \right) / \left(\left(-x^2 + 1 \right)^{3/2} \right) \\ - 1 + \int_0^x \left(- \frac{\left(-t - 1 + \sqrt{-t^2 + 1} \right) e^{\frac{\operatorname{arctanh}(t) \sqrt{-t^2 + 1} + \sqrt{-t^2 + 1} - t - 1}{\sqrt{-t^2 + 1}}}}{\left(-t^2 + 1 \right)^{3/2}} \right) dt \right)$$

*WARNING(PlotDist): High value provided by user, 40
is greater than maximum support value of the random
variable, 1*

Resetting high to RV's maximum support value



*WARNING(PlotDist): High value provided by user, 40
is greater than maximum support value of the random
variable, 1
Resetting high to RV's maximum support value*



$$-\frac{-x-1+\sqrt{-x^2+1}}{\left(-x^2+1\right)^{3/2}}\left\{\mathrm{e}^{\left(\frac{\operatorname{arctanh}\left(x\right)\sqrt{-x^2+1}+\sqrt{-x^2+1}-x-1\right)\sqrt{-x^2+1}}}\right\}$$


"i is", 12,
"-----"
"-----"


$$\begin{aligned} g &:= t \rightarrow \sinh(t) \\ l &:= 0 \\ u &:= \infty \end{aligned}$$

$$Temp := \left[\left[y \rightarrow \frac{\left(y + \sqrt{y^2 + 1} - 1\right) e^{-y - \sqrt{y^2 + 1} + \operatorname{arcsinh}(y) + 1}}{\sqrt{y^2 + 1}} \right], [0, \infty], \right. \\ \left. ["Continuous", "PDF"] \right]$$

"f(x)", $\frac{\left(x + \sqrt{x^2 + 1} - 1\right) e^{-x - \sqrt{x^2 + 1} + \operatorname{arcsinh}(x)} + 1}{\sqrt{x^2 + 1}}$

"h(x)", $-\frac{\left(x + \sqrt{x^2 + 1} - 1\right) e^{-x - \sqrt{x^2 + 1} + \operatorname{arcsinh}(x)} + 1}{\sqrt{x^2 + 1} \left(-1 + \int_0^x \frac{\left(t + \sqrt{t^2 + 1} - 1\right) e^{-t - \sqrt{t^2 + 1} + \operatorname{arcsinh}(t)} + 1}{\sqrt{t^2 + 1}} dt\right)}$





```

{\frac { \left( x+\sqrt {{x}^{2}+1}-1 \right) {{\rm e}}^{-x-\sqrt {{x}^{2}+1}+{\rm arcsinh} \left(x\right)+1}}{\sqrt {{x}^{2}+1}}}
"i is", 13,
" -----
-----"

```

$$g:=t\rightarrow \operatorname{arcsinh}(t)$$

$$l:=0$$

$$u:=\infty$$


```


Temp := [[y~→(e^{sinh(y~)}-1) e^{-e^{sinh(y~)}+sinh(y~)+1} cosh(y~)], [0, ∞], ["Continuous",
"PDF"]]

```

$$\text{"f(x)", } (e^{\sinh(x)}-1) e^{-e^{\sinh(x)}+\sinh(x)+1} \cosh(x)$$

$$\text{"h(x)", } (e^{\sinh(x)}-1) \cosh(x) e^{\frac{1}{2} \left(2 \sinh(x) e^x + 2 e^{\frac{1}{2}} e^{-x} e^{2x} - \frac{1}{2} e^{-x} + x - e^{2x} - 2 e^{\sinh(x) + x} + 1 \right) e^{-x}}$$





$$\frac{\left(e^{\sinh(x)}-1\right) e^{-\left(e^{\sinh(x)}+\sinh(x)+1\right) \cosh(x)}}{14}$$

"-----"

$$\begin{aligned} g &:= t \rightarrow \operatorname{csch}(t+1) \\ l &:= 0 \\ u &:= \infty \end{aligned}$$


$$Temp:=\left[\left[y\rightarrow \frac{\left(e^{-1+\operatorname{arccsch}(y)}-1\right)e^{-e^{-1+\operatorname{arccsch}(y)}+\operatorname{arccsch}(y)}}{\sqrt{y^2+1}\,|y|}\right],\left[0,\frac{2}{e-e^{-1}}\right],\left["Continuous","PDF"\right]\right]$$

$$\begin{aligned} & \text{"f(x)", } \frac{(e^{-1 + \operatorname{arccsch}(x)} - 1) e^{-e^{-1} + \operatorname{arccsch}(x)} + \operatorname{arccsch}(x)}{\sqrt{x^2 + 1} |x|} \\ & \text{"h(x)", } - \frac{(e^{-1 + \operatorname{arccsch}(x)} - 1) e^{-e^{-1} + \operatorname{arccsch}(x)} + \operatorname{arccsch}(x)}{\sqrt{x^2 + 1} |x| \left(-1 + \int_0^x \frac{(e^{-1 + \operatorname{arccsch}(t)} - 1) e^{-e^{-1} + \operatorname{arccsch}(t)} + \operatorname{arccsch}(t)}{\sqrt{t^2 + 1} |t|} dt \right)} \end{aligned}$$

WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable, $\frac{2}{e - e^{-1}}$


Resetting high to RV's maximum support value



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random

variable, $\frac{2}{e - e^{-1}}$

Resetting high to RV's maximum support value




```
{\frac { \left( {{\rm e}^{-1+{\rm arccsch} \left(x\right)}}-1
\right)
{{\rm e}^{-{{\rm e}^{-1+{\rm arccsch} \left(x\right)}}}+{\rm
arccsch}
\left(x\right)}}}{\sqrt {{x}^{2}+1} \left| x \right| }}
"i is", 15,
" -----
-----"


g := t→arccsch(t + 1)
l := 0
u := ∞
Temp := ⌈⌈ y~→ ( e^(-sinh(y~)/sinh(y~)) - 1 ) e^(-sinh(y~)/sinh(y~)) cosh(y~) / sinh(y~)^2 ⌋, [0, ln(1
+ √2) ] , ["Continuous", "PDF"] ⌋
```


$$\begin{aligned}
 \text{"f(x)", } & \frac{\left(e^{-\frac{\sinh(x)-1}{\sinh(x)}} - 1 \right) e^{-\frac{\sinh(x)-1}{\sinh(x)}} \cosh(x)}{\sinh(x)^2} \\
 \text{"h(x)", } & - \frac{\left(e^{-\frac{\sinh(x)-1}{\sinh(x)}} - 1 \right) e^{-\frac{\sinh(x)-1}{\sinh(x)}} \cosh(x)}{\sinh(x)^2 \left(-1 + e^{-\frac{\left(\frac{2e^{2x}x + 2e^x + 1}{e^{2x}-1} - e^{\frac{2e^x + 2x + 1}{e^{2x}-1}} - 2e^{\frac{e^{2x}x + e^{2x} + x}}{e^{2x}-1}} \right) - \frac{e^{2x} + 2x}{e^{2x}-1}}}{e^{2x}-1}} \right)}
 \end{aligned}$$

WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random variable, $\ln(1 + \sqrt{2})$
Resetting high to RV's maximum support value



WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random variable, $\ln(1 + \sqrt{2})$


$$\frac{\cosh(x)}{\left(\frac{\sinh(x)}{e^{-\sinh(x)}} - 1\right) \sinh(x)} - \frac{e^{-\frac{1}{\sinh(x)}}}{\sinh(x)} \left(\frac{e^{-\frac{1}{\sinh(x)}}}{\sinh(x)} - 1 \right) \sinh(x) - 1 \right) e^{-\frac{1}{\sinh(x)}} \sinh(x)$$

"i is", 16,

"-----"

-----"

$$\begin{aligned} g &:= t \rightarrow \frac{1}{\tanh(t+1)} \\ l &:= 0 \\ u &:= \infty \end{aligned}$$

$$Temp := \left[\left[y \sim \rightarrow \frac{\left(e^{-1 + \operatorname{arctanh}\left(\frac{1}{y \sim}\right)} - 1 \right) e^{-e^{-1 + \operatorname{arctanh}\left(\frac{1}{y \sim}\right) + \operatorname{arctanh}\left(\frac{1}{y \sim}\right)}}}{y \sim^2 - 1} \right], \left[1, \frac{e + e^{-1}}{e - e^{-1}} \right], \right. \\ \left. ["Continuous", "PDF"] \right]$$

$$"f(x)", \frac{\left(e^{-1 + \operatorname{arctanh}\left(\frac{1}{x}\right)} - 1 \right) e^{-e^{-1 + \operatorname{arctanh}\left(\frac{1}{x}\right) + \operatorname{arctanh}\left(\frac{1}{x}\right)}}}{x^2 - 1}$$


$$"h(x)", -\frac{\left(e^{-1 + \operatorname{arctanh}\left(\frac{1}{x}\right)} - 1 \right) e^{-e^{-1 + \operatorname{arctanh}\left(\frac{1}{x}\right) + \operatorname{arctanh}\left(\frac{1}{x}\right)}} \sqrt{x - 1}}{(x^2 - 1) \left(\sqrt{x + 1} e^{-\frac{e^{-1} \sqrt{x + 1}}{\sqrt{x - 1}}} - \sqrt{x - 1} \right)}$$

*WARNING(PlotDist): Low value provided by user, 0
is less than minimum support value of random variable*
1

Resetting low to RV's minimum support value
*WARNING(PlotDist): High value provided by user, 40
is greater than maximum support value of the random*

$$variable, \frac{e + e^{-1}}{e - e^{-1}}$$


Resetting high to RV's maximum support value



*WARNING(PlotDist): Low value provided by user, 0
is less than minimum support value of random variable
1*

*Resetting low to RV's minimum support value
WARNING(PlotDist): High value provided by user, 40
is greater than maximum support value of the random
variable, $\frac{e+e^{-1}}{e-e^{-1}}$*

Resetting high to RV's maximum support value



```
{\frac { \left( {{\rm e}^{-1+{\rm arctanh} \left( {x}^{-1}\right) }}-1 \right) {\rm e}^{-{{\rm e}^{-1+{\rm arctanh} \left( {x}^{-1} \right) }}}+{\rm arctanh} \left( {x}^{-1}\right) }}{{x}^2-1}}
```

"i is",17,
 " -----
 -----"

$$g:=t\rightarrow \frac{1}{\sinh(t+1)}$$

$$l:=0$$

$$u:=\infty$$

$$Temp:=\left[\left[y\rightsquigarrow \frac{\left(e^{-1+\operatorname{arcsinh}\left(\frac{1}{y\sim}\right)}-1\right)e^{-e^{-1+\operatorname{arcsinh}\left(\frac{1}{y\sim}\right)+\operatorname{arcsinh}\left(\frac{1}{y\sim}\right)}}}{\sqrt{y\sim^2+1}\left|y\sim\right|}\right],\left[0,\frac{2}{e-e^{-1}}\right],$$

["Continuous", "PDF"]


"f(x)",
$$\frac{\left(e^{-1 + \operatorname{arcsinh}\left(\frac{1}{x}\right)} - 1\right) e^{-1 + \operatorname{arcsinh}\left(\frac{1}{x}\right) + \operatorname{arcsinh}\left(\frac{1}{x}\right)}}{\sqrt{x^2 + 1} |x|}$$

"h(x)",
$$-\frac{\left(e^{-1 + \operatorname{arcsinh}\left(\frac{1}{x}\right)} - 1\right) e^{-1 + \operatorname{arcsinh}\left(\frac{1}{x}\right) + \operatorname{arcsinh}\left(\frac{1}{x}\right)} x}{\sqrt{x^2 + 1} |x| \left(e^{-\frac{(\sqrt{x^2 + 1} + 1) e^{-1}}{x}} \sqrt{x^2 + 1} + e^{-\frac{(\sqrt{x^2 + 1} + 1) e^{-1}}{x}} - x\right)}$$

*WARNING(PlotDist): High value provided by user, 40
is greater than maximum support value of the random*

variable, $\frac{2}{e - e^{-1}}$


Resetting high to RV's maximum support value



*WARNING(PlotDist): High value provided by user, 40
is greater than maximum support value of the random*

$$\text{variable, } \frac{2}{e-e^{-1}}$$

Resetting high to RV's maximum support value



```
\frac { \left( {{\rm e}^{-1+{\rm arcsinh} \left({x}^{-1}\right)} }-1
\right) {{\rm e}^{-{{\rm e}^{-1+{\rm arcsinh} \left({x}^{-1}
\right)}}}
+{\rm arcsinh} \left({x}^{-1}\right)}}{\sqrt {{x}^2+1} \left|
x
\right| }}
"i is", 18,
" -----
-----"
```


$$g:=t\rightarrow \frac{1}{\operatorname{arcsinh}(t+1)}$$

$$l:=0$$


$$u:=\infty$$

$$Temp := \left[\left[y \sim \rightarrow \frac{\left(e^{-1 + \sinh\left(\frac{1}{y \sim}\right)} - 1 \right) e^{-e^{-1 + \sinh\left(\frac{1}{y \sim}\right) + \sinh\left(\frac{1}{y \sim}\right)} \cosh\left(\frac{1}{y \sim}\right)}{y \sim^2} \right], \left[0, \right. \right. \\ \left. \left. \frac{1}{\ln(1 + \sqrt{2})} \right], ["Continuous", "PDF"] \right] \\ \text{"f(x)", } \frac{\left(e^{-1 + \sinh\left(\frac{1}{x}\right)} - 1 \right) e^{-e^{-1 + \sinh\left(\frac{1}{x}\right) + \sinh\left(\frac{1}{x}\right)} \cosh\left(\frac{1}{x}\right)}{x^2} \\ \text{"h(x)", } - \frac{\left(e^{-1 + \sinh\left(\frac{1}{x}\right)} - 1 \right) e^{-e^{-1 + \sinh\left(\frac{1}{x}\right) + \sinh\left(\frac{1}{x}\right)} \cosh\left(\frac{1}{x}\right)}{x^2 \left(-1 + e^{\frac{1}{2} \left(e^{\frac{1}{2} \frac{\left(x + 4 e^{\frac{1}{x}} \right) e^{-\frac{1}{x}}}{x}} - 2 e^{\frac{1}{2} \frac{e^{\frac{1}{x}} x - 2x + 2}}{x}} - e^{\frac{1}{2} e^{-\frac{1}{x}}} \right) e^{-\frac{1}{2} \frac{\left(x + 2 e^{\frac{1}{x}} \right) e^{-\frac{1}{x}}}{x}} \right)}$$

*WARNING(PlotDist): High value provided by user, 40
is greater than maximum support value of the random
variable, $\frac{1}{\ln(1 + \sqrt{2})}$
Resetting high to RV's maximum support value*



*WARNING(PlotDist): High value provided by user, 40
is greater than maximum support value of the random
variable, $\frac{1}{\ln(1 + \sqrt{2})}$
Resetting high to RV's maximum support value*



$$\frac{\left({{\rm e}^{\left(-1 + \sinh \left({x^{\left(-1 \right)}} \right)} \right)} - 1 \right){{\rm e}^{\left(-{{\rm e}^{\left(-1 + \sinh \left({x^{\left(-1 \right)}} \right)} \right)} \right)}} + \sinh \left({x^{\left(-1 \right)}} \right) \cosh \left({x^{\left(-1 \right)}} \right){{x}^2}}{\left. \right\}}}$$

"i is", 19,
 "-----"
 "-----"

$$g:=t\rightarrow \frac{1}{\operatorname{csch}(t)}+1$$

$$l:=0$$

$$u:=\infty$$

$$Temp:=\left[\left[y\rightarrow \frac{\left(y-2+\sqrt{y^2-2\,y+2}\right)e^{-y+2-\sqrt{y^2-2\,y+2}}+\operatorname{arccsch}\left(\frac{1}{y-1}\right)}{\sqrt{y^2-2\,y+2}}\right],\left[1,\right.$$

∞], ["Continuous", "PDF"]

$$\text{"f(x)", } \frac{\left(x-2+\sqrt{x^2-2x+2}\right) e^{-x+2-\sqrt{x^2-2x+2}+\operatorname{arccsch}\left(\frac{1}{x-1}\right)}}{\sqrt{x^2-2x+2}}$$

"h(x)",


$$-\left(\left(x-2+\sqrt{x^2-2x+2}\right) e^{-x+2-\sqrt{x^2-2x+2}+\operatorname{arccsch}\left(\frac{1}{x-1}\right)}\right) /$$

$$\left(\sqrt{x^2-2x+2}\left(-1+\int_1^x \frac{\left(t-2+\sqrt{t^2-2t+2}\right) e^{-t+2-\sqrt{t^2-2t+2}+\operatorname{arccsch}\left(\frac{1}{t-1}\right)}}{\sqrt{t^2-2t+2}}\right. \right. \\ \left. \left. dt\right)\right)$$

*WARNING(PlotDist): Low value provided by user, 0
is less than minimum support value of random variable*

1


Resetting low to RV's minimum support value



*WARNING(PlotDist): Low value provided by user, 0
is less than minimum support value of random variable*

1

Resetting low to RV's minimum support value



```
{\frac { \left( x-2+\sqrt {{x}^{2}-2},x+2 \right) {{\rm e}}^{\left(-
x+2-
\sqrt {{x}^{2}-2},x+2\right)+{\rm arccsch} \left( \left( x-1 \right) ^
{-1}
\right)}}}{\sqrt {{x}^{2}-2},x+2}}}
"i is", 20,
" -----
-----"
```


$$\begin{aligned}
&g:=t\rightarrow \tanh\left(\frac{1}{t}\right) \\
&l:=0 \\
&u:=\infty \\
Temp:=&\left[\left[y\rightsquigarrow-\frac{\left(e^{\frac{1}{\operatorname{arctanh}(y\sim)}}-1\right)e^{-\frac{\frac{1}{\operatorname{arctanh}(y\sim)}\operatorname{arctanh}(y\sim)}-\operatorname{arctanh}(y\sim)}-1}{\operatorname{arctanh}(y\sim)^2\left(y\sim^2-1\right)}\right],\left[0,1\right],\right.
\end{aligned}$$

["Continuous", "PDF"]


"f(x)", -
$$\frac{\left(e^{\frac{1}{\operatorname{arctanh}(x)}} - 1 \right) e^{-\frac{e^{\frac{1}{\operatorname{arctanh}(x)}} \operatorname{arctanh}(x) - \operatorname{arctanh}(x) - 1}}{\operatorname{arctanh}(x)}}}{\operatorname{arctanh}(x)^2 (x^2 - 1)}$$

"h(x)",
$$\left(\left(e^{\frac{1}{\operatorname{arctanh}(x)}} - 1 \right) e^{-\frac{e^{\frac{1}{\operatorname{arctanh}(x)}} \operatorname{arctanh}(x) - \operatorname{arctanh}(x) - 1}}{\operatorname{arctanh}(x)} \right) \Bigg/ \left(\operatorname{arctanh}(x)^2 (x^2 - 1) \left(1 - x \right)^{\frac{e^{\frac{2}{\ln(x+1) - \ln(1-x)}} - 1}}{(x+1)^{-\frac{e^{\frac{2}{\ln(x+1) - \ln(1-x)}} - 1}} e^{\frac{2}{\ln(x+1) - \ln(1-x)}} - 1 \right) \right)$$

*WARNING(PlotDist): High value provided by user, 40
is greater than maximum support value of the random
variable, 1
Resetting high to RV's maximum support value*



*WARNING(PlotDist): High value provided by user, 40
is greater than maximum support value of the random
variable, 1
Resetting high to RV's maximum support value*



```

-{\frac {{{\rm e}^{\left( {\rm arctanh}\left(x\right)\right)}}^{\left\{-1\right\}}
}^{-1}}{\left( {\rm arctanh}\left(x\right)\right)^2\left(
{x}^2-1\right)}}{{\rm e}^{-{\frac {{{\rm e}^{\left( {\rm arctanh}\left(x\right)\right)}}^{\left\{-1\right\}}
}^{\left( {\rm arctanh}\left(x\right)\right)}}^{\left\{-1\right\}}}{\rm arctanh}\left(x\right)-{\rm arctanh}\left(x\right)-1}}{\left( {\rm arctanh}\left(x\right)\right)}}}

```

$$g:=t\rightarrow \operatorname{csch}\left(\frac{1}{t}\right)$$

$$l:=0$$

$$u:=\infty$$

$$Temp:=\left[\left[y\rightsquigarrow\frac{\left(e^{\frac{1}{\operatorname{arccsch}(y\sim)}}-1\right)e^{-\frac{1}{\operatorname{arccsch}(y\sim)}\operatorname{arccsch}(y\sim)-\operatorname{arccsch}(y\sim)-1}}{\operatorname{arccsch}(y\sim)}}}{\sqrt{y\sim^2+1}\operatorname{arccsch}(y\sim)^2|y\sim|}\right],[0,\infty],$$


["Continuous", "PDF"]

"f(x)",
$$\frac{\left(e^{\frac{1}{\operatorname{arcsch}(x)}} - 1\right) e^{-\frac{e^{\frac{1}{\operatorname{arcsch}(x)}} \operatorname{arcsch}(x) - \operatorname{arcsch}(x) - 1}}{\operatorname{arcsch}(x)}}}{\sqrt{x^2 + 1} \operatorname{arcsch}(x)^2 |x|}$$

"h(x)",

$$-\left(\left(e^{\frac{1}{\operatorname{arcsch}(x)}} - 1\right) e^{-\frac{e^{\frac{1}{\operatorname{arcsch}(x)}} \operatorname{arcsch}(x) - \operatorname{arcsch}(x) - 1}}{\operatorname{arcsch}(x)}\right) /$$

$$\left(\sqrt{x^2 + 1} \operatorname{arcsch}(x)^2 |x| \left(-1 + \int_0^x \frac{\left(e^{\frac{1}{\operatorname{arcsch}(t)}} - 1\right) e^{-\frac{e^{\frac{1}{\operatorname{arcsch}(t)}} \operatorname{arcsch}(t) - \operatorname{arcsch}(t) - 1}}{\operatorname{arcsch}(t)}}}{\sqrt{t^2 + 1} \operatorname{arcsch}(t)^2 |t|} dt\right)\right)$$



Warning, computation interrupted