

```
> restart;
read("c:/appl/appl7.txt");
```

#### PROCEDURES:

*AllPermutations(n), AllCombinations(n, k), Benford(X), BootstrapRV(Data),*  
*CDF:CHF:HF:IDF:PDF:SF(X, [x]), CoefOfVar(X), Convolution(X, Y),*  
*ConvolutionIID(X, n), CriticalPoint(X, prob), Determinant(MATRIX), Difference(X, Y),*  
*Display(X), ExpectedValue(X, [g]), KSTest(X, Data, Parameters), Kurtosis(X),*  
*Maximum(X, Y), MaximumIID(X, n), Mean(X), MGF(X), Minimum(X, Y),*  
*MinimumIID(X, n), Mixture(MixParameters, MixRVs),*  
*MLE(X, Data, Parameters, [Rightcensor]), MLENHPP(X, Data, Parameters, obstime),*  
*MLEWeibull(Data, [Rightcensor]), MOM(X, Data, Parameters),*  
*NextCombination(Previous, size), NextPermutation(Previous), OrderStat(X, n, r, ["wo"]),*  
*PlotDist(X, [low], [high]), PlotEmpCDF(Data, [low], [high]),*  
*PlotEmpCIF(Data, [low], [high]), PlotEmpSF(Data, Censor),*  
*PlotEmpVsFittedCDF(X, Data, Parameters, [low], [high]),*  
*PlotEmpVsFittedCDF(X, Data, Parameters, [low], [high]),*  
*PlotEmpVsFittedSF(X, Data, Parameters, Censor, low, high),*  
*PPPlot(X, Data, Parameters), Product(X, Y), ProductIID(X, n),*  
*QQPlot(X, Data, Parameters), RangeStat(X, n, ["wo"]), Skewness(X), Transform(X, g),*  
*Truncate(X, low, high), Variance(X), VerifyPDF(X)*

#### Procedure Notation:

*X and Y are random variables*

*Greek letters are numeric or symbolic parameters*

*x is numeric or symbolic*

*n and r are positive integers,  $n \geq r$*

*low and high are numeric*

*g is a function*

*Brackets [] denote optional parameters*

*"double quotes" denote character strings*

*MATRIX is a 2 x 2 array of random variables*

*A capitalized parameter indicates that it must be entered as a list --> ex. Data := [1, 12.4, 34, 52.45, 63]*

#### Variate Generation:

*ArcTanVariate(alpha, phi), BinomialVariate(n, p, m), ExponentialVariate(lambda),*  
*NormalVariate(mu, sigma), UniformVariate(), WeibullVariate(lambda, kappa, m)*

#### DATA SETS:

*BallBearing, HorseKickFatalities, Hurricane, MP6, RatControl, RatTreatment, USSHalfBeak*

*ArcSinRV(), ArcTanRV(alpha, phi), BetaRV(alpha, beta), CauchyRV(a, alpha), ChiRV(n),*

*ChiSquareRV(n), ErlangRV(lambda, n), ErrorRV(mu, alpha, d), ExponentialRV(lambda),  
 ExponentialPowerRV(lambda, kappa), ExtremeValueRV(alpha, beta), FRV(n1, n2),  
 GammaRV(lambda, kappa), GeneralizedParetoRV(gamma, delta, kappa),  
 GompertzRV(delta, kappa), HyperbolicSecantRV(), HyperExponentialRV(p, l),  
 HypoExponentialRV(l), IDBRV(gamma, delta, kappa), InverseGaussianRV(lambda, mu),  
 InvertedGammaRV(alpha, beta), KSRV(n), LaPlaceRV(omega, theta),  
 LogGammaRV(alpha, beta), LogisticRV(kappa, lambda), LogLogisticRV(lambda, kappa),  
 LogNormalRV(mu, sigma), LomaxRV(kappa, lambda), MakehamRV(gamma, delta, kappa),  
 MuthRV(kappa), NormalRV(mu, sigma), ParetoRV(lambda, kappa), RayleighRV(lambda),  
 StandardCauchyRV(), StandardNormalRV(), StandardTriangularRV(m),  
 StandardUniformRV(), TRV(n), TriangularRV(a, m, b), UniformRV(a, b),  
 WeibullRV(lambda, kappa)*

Error, attempting to assign to `DataSets` which is protected.  
 Try declaring `local DataSets`; see ?protect for details.

```

> bf := FRV(3,4);
bfname := "FRV(3,4)";
bf :=  $\left[ \left[ x \rightarrow \frac{45}{64} \frac{\sqrt{3} \sqrt{4} \sqrt{x}}{\left( \frac{3}{4} x + 1 \right)^{7/2}}, [0, \infty], ["Continuous", "PDF"] \right] \right]$ 
bfname := "FRV(3,4)"

```

(1)

```

> #plot(1/csch(t)+1, t = 0..0.0010);
#plot(diff(1/csch(t),t), t=0..0.0010);
#limit(1/csch(t), t=0);
> solve(exp(-t) = y, t);

```

-ln(y) (2)

```

> # discarded -ln(t + 1), t-> csch(t), t->arccsch(t), t -> tan(t),
> #name of the file for latex output
filename := "C:/LatexOutput/Trash.tex";

glist := [t -> t^2, t -> sqrt(t), t -> 1/t, t -> arctan(t), t
-> exp(t), t -> ln(t), t -> exp(-t), t -> -ln(t), t -> ln(t+1),
t -> 1/(ln(t+2)), t -> tanh(t), t -> sinh(t), t -> arcsinh(t),
t-> csch(t+1), t->arccsch(t+1), t-> 1/tanh(t+1), t-> 1/sinh(t+1),
t-> 1/arcsinh(t+1), t-> 1/csch(t)+1, t-> tanh(1/t), t->csch
(1/t), t-> arccsch(1/t), t-> arctanh(1/t) ]:

base := t -> PDF(bf, t):

print(base(x)):

#begin loopint through transformations
for i from 1 to 22 do
#for i from 1 to 3 do

```

```
print( "i is", i, " -----"
-----");

g := glist[i]:
l := bf[2][1];
u := bf[2][2];
Temp := Transform(bf, [[unapply(g(x), x)], [l,u]]);

#terminal output

PlotDist(PDF(Temp), 0, 40);
PlotDist(HF(Temp), 0, 40);

od;
```


*filename* := "C:/LatexOutput/Trash.tex"


$$\frac{45}{64} \frac{\sqrt{3} \sqrt{4} \sqrt{x}}{\left(\frac{3}{4} x + 1\right)^{7/2}}$$

```
"i is", 1,
" -----"
-----"
```

$$\begin{aligned} g &:= t \rightarrow t^2 \\ l &:= 0 \\ u &:= \infty \end{aligned}$$

$$Temp := \left[ \left[ y \rightsquigarrow \frac{90 \sqrt{3}}{y^{1/4} (3 \sqrt{y} + 4)^{7/2}} \right], [0, \infty], ["Continuous", "PDF"] \right]$$







"i is", 2,  
" \_\_\_\_\_"  
"-----"

$$\begin{aligned} g &:= t \rightarrow \sqrt{t} \\ l &:= 0 \\ u &:= \infty \end{aligned}$$


$$Temp := \left[ \left[ y \rightsquigarrow \frac{360 \sqrt{3} \, y \sim |y \sim|}{(3 \, y \sim^2 + 4)^{7/2}} \right], [0, \infty], ["Continuous", "PDF"] \right]$$






"i is", 3,  
" \_\_\_\_\_"  
"\_\_\_\_\_"

$$\begin{array}{l} g := t \rightarrow \frac{1}{t} \\ l := 0 \\ u := \infty \\ Temp := \left[ \left[ y \rightsquigarrow \frac{180 \sqrt{3} \sqrt{\frac{1}{y} y}}{(4 y + 3)^3 \sqrt{\frac{4 y + 3}{y}}}, [0, \infty], ["Continuous", "PDF"] \right] \right] \end{array}$$









"i is", 4,  
"-----"  
-----"

```
g := t→arctan(t)
l := 0
u := ∞
Temp := ⌈⌊y~→ 180√3√tan(y~) (1+tan(y~)²) / (3tan(y~)+4)⁷/²⌋, ⌊0, 1/2 π⌋, ["Continuous", "PDF"]⌋
WARNING(PlotDist): High value provided by user, 40
is greater than maximum support value of the random
variable, 1/2 π
Resetting high to RV's maximum support value
```



*WARNING(PlotDist): High value provided by user, 40  
is greater than maximum support value of the random  
variable,  $\frac{1}{2} \pi$*

*Resetting high to RV's maximum support value*



"i is", 5,  
" \_\_\_\_\_"  
"\_\_\_\_\_"


$$\begin{aligned} g &:= t \rightarrow e^t \\ l &:= 0 \\ u &:= \infty \end{aligned}$$

$$Temp := \left[ \left[ y \rightsquigarrow \frac{180 \sqrt{3} \sqrt{\ln(y \sim)}}{(3 \ln(y \sim) + 4)^{7/2} y \sim} \right], [1, \infty], ["Continuous", "PDF"] \right]$$

*WARNING(PlotDist): Low value provided by user, 0  
is less than minimum support value of random variable*

1


*Resetting low to RV's minimum support value*



*WARNING(PlotDist): Low value provided by user, 0  
is less than minimum support value of random variable*

1


*Resetting low to RV's minimum support value*




"i is", 6,  
"-----"  
-----"

$$\begin{aligned} g &:= t \rightarrow \ln(t) \\ l &:= 0 \\ u &:= \infty \end{aligned}$$

$$Temp := \left[ \left[ y_{\sim} \rightarrow \frac{180 \sqrt{3} \, e^{\frac{3}{2} y_{\sim}}}{(3 \, e^{y_{\sim}} + 4)^{7/2}} \right], [-\infty, \infty], ["Continuous", "PDF"] \right]$$





"i is", 7,

"

-----"

$$g := t \rightarrow e^{-t}$$


$$l := 0$$

$$u := \infty$$

$$Temp := \left[ \left[ y \sim \rightarrow \frac{180 \sqrt{3} \sqrt{-\ln(y \sim)}}{(-3 \ln(y \sim) + 4)^{7/2} y \sim} \right], [0, 1], ["Continuous", "PDF"] \right]$$


*WARNING(PlotDist): High value provided by user, 40  
is greater than maximum support value of the random  
variable, 1*

*Resetting high to RV's maximum support value*



*WARNING(PlotDist): High value provided by user, 40  
is greater than maximum support value of the random  
variable, 1  
Resetting high to RV's maximum support value*







"i is", 8,  
" \_\_\_\_\_  
-----"

$$\begin{aligned} g &:= t \rightarrow -\ln(t) \\ l &:= 0 \\ u &:= \infty \end{aligned}$$

$$Temp := \left[ \left[ y \rightsquigarrow \frac{180 \sqrt{3} \, e^{-\frac{3}{2} y}}{(3 \, e^{-y} + 4)^{7/2}}, [-\infty, \infty], ["Continuous", "PDF"] \right] \right]$$






"i is", 9,  
"-----"  
-----"


$$g := t \rightarrow \ln(t + 1)$$

$$l := 0$$

$$u := \infty$$

$$Temp := \left[ \left[ y \rightsquigarrow \frac{180 \sqrt{3} \sqrt{e^{y \sim} - 1} e^{y \sim}}{(3 e^{y \sim} + 1)^{7/2}} \right], [0, \infty], ["Continuous", "PDF"] \right]$$





"i is", 10,

"-----"

$$g := t \rightarrow \frac{1}{\ln(t+2)}$$

$$l := 0$$


$$u := \infty$$

$$Temp := \left[ \left[ y \sim \rightarrow \frac{180 \sqrt{3} \sqrt{e^{\frac{1}{y \sim}} - 2} e^{\frac{1}{y \sim}}}{\left( 3 e^{\frac{1}{y \sim}} - 2 \right)^{7/2} y \sim^2} \right], \left[ 0, \frac{1}{\ln(2)} \right], ["Continuous", "PDF"] \right]$$

*WARNING(PlotDist): High value provided by user, 40  
is greater than maximum support value of the random*

*variable,  $\frac{1}{\ln(2)}$*


*Resetting high to RV's maximum support value*



*WARNING(PlotDist): High value provided by user, 40  
is greater than maximum support value of the random*


*variable,  $\frac{1}{\ln(2)}$*

*Resetting high to RV's maximum support value*




"i is", 11,  
"-----"  
-----"

```
g := t→tanh(t)
l := 0
u := ∞
Temp := ⌊⌊y~→- 180 √3 √arctanh(y~)
(3 arctanh(y~) + 4)7/2 (y~2 - 1) ⌋, [0, 1], ["Continuous", "PDF"] ⌋
WARNING(PlotDist): High value provided by user, 40
is greater than maximum support value of the random
variable, 1
Resetting high to RV's maximum support value
```




*WARNING(PlotDist): High value provided by user, 40  
is greater than maximum support value of the random  
variable, 1  
Resetting high to RV's maximum support value*






"i is", 12,  
"-----"  
-----"


$$\begin{aligned} g &:= t \rightarrow \sinh(t) \\ l &:= 0 \\ u &:= \infty \\ Temp &:= \left[ \left[ y \sim \rightarrow \frac{180 \sqrt{3} \sqrt{\operatorname{arcsinh}(y \sim)}}{(3 \operatorname{arcsinh}(y \sim) + 4)^{7/2} \sqrt{y \sim^2 + 1}} \right], [0, \infty], ["Continuous", "PDF"] \right] \end{aligned}$$






"i is", 13,  
"-----"  
-----"

$$g := t \rightarrow \operatorname{arcsinh}(t)$$
$$l := 0$$
$$u := \infty$$
$$Temp := \left[ \left[ y \sim \rightarrow \frac{180 \sqrt{3} \sqrt{\sinh(y \sim)} \cosh(y \sim)}{(3 \sinh(y \sim) + 4)^{7/2}} \right], [0, \infty], ["Continuous", "PDF"] \right]$$





"i is", 14,

"-----"

$$g := t \rightarrow \operatorname{csch}(t + 1)$$

$$l := 0$$


$$u := \infty$$

$$Temp := \left[ \left[ y \rightarrow \frac{180 \sqrt{3} \sqrt{-1 + \operatorname{arccsch}(y)}}{(1 + 3 \operatorname{arccsch}(y))^{7/2} \sqrt{y^2 + 1} |y|} \right], \left[ 0, \frac{2}{e - e^{-1}} \right], ["Continuous", "PDF"] \right]$$

*WARNING(PlotDist): High value provided by user, 40 is greater than maximum support value of the random*

$$\text{variable, } \frac{2}{e - e^{-1}}$$

*Resetting high to RV's maximum support value*



[Warning, computation interrupted](#)