

Aim

Configure and setup high-resolution ocean model for bay of bengal region

Model overview


- Geophysical Fluid Dynamics Laboratory (GFDL) MOM6
- publicly available in the NOAA-GFDL public domain. (GIT)
- Modular ocean model version 6 (MOM6) is a hydrostatic, primitive equation, free surface, Boussinesq ocean model with **ALE vertical grid remapping** to use any kind of vertical coordinates and generalized orthogonal horizontal coordinates.
- Equations governing ocean dynamics and thermodynamics are discretized on a fixed eulerian grid, with **Arkawa C grid** defining the horizontal arrangement of model variables





Domain


- 0.036 degrees resolution
- 4N, 25N and 77E to 99E
- 1-min ETOPO1
- 41 levels vertical resolution (HYCOM)
- max depth of 5000m



Boundary Conditions


- 3 boundaries were considered
- One closed and two open boundaries
- The input data for boundaries are from Indian ocean model simulation (MOM5)

Track and progress





MOM6dev repo exps Experiments CAOPS and tests regional2 2012_bob 2012_bob_obc wiki Installation preprocess **Rough Docuementaion** run post-process scripts supporting python notebooks scripts ferret

Overview of simulations










80°E 85°E 90°E 95°E 100°E 80°E 85°E 90°E 95°E 100°E 80°E 85°E 90°E 95°E 100°E 80°E 85°E 90°E 95°E 100°E




80°E 85°E 90°E 95°E 100°E 80°E 85°E 90°E 95°E 100°E 80°E 85°E 90°E 95°E 100°E 80°E 85°E 90°E 95°E 100°E


- 30

Sea Surface Temperature [degC]


- 15

- 10





location lat:15.0 lon:90.0



Next steps

Short term

- A good amount of experimentation's needed with open boundary
- comparison of namelist and physics option with previous runs
- using 1 hourly high resolution forcing (temp,slp,u and v)

Long term

Increasing the resolution and tests