//Lab Exercise 5.31.2023 Problem 1 //Author: nmessa

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
namespace Problem_1
  class Program
    static void Main(string[] args)
      int count = 0;
      List<int> picks = new List<int>();
      int powerBall;
      int temp;
      Random r = new Random();
      //Generate 5 numbers
      while (count <= 5)</pre>
        temp = r.Next(1,70);
        if (!picks.Contains(temp))
           picks.Add(temp);
           count++;
      }
      //Sort the list
      picks.Sort();
      //Pick the PowerBall
      powerBall = r.Next(1,27);
      //Print the picks and the PowerBall
      printLottery(picks, powerBall);
    }
```

```
//This function prints out your lottery pick
static void printLottery(List<int> p, int pb)
{
    Console.Write("Your lottery pick is: ");
    for (int i = 0; i < 5; i++)
    {
        Console.Write(p[i] + " ");
    }
    Console.WriteLine();
    Console.WriteLine("Your PowerBall is: " + pb);
    }
}</pre>
```

//Lab Exercise 5.31.2023 Problem 2 //Author: nmessa

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
namespace Problem_2
  class Program
    static void Main(string[] args)
      string[] numWords = new string[] {"ZERO", "ONE", "TWO", "THREE", "FOUR", "FIVE", "SIX",
         "SEVEN", "EIGHT", "NINE"};
      string number;
      int temp;
      //Get number from user
      Console.Write("Enter a number");
      number = Console.ReadLine();
      for (int i = 0; i < number.Length; i++)</pre>
      {
        if (Char.IsDigit(number[i]))
          temp = Convert.ToInt32(number[i]) - 48;
           Console.Write(numWords[temp] + " ");
        else
          Console.Write(number[i]);
        }
      Console.WriteLine();
 }
```

//Lab Exercise 5.31.2023 Problem 3 //Author: nmessa

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
namespace Problem_3
  class Program
    static void Main(string[] args)
       for (int i = 1; i <= 1000; i++)
         if (isHappy(i))
           Console.Write(i + " ");
       }
       Console.WriteLine();
    }
    static bool isHappy(int num)
       //Create an empty list to hold results
       List<int> sad = new List<int>();
       //Initialize total to 0
       int total = 0;
       //Convert number being tested into a string
       string sNum = num.ToString();
       while (true)
         //Calculate total
         for (int i = 0; i < sNum.Length; i++)</pre>
           int digit = Convert.ToInt32(sNum[i]) - 48;
           total += (digit * digit);
         }
```

```
//return True if the total is 1
         if (total == 1)
            return true;
         //check to see if total is in sad list
         //if it is, return False since it
         //will start repeating forever
         //if total is not in sad list, add it to
         //the sad list
         if (sad.Contains(total))
            return false;
         else
            sad.Add(total);
         //Convert total to a string
         sNum = total.ToString();
         //Reset total to 0
         total = 0;
       }
    }
 }
}
```

//Lab Exercise 5.31.2023 Problem 4 //Author: nmessa

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
namespace Problem_4
  class Program
    static void Main(string[] args)
       for (int i = 1; i <= 10000; i++)
         if (isPerfect(i))
           Console.Write(i + " ");
         }
       }
       Console.WriteLine();
    static bool isPerfect(int num)
       int total = 0;
      //Find the total of all of the divisors
       for (int div = 1; div < num; div++)</pre>
         if (num%div == 0)
           total += div;
       }
       if (total == num)
         return true;
       else
         return false;
    }
 }
```