# Assignment 1

#### CAS CS 132: Geometric Algorithms

#### Due September 11, 2025 by 8:00PM

Your solutions should be submitted via Gradescope as a single pdf. They must be exceptionally neat (or typed) and the final answer in your solution to each problem must be abundantly clear, e.g., surrounded in a box. Also make sure to cite your sources per the instructions in the course manual.

These problems are based (sometimes heavily) on problems that come from *Linear Algebra and it's Applications* by David C. Lay, Steven R. Lay, and Judi J. McDonald. As a reminder, we recommend this textbook as a source for supplementary exercises.

#### **Basic Problems**

1. Determine the coefficient matrix and the augmented matrix of the following linear system.

$$x_1 - 2x_2 - 2x_3 = 2$$
$$2x_1 - 3x_2 - 5x_3 = 2$$
$$-2x_1 + 2x_2 + 7x_3 = -1$$

2. Determine the linear system whose augmented matrix is the following.

$$\begin{bmatrix} 1 & 2 & -1 & 1 & 7 \\ 1 & 3 & 0 & 2 & 15 \\ -2 & -6 & 0 & -3 & -27 \end{bmatrix}$$

3. Verify that (1,3,2,3) is a solution of the following linear system.

$$x_1 - 2x_2 + x_3 - 2x_4 = -9$$

$$x_1 - x_2 - x_3 - 2x_4 = -10$$

$$-3x_1 + 8x_2 - 6x_3 + 4x_4 = 21$$

$$2x_2 - 7x_3 + 7x_4 = 13$$

4. Demonstrate that the following linear system has a unique solution. Also determine the solution.

1

$$x_1 - 2x_2 - 2x_3 = -7$$
$$-x_1 + 3x_2 + 2x_3 = 10$$
$$2x_1 - 6x_2 - 3x_3 = -18$$

5. Apply the row operations:

$$R_4 \leftarrow -R_4$$

$$R_2 \leftarrow R_2 - 2R_3$$

$$R_2 \leftarrow R_2 - 5R_4$$

$$R_3 \leftarrow R_3 + 3R_4$$

$$R_3 \leftrightarrow R_2$$

to the following matrix.

$$\begin{bmatrix} 9 & 5 & -7 & -5 & -9 \\ 5 & -7 & 1 & -2 & -9 \\ 5 & 1 & -10 & 6 & -5 \\ 5 & 7 & -5 & 2 & 1 \end{bmatrix}$$

6. Determine a general form solution for a linear system whose augmented matrix is row equivalent to the following matrix.

7. Determine the reduced echelon form of the following matrix.

$$\begin{bmatrix} 1 & -1 & -2 & 1 \\ -1 & 2 & 4 & 0 \\ 2 & -3 & -6 & 2 \\ -2 & 1 & 2 & -1 \end{bmatrix}$$

#### True/False

Determine if each statement is **true** or **false** and justify your answer. In particular, if the statement is false, provide a counterexample if possible.

- 1. Elementary row operations cannot change the solution set of a linear system.
- 2. There is a linear system with exactly three solutions.
- 3. If *A* is the augmented matrix of an inconsistent linear system, and *B* is a matrix such that  $A \sim B$  (that is, *A* and *B* are row equivalent), then *B* is the augmented matrix of an inconsistent linear system.
- 4. If  $A \sim B$  and  $A \sim C$  and B and C are in reduced echelon form, then B = C.
- 5. There is a unique sequence of row operations that reduces a given matrix to reduced echelon form.
- 6. If a general form solution of a linear system has a free variable, then the system must have infinitely many solutions.

2

- 7. A matrix may have different pivot positions depending on the sequence of row operations used to attain a matrix in echelon form.
- 8. A linear system over 3 variables and 2 equations must be consistent.
- 9. If the coefficient matrix of a linear system as more rows than columns, then the system must have infinitely many solutions.

### **More Difficult Problems**

1. For what values of the coefficient *h* is the following system inconsistent?

$$x + 4y = -1$$
$$3x - hy = 7$$

Is there a value of *h* for which the above system has infinitely many solutions? Justify your answer.

2. Consider the following linear system with two unknown coefficients *h* and *k*.

$$hx + 2y = 1$$
$$3x + 9y = k$$

- (a) Determine values of *h* and *k* so that the above linear system has no solutions.
- (b) Determine values of h and k so that the above linear system has exactly one solution.
- (c) Determine values of *h* and *k* so that the above linear system has infinitely many solutions.

## **Challenge Problems (Optional)**

1. Consider the following general form solution.

$$x_1 = -6 + 6x_3 + 2x_5$$
  
 $x_2 = 4 + 4x_3 + 6x_5$   
 $x_3$  is free  
 $x_4 = -4 + 5x_5$   
 $x_5$  is free

Determine a general form solution that describes the same solution set but in which  $x_1$  is free.

2. Determine what must hold of *a*, *b*, *c*, *d*, *f*, and *g* so that the following system is inconsistent.

$$ax + by = f$$
$$cx + dy = g$$