













































*I sat*



*I ref*

$$\sqrt{\frac{(\sigma_{sat} \cdot I_{ref})^2 + (\sigma_{ref} \cdot I_{sat})^2}{I_{ref}}}$$







$$\frac{(R_i - R_i(\theta))^2}{\sigma_i^2}$$











40



4π





$$(\gamma_H \gamma_X \hbar)^2$$


---

$$(\tau^6)$$

$$(\omega_X \Delta \sigma)^2$$

---


$$3$$





$$\sigma_{\text{NOE}}(\theta)$$


---

$$R_1(\theta)$$



$\mathcal{K}$



$$\mathcal{Q} = \mathcal{K}$$





$$s^2$$



$$1 + (\omega \tau_i)^2$$

$$\frac{(1-s^2)(\tau_e+\tau_i)\tau_e}{(\tau_e+\tau_i)^2+(\omega\tau_e\tau_i)^2}$$

























$$2Q_r)(\delta_x^4 + 2\delta_y^2\delta_z^2) + (1 - 3Q_r)(\delta_y^4 + 2\delta_x^2\delta_z^2) - 2(\delta_z^4 + 2\delta_x^2\delta_y^2) \Big],$$

$$202 + 1 = 203$$



























$$\begin{pmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -1 & 0 & 0 & 0 & 0 & 0 & 0 \\ 1 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 1 & 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -1 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & -1 \end{pmatrix}$$

$S^2$

$S^2_f$

$S^2_s$

$T_e$

$T_f$

$T_s$

$Rex$

$r$

CSA



$$\begin{pmatrix} 0 \\ -1 \\ 0 \\ -1 \\ 0 \\ -1 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0.9e^{-10} \\ 2e^{-10} \\ 300e^{-6} \\ 0 \end{pmatrix}$$







$$\begin{pmatrix} -1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & -1 \end{pmatrix}$$

$$\left( \begin{array}{c} \tau_e \\ \tau_f \\ \tau_g \end{array} \right)$$

$$\begin{pmatrix} -2\tau m \\ -2\tau m \\ -2\tau m \end{pmatrix}$$

$$\begin{pmatrix} 2 & -1 & 0 & 0 \\ 2 & 0 & -1 & 0 \\ 2 & 0 & 0 & -1 \end{pmatrix}$$

$\tau_m$  $\tau_e$  $\tau_f$  $\tau_s$





$$\begin{pmatrix} 1 & 0 & 0 \\ -1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \\ 0 & 0 & -1 \end{pmatrix}$$



$$\begin{pmatrix} T_m \\ \mathcal{D}_a \\ \mathcal{D}_r \end{pmatrix}$$

$$\begin{pmatrix} 0 \\ -200.0e^{-9} \\ 0 \\ 0 \\ -1 \end{pmatrix}$$












$$\begin{pmatrix} 1e^{-12} & 0 & 0 & 0 & 0 & 0 \\ 0 & 1e^7 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \end{pmatrix}$$





$$\begin{pmatrix} 1e^{-12} & 0 & 0 & 0 \\ 0 & 1e^7 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix}$$

























$$G : \min_{\theta \in \mathcal{U}} \Delta_{K-L}(\theta)$$











$U$



$\sum_i \text{NOE}^2$





$$M_A(t)$$

$$M_B(t)$$





$$-i\Omega_A - R_{2A}^0 - p_B k_{ex}$$

$$p_B k_{ex}$$

$$p_A k_{ex}$$

$$-i\Omega_B - R_{2B}^0 - p_A k_{ex}$$











$$\sqrt{\omega^2} + \omega_1^2$$











1



*Relax*



$$I_1(\nu_{\text{CPMG}})$$


---

$$I_0$$





$$I_1(\omega_1)$$

---

$$I_0$$





$$\sqrt{\left(\frac{\sigma_{I_1}}{I_1(\omega_1)}\right)^2 + \left(\frac{\sigma_{I_0}}{I_0}\right)^2}$$





















QA



A





50



10







011



11



$$\sigma_{I_1}$$

---


$$I_{\text{relax } I_1}(\omega_1)$$















$$\Phi_{ex,i}$$


---

$$k_i$$



41/CPMG

---

$k_i$



$k_i$



4vCPMG









ex



lex

ex



41/CPMG

---

k<sub>ex</sub>



$k_{ex}$

---

$4\nu_{CPMG}$





3



2























$$\frac{\Psi + 2\Delta\omega^2}{\sqrt{\Psi^2 + \zeta^2}}$$





1



VCPMG



A pixelated, black and white representation of the mathematical expression  $\sqrt{\Psi^2 + \Phi^2}$ . The equation is rendered in a low-resolution, dithered style. It features a large square root symbol on the left, followed by the Greek letter Psi ( $\Psi$ ) squared, a plus sign, the Greek letter Phi ( $\Phi$ ) squared, and a closing square root symbol on the right. A horizontal line extends from the top of the square root symbol across the top of the image.















$$\Phi_{ex} \tau_{ex}$$


---

$$1 + \omega_a^2 \tau_{ex}^2$$

$$\sqrt{v_{1\text{eff}}^4 + p_A^2 \Delta v^4}$$





$$\frac{\sin(\Delta\omega \cdot \tau_{\text{CPMG}})}{\Delta\omega \cdot \tau_{\text{CPMG}}}$$























$$\sqrt{v_1^2 - 1}$$

















$$\frac{m_D + + m_Z +}{2}$$

$$\sqrt{\frac{P_B}{P_A}}$$



$$2k_{ex} \sqrt{p_A p_B}$$


---

$$d_{\pm} z_{\pm}$$





$$\sin(z \pm \delta)$$


---

$$\sin(d_{\pm} + z_{\pm})\delta$$







$$\sin(d_{\pm})$$


---

$$\sin((d_{\pm} + z_{\pm})\delta)$$













1



4 1/2 CPMG

$$M_A(T_{\text{relax}})$$

---

$$M_A(0)$$





$$\begin{pmatrix} -k_{AB} - R_{2A}^0 & k_{BA} \\ k_{AB} & -k_{BA} \pm 2\Delta\omega - R_{2B}^0 \end{pmatrix}$$









0.5



PA

10





















$$\begin{pmatrix} -\kappa_{AB} & \kappa_{BA} & 0 \\ \kappa_{AB} & -\kappa_{BA} - \kappa_{BC} \pm i\Delta\omega_{AB} & \kappa_{CB} \\ 0 & \kappa_{BC} & -\kappa_{CB} \pm i\Delta\omega_{AC} \end{pmatrix}$$

$$\begin{pmatrix} R_{2A}^0 & 0 & 0 \\ 0 & R_{2B}^0 & 0 \\ 0 & 0 & R_{2C}^0 \end{pmatrix}$$







1

0

0

$p_A$

$p_B$

$p_C$







$$\begin{pmatrix} -k_{AB} - k_{AC} & k_{BA} & k_{CA} \\ k_{AB} & -k_{BA} - k_{BC} \pm i\Delta\omega_{AB} & k_{CB} \\ k_{AC} & k_{BC} & -k_{CB} - k_{CA} \pm i\Delta\omega_{AC} \end{pmatrix}$$





$$\Phi_{ex} k_{ex}$$


---

$$k_{ex}^2 + \omega_e^2$$

$$p_A^2 p_B \Delta \omega^2 k_{ex}$$


---

$$k_{ex}^2 + p_A^2 \Delta \omega^2 + \omega_1^2$$





$$\sin^2\theta p_A p_B \Delta\omega^2 k_{ex}$$


---

$$\omega_{Aeff}^2 \omega_{Beff}^2 / \omega_{eff}^2 + k_{ex}^2$$











$$\sin^2 \hat{\theta} p_A p_B \Delta \omega^2 k_{\text{ex}}$$


---

$$\omega_{\text{Aeff}}^2 \omega_{\text{Beff}}^2 / \omega_{\text{eff}}^2 + k_{\text{ex}}^2 - 2 \sin^2 \hat{\theta} p_A p_B \Delta \omega^2 + (1 - \gamma) \omega_1^2$$



$$\sin^2 \theta p_A p_B \Delta \omega^2 k_{\text{ex}}$$


---

$$\omega_{\text{Aeff}}^2 \omega_{\text{Beff}}^2 / \omega_{\text{eff}}^2 + k_{\text{ex}}^2 - \sin^2 \theta p_A p_B \Delta \omega^2 \left( 1 + \frac{2k_{\text{ex}}^2 (p_A \omega_{\text{Aeff}}^2 + p_B \omega_{\text{Beff}}^2)}{\omega_{\text{Aeff}}^2 \omega_{\text{Beff}}^2 + \omega_{\text{eff}}^2 k_{\text{ex}}^2} \right)$$





$$\begin{pmatrix} \sin \theta \\ 0 \\ \cos \theta \\ 0 \\ 0 \\ 0 \end{pmatrix}$$





w1



Ω A



$$\begin{pmatrix} -R'_{1\rho} - k_{AB} & -\delta_A & 0 & k_{BA} & 0 & 0 \\ \delta_A & -R'_{1\rho} - k_{AB} & -\omega_1 & 0 & k_{BA} & 0 \\ 0 & \omega_1 & -R_1 - k_{AB} & 0 & 0 & k_{BA} \\ k_{AB} & 0 & 0 & -R'_{1\rho} - k_{BA} & -\delta_B & 0 \\ 0 & k_{AB} & 0 & \delta_B & -R'_{1\rho} - k_{BA} & -\omega_1 \\ 0 & 0 & k_{AB} & 0 & \omega_1 & -R_1 - k_{BA} \end{pmatrix}$$

$$\begin{pmatrix} \sin \theta \\ 0 \\ \cos \theta \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \end{pmatrix}$$

$$\begin{pmatrix} -R'_{1\rho A} - k_{AB} - k_{AC} & -\delta_A & 0 & \cdots \\ \delta_A & -R'_{1\rho A} - k_{AB} - k_{AC} & -\omega_1 & \cdots \\ 0 & \omega_1 & -R_{1A} - k_{AB} - k_{AC} & \cdots \\ \vdots & \vdots & \vdots & \ddots \end{pmatrix}$$

$$\begin{pmatrix} \cdot & \cdot & \cdot & \vdots & \vdots & \vdots & \cdot & \cdot & \cdot \\ \cdot & \cdot & \cdot & -R'_{1\rho B} - k_{BA} - k_{BC} & -\delta_B & 0 & \cdot & \cdot & \cdot \\ \cdot & \cdot & \cdot & \delta_B & -R'_{1\rho B} - k_{BA} - k_{BC} & -\omega_1 & \cdot & \cdot & \cdot \\ \cdot & \cdot & \cdot & 0 & \omega_1 & -R_{1B} - k_{BA} - k_{BC} & \cdot & \cdot & \cdot \\ \cdot & \cdot & \cdot & \vdots & \vdots & \vdots & \cdot & \cdot & \cdot \\ \cdot & \cdot & \cdot & \vdots & \vdots & \vdots & \cdot & \cdot & \cdot \end{pmatrix}$$

$$\begin{pmatrix} \cdot & \cdot & \cdot & \vdots & \cdot & \vdots & \cdot \\ \cdot & \cdot & \cdot & -R'_{1\rho C} - k_{CA} - k_{CB} & -\delta_C & 0 \\ \cdot & \cdot & \cdot & \delta_C & -R'_{1\rho C} - k_{CA} - k_{CB} & -\omega_1 \\ \cdot & \cdot & \cdot & 0 & \omega_1 & -R_{1C} - k_{CA} - k_{CB} \end{pmatrix}$$

$$\begin{pmatrix} & & & k_{BA} & 0 & 0 & \dots \\ & \ddots & & 0 & k_{BA} & 0 & \dots \\ & & & 0 & 0 & k_{BA} & \dots \\ k_{AB} & 0 & 0 & & & & \\ 0 & k_{AB} & 0 & & \ddots & & \dots \\ 0 & 0 & k_{AB} & & & & \\ \vdots & \vdots & \vdots & & \vdots & & \ddots \\ \vdots & \vdots & \vdots & & \vdots & & \ddots \end{pmatrix}$$



$$\begin{pmatrix} \dots & k_{CA} & 0 & 0 \\ & \ddots & \dots & 0 & k_{CA} & 0 \\ & & \dots & 0 & 0 & k_{CA} \\ \vdots & \vdots & \vdots & \ddots & \vdots & \vdots \\ k_{AC} & 0 & 0 & \dots & & \\ 0 & k_{AC} & 0 & \dots & \ddots & \\ 0 & 0 & k_{AC} & \dots & & \end{pmatrix}$$

$$\begin{pmatrix} \ddots & & & & & & \\ & \ddots & & & & & \\ & & \ddots & & & & \\ & & & \ddots & & & \\ & & & & \ddots & & \\ & & & & & \ddots & \\ & & & & & & \ddots \end{pmatrix} \begin{pmatrix} \vdots & & & & & & \\ & \vdots & & & & & \\ & & \vdots & & & & \\ & & & \vdots & & & \\ & & & & \vdots & & \\ & & & & & \vdots & \\ & & & & & & \vdots \end{pmatrix} \begin{pmatrix} k_{CB} & 0 & 0 \\ 0 & k_{CB} & 0 \\ 0 & 0 & k_{CB} \\ k_{BC} & 0 & 0 \\ 0 & k_{BC} & 0 \\ 0 & 0 & k_{BC} \end{pmatrix} \begin{pmatrix} \ddots & & & & & & \\ & \ddots & & & & & \\ & & \ddots & & & & \\ & & & \ddots & & & \\ & & & & \ddots & & \\ & & & & & \ddots & \\ & & & & & & \ddots \end{pmatrix} \begin{pmatrix} \vdots & & & & & & \\ & \vdots & & & & & \\ & & \vdots & & & & \\ & & & \vdots & & & \\ & & & & \vdots & & \\ & & & & & \vdots & \\ & & & & & & \vdots \end{pmatrix}$$

$$\begin{pmatrix} -R'_{1\rho A} - k_{AB} & -\delta_A & 0 & \cdots \\ \delta_A & -R'_{1\rho A} - k_{AB} & -\omega_1 & \cdots \\ 0 & \omega_1 & -R_{1A} - k_{AB} & \cdots \\ \vdots & \vdots & \vdots & \ddots \end{pmatrix}$$

$$\begin{pmatrix} \cdot & \cdot & \cdot & \vdots & \vdots & \vdots \\ \cdot & \cdot & \cdot & -R'_{1\rho C} - k_{CB} & -\delta_C & 0 \\ \cdot & \cdot & \cdot & \delta_C & -R'_{1\rho C} - k_{CB} & -\omega_1 \\ \cdot & \cdot & \cdot & 0 & \omega_1 & -R_{1C} - k_{CB} \end{pmatrix}$$

$$\frac{(R_{2\text{eff}} - R_{2\text{eff}}(\theta))^2}{\sigma_i^2}$$





$$R_2^0$$
$$R_{2A}^0$$
$$R_{2B}^0$$



$$\begin{pmatrix} 0 \\ -200 \\ 0 \\ -200 \\ 0 \\ -200 \end{pmatrix}$$



$$\Phi_{\text{ex}}$$

$$\Phi_{\text{ex,B}}$$

$$\Phi_{\text{ex,C}}$$

$$p_A \Delta \omega^2$$

$$\Delta \omega$$

$$\Delta \omega_{\text{AB}}$$

$$\Delta \omega_{\text{BC}}$$

$$\Delta \omega^{\text{H}}$$

$$\Delta \omega_{\text{AB}}^{\text{H}}$$

$$\Delta \omega_{\text{BC}}^{\text{H}}$$



$$\begin{pmatrix} -1 & 0 \\ 1 & 0 \\ 1 & 0 \\ -1 & -1 \\ 1 & 2 \end{pmatrix}$$



$$\begin{pmatrix} -1 \\ 0.5 \\ 0.85 \\ -1 \\ 1 \end{pmatrix}$$

$k_{ex}$  $k_{AB}^{ex}$  $k_{BC}^{ex}$  $k_B$  $k_C$  $k_{AB}$  $\tau_{ex}$



$$\begin{pmatrix}
 0 \\
 -2e^6 \\
 0 \\
 -2e^6 \\
 0 \\
 -2e^6 \\
 0 \\
 -2e^6 \\
 0 \\
 -100 \\
 0
 \end{pmatrix}$$



[illegible]









$$\begin{bmatrix} \delta_x^2 & \delta_x \delta_y & \delta_x \delta_z \\ \delta_y \delta_x & \delta_y^2 & \delta_y \delta_z \\ \delta_z \delta_x & \delta_z \delta_y & \delta_z^2 \end{bmatrix}$$







$$\begin{bmatrix} S_{xx}(\infty) & S_{xy}(\infty) & S_{xz}(\infty) \\ S_{yx}(\infty) & S_{yy}(\infty) & S_{yz}(\infty) \\ S_{zx}(\infty) & S_{zy}(\infty) & S_{zz}(\infty) \end{bmatrix}$$

$$\begin{bmatrix} C_{xx} & C_{xy} & C_{xz} \\ C_{yx} & C_{yy} & C_{yz} \\ C_{zx} & C_{zy} & C_{zz} \end{bmatrix}$$

$$\begin{bmatrix} \delta_{xx} & \delta_{xy} & \delta_{xz} \\ \delta_{yx} & \delta_{yy} & \delta_{yz} \\ \delta_{zx} & \delta_{zy} & \delta_{zz} \end{bmatrix}$$

RESEARCH

$$\begin{bmatrix}
 \delta_{xx}^2 & \delta_{xx}\delta_{xy} & \delta_{xx}\delta_{xz} & \delta_{xy}\delta_{xx} & \delta_{xy}^2 & \delta_{xy}\delta_{xz} & \delta_{xz}\delta_{xx} & \delta_{xz}\delta_{xy} & \delta_{xz}^2 \\
 \delta_{xx}\delta_{yx} & \delta_{xx}\delta_{yy} & \delta_{xx}\delta_{yz} & \delta_{xy}\delta_{yx} & \delta_{xy}\delta_{yy} & \delta_{xy}\delta_{yz} & \delta_{xz}\delta_{yx} & \delta_{xz}\delta_{yy} & \delta_{xz}\delta_{yz} \\
 \delta_{xx}\delta_{zx} & \delta_{xx}\delta_{zy} & \delta_{xx}\delta_{zz} & \delta_{xy}\delta_{zx} & \delta_{xy}\delta_{zy} & \delta_{xy}\delta_{zz} & \delta_{xz}\delta_{zx} & \delta_{xz}\delta_{zy} & \delta_{xz}\delta_{zz} \\
 \hline
 \delta_{yx}\delta_{xx} & \delta_{yx}\delta_{xy} & \delta_{yx}\delta_{xz} & \delta_{yy}\delta_{xx} & \delta_{yy}\delta_{xy} & \delta_{yy}\delta_{xz} & \delta_{yz}\delta_{xx} & \delta_{yz}\delta_{xy} & \delta_{yz}\delta_{xz} \\
 \delta_{yx}^2 & \delta_{yx}\delta_{yy} & \delta_{yx}\delta_{yz} & \delta_{yy}\delta_{yx} & \delta_{yy}^2 & \delta_{yy}\delta_{yz} & \delta_{yz}\delta_{yx} & \delta_{yz}\delta_{yy} & \delta_{yz}^2 \\
 \delta_{yx}\delta_{zx} & \delta_{yx}\delta_{zy} & \delta_{yx}\delta_{zz} & \delta_{yy}\delta_{zx} & \delta_{yy}\delta_{zy} & \delta_{yy}\delta_{zz} & \delta_{yz}\delta_{zx} & \delta_{yz}\delta_{zy} & \delta_{yz}\delta_{zz} \\
 \hline
 \delta_{zx}\delta_{xx} & \delta_{zx}\delta_{xy} & \delta_{zx}\delta_{xz} & \delta_{zy}\delta_{xx} & \delta_{zy}\delta_{xy} & \delta_{zy}\delta_{xz} & \delta_{zz}\delta_{xx} & \delta_{zz}\delta_{xy} & \delta_{zz}\delta_{xz} \\
 \delta_{zx}\delta_{yx} & \delta_{zx}\delta_{yy} & \delta_{zx}\delta_{yz} & \delta_{zy}\delta_{yx} & \delta_{zy}\delta_{yy} & \delta_{zy}\delta_{yz} & \delta_{zz}\delta_{yx} & \delta_{zz}\delta_{yy} & \delta_{zz}\delta_{yz} \\
 \delta_{zx}^2 & \delta_{zx}\delta_{zy} & \delta_{zx}\delta_{zz} & \delta_{zy}\delta_{zx} & \delta_{zy}^2 & \delta_{zy}\delta_{zz} & \delta_{zz}\delta_{zx} & \delta_{zz}\delta_{zy} & \delta_{zz}^2
 \end{bmatrix}$$



A pixelated, black and white representation of the number '0901'. The digits are composed of a grid of black and white squares, giving it a low-resolution, digital appearance. The '0' is a simple circle, the '9' has a small tail, and the '1' is a single vertical stroke.






$$\begin{bmatrix}
 \delta_{xx}^2 & \delta_{yx}\delta_{xx} & \delta_{zx}\delta_{xx} & \delta_{xy}\delta_{xx} & \delta_{yy}\delta_{xx} & \delta_{zy}\delta_{xx} & \delta_{xz}\delta_{xx} & \delta_{yz}\delta_{xx} & \delta_{zz}\delta_{xx} \\
 \delta_{xx}\delta_{yx} & \delta_{yx}^2 & \delta_{zx}\delta_{yx} & \delta_{xy}\delta_{yx} & \delta_{yy}\delta_{yx} & \delta_{zy}\delta_{yx} & \delta_{xz}\delta_{yx} & \delta_{yz}\delta_{yx} & \delta_{zz}\delta_{yx} \\
 \delta_{xx}\delta_{zx} & \delta_{yx}\delta_{zx} & \delta_{zx}^2 & \delta_{xy}\delta_{zx} & \delta_{yy}\delta_{zx} & \delta_{zy}\delta_{zx} & \delta_{xz}\delta_{zx} & \delta_{yz}\delta_{zx} & \delta_{zz}\delta_{zx} \\
 \hline
 \delta_{xx}\delta_{xy} & \delta_{yx}\delta_{xy} & \delta_{zx}\delta_{xy} & \delta_{xy}^2 & \delta_{yy}\delta_{xy} & \delta_{zy}\delta_{xy} & \delta_{xz}\delta_{xy} & \delta_{yz}\delta_{xy} & \delta_{zz}\delta_{xy} \\
 \delta_{xx}\delta_{yy} & \delta_{yx}\delta_{yy} & \delta_{zx}\delta_{yy} & \delta_{xy}\delta_{yy} & \delta_{yy}^2 & \delta_{zy}\delta_{yy} & \delta_{xz}\delta_{yy} & \delta_{yz}\delta_{yy} & \delta_{zz}\delta_{yy} \\
 \delta_{xx}\delta_{zy} & \delta_{yx}\delta_{zy} & \delta_{zx}\delta_{zy} & \delta_{xy}\delta_{zy} & \delta_{yy}\delta_{zy} & \delta_{zy}^2 & \delta_{xz}\delta_{zy} & \delta_{yz}\delta_{zy} & \delta_{zz}\delta_{zy} \\
 \hline
 \delta_{xx}\delta_{xz} & \delta_{yx}\delta_{xz} & \delta_{zx}\delta_{xz} & \delta_{xy}\delta_{xz} & \delta_{yy}\delta_{xz} & \delta_{zy}\delta_{xz} & \delta_{xz}^2 & \delta_{yz}\delta_{xz} & \delta_{zz}\delta_{xz} \\
 \delta_{xx}\delta_{yz} & \delta_{yx}\delta_{yz} & \delta_{zx}\delta_{yz} & \delta_{xy}\delta_{yz} & \delta_{yy}\delta_{yz} & \delta_{zy}\delta_{yz} & \delta_{xz}\delta_{yz} & \delta_{yz}^2 & \delta_{zz}\delta_{yz} \\
 \delta_{xx}\delta_{zz} & \delta_{yx}\delta_{zz} & \delta_{zx}\delta_{zz} & \delta_{xy}\delta_{zz} & \delta_{yy}\delta_{zz} & \delta_{zy}\delta_{zz} & \delta_{xz}\delta_{zz} & \delta_{yz}\delta_{zz} & \delta_{zz}^2
 \end{bmatrix}$$

$$\left[ \begin{array}{c|c|c} \hline e_x \otimes e_x & \hline e_x \otimes e_y & \hline e_x \otimes e_z \\ \hline e_y \otimes e_x & \hline e_y \otimes e_y & \hline e_y \otimes e_z \\ \hline e_z \otimes e_x & \hline e_z \otimes e_y & \hline e_z \otimes e_z \end{array} \right]$$



$$\begin{bmatrix} S_{xx}(t) & S_{xy}(t) & S_{xz}(t) \\ S_{yx}(t) & S_{yy}(t) & S_{yz}(t) \\ S_{zx}(t) & S_{zy}(t) & S_{zz}(t) \end{bmatrix}$$

$$\text{Daeg}^{(2)}(t) =$$









$\overline{\delta_{xx}^2}$	$\cdot$	$\cdot$	$\cdot$	$\overline{\delta_{xy}^2}$	$\cdot$	$\cdot$	$\cdot$	$\overline{\delta_{xz}^2}$
$\cdot$	$\overline{\delta_{xx}\delta_{yy}}$	$\cdot$	$\overline{\delta_{xy}\delta_{yx}}$	$\cdot$	$\cdot$	$\cdot$	$\cdot$	$\cdot$
$\cdot$	$\cdot$	$\overline{\delta_{xx}\delta_{zz}}$	$\cdot$	$\cdot$	$\cdot$	$\overline{\delta_{xz}\delta_{zx}}$	$\cdot$	$\cdot$
$\cdot$	$\overline{\delta_{yx}\delta_{xy}}$	$\cdot$	$\overline{\delta_{yy}\delta_{xx}}$	$\cdot$	$\cdot$	$\cdot$	$\cdot$	$\cdot$
$\overline{\delta_{yx}^2}$	$\cdot$	$\cdot$	$\cdot$	$\overline{\delta_{yy}^2}$	$\cdot$	$\cdot$	$\cdot$	$\overline{\delta_{yz}^2}$
$\cdot$	$\cdot$	$\cdot$	$\cdot$	$\cdot$	$\overline{\delta_{yy}\delta_{zz}}$	$\cdot$	$\overline{\delta_{yz}\delta_{zy}}$	$\cdot$
$\cdot$	$\cdot$	$\overline{\delta_{zx}\delta_{xz}}$	$\cdot$	$\cdot$	$\cdot$	$\overline{\delta_{zz}\delta_{xx}}$	$\cdot$	$\cdot$
$\cdot$	$\cdot$	$\cdot$	$\cdot$	$\cdot$	$\overline{\delta_{zy}\delta_{yz}}$	$\cdot$	$\overline{\delta_{zz}\delta_{yy}}$	$\cdot$
$\overline{\delta_{zx}^2}$	$\cdot$	$\cdot$	$\cdot$	$\overline{\delta_{zy}^2}$	$\cdot$	$\cdot$	$\cdot$	$\overline{\delta_{zz}^2}$

















A pixelated, grayscale image of the word "old" in a stylized, blocky font. The letters are composed of various shades of gray and black pixels, giving it a retro, digital appearance. The background is white.





POOR





REPO REPO













3



24

$\gamma_1 \gamma_2 \gamma_3 \hbar$



$(r)_3$







15kT



$B_0^2$











$$\int_0^{t_{\max}}$$









































$A_{xx}$  $A_{yy}$  $A_{xy}$  $A_{xz}$  $A_{yz}$



$$\begin{bmatrix} \text{Daeg}_{xxx} - \text{Daeg}_{zxzx} & \text{Daeg}_{yxyx} - \text{Daeg}_{zxzx} & \text{Daeg}_{xxyx} + \text{Daeg}_{yxxx} & \text{Daeg}_{xxzx} + \text{Daeg}_{zxxx} & \text{Daeg}_{yxxz} + \text{Daeg}_{zxxy} \\ \text{Daeg}_{xyxy} - \text{Daeg}_{zyzy} & \text{Daeg}_{yyyy} - \text{Daeg}_{zyzy} & \text{Daeg}_{xyyy} + \text{Daeg}_{yyxy} & \text{Daeg}_{xyzy} + \text{Daeg}_{zyxy} & \text{Daeg}_{yyzy} + \text{Daeg}_{zyyy} \\ \text{Daeg}_{xxxy} - \text{Daeg}_{zxzy} & \text{Daeg}_{yxyy} - \text{Daeg}_{zxzy} & \text{Daeg}_{xxyy} + \text{Daeg}_{yxxxy} & \text{Daeg}_{xxzy} + \text{Daeg}_{zxxy} & \text{Daeg}_{yxxzy} + \text{Daeg}_{zxxyy} \\ \text{Daeg}_{xxxz} - \text{Daeg}_{zxzz} & \text{Daeg}_{yxyz} - \text{Daeg}_{zxzz} & \text{Daeg}_{xxyz} + \text{Daeg}_{yxxz} & \text{Daeg}_{xxzz} + \text{Daeg}_{zxzz} & \text{Daeg}_{yxxzz} + \text{Daeg}_{zxxyz} \\ \text{Daeg}_{xyxz} - \text{Daeg}_{zyzz} & \text{Daeg}_{yyyz} - \text{Daeg}_{zyzz} & \text{Daeg}_{xyyz} + \text{Daeg}_{yyxz} & \text{Daeg}_{xyzz} + \text{Daeg}_{zyxz} & \text{Daeg}_{yyzz} + \text{Daeg}_{zyyz} \end{bmatrix}$$









---

$$A_0$$
$$A_1$$
$$A_2$$
$$A_3$$
$$A_4$$

$$\begin{bmatrix} \text{Daeg}_{00} - \text{Daeg}_{80} & \text{Daeg}_{40} - \text{Daeg}_{80} & \text{Daeg}_{10} + \text{Daeg}_{30} & \text{Daeg}_{20} + \text{Daeg}_{60} & \text{Daeg}_{50} + \text{Daeg}_{70} \\ \text{Daeg}_{04} - \text{Daeg}_{84} & \text{Daeg}_{44} - \text{Daeg}_{84} & \text{Daeg}_{14} + \text{Daeg}_{34} & \text{Daeg}_{24} + \text{Daeg}_{64} & \text{Daeg}_{54} + \text{Daeg}_{74} \\ \text{Daeg}_{01} - \text{Daeg}_{81} & \text{Daeg}_{41} - \text{Daeg}_{81} & \text{Daeg}_{11} + \text{Daeg}_{31} & \text{Daeg}_{21} + \text{Daeg}_{61} & \text{Daeg}_{51} + \text{Daeg}_{71} \\ \text{Daeg}_{02} - \text{Daeg}_{82} & \text{Daeg}_{42} - \text{Daeg}_{82} & \text{Daeg}_{12} + \text{Daeg}_{32} & \text{Daeg}_{22} + \text{Daeg}_{62} & \text{Daeg}_{52} + \text{Daeg}_{72} \\ \text{Daeg}_{05} - \text{Daeg}_{85} & \text{Daeg}_{45} - \text{Daeg}_{85} & \text{Daeg}_{15} + \text{Daeg}_{35} & \text{Daeg}_{25} + \text{Daeg}_{65} & \text{Daeg}_{55} + \text{Daeg}_{75} \end{bmatrix}$$

$A_0$  $A_1$  $A_2$  $A_3$  $A_4$





















C



|

7

2

|

5
















































A pixelated, black and white representation of the mathematical equation  $200 + \sqrt{200} = 200$ . The equation is displayed horizontally, with the numbers 200, the plus sign, the square root symbol, and the equals sign all rendered in a blocky, digital font. The entire image has a low-resolution, pixelated aesthetic.





2015











$$\mathcal{D}_i - \mathcal{D}_{iso}$$


---

$$\sqrt{\mathcal{D}_{iso}^2 - \mathcal{L}^2}$$

$$\mathcal{D}_{iso} = \frac{1}{3} \sum_i \mathcal{D}_i,$$

$$a^2 = \frac{1}{3} \sum_{i < j} d_i d_j,$$











$$\frac{\theta'_x + \theta'_y}{2}$$

Condition	Permutation name	Cone half-angles $[\theta'_x, \theta'_y, \sigma'_{\max}]$	Axes $[x', y', z']$
$\theta_x \leq \theta_y \leq \sigma_{\max}$	Self <sup>1</sup>	$[\theta_x, \theta_y, \sigma_{\max}]$	$[x, y, z]$
	A	$[\theta_x, \sigma_{\max}, \theta_y]$	$[-z, y, x]$
	B	$[\theta_y, \sigma_{\max}, \theta_x]$	$[z, x, y]$
$\theta_x \leq \sigma_{\max} \leq \theta_y$	Self <sup>1</sup>	$[\theta_x, \theta_y, \sigma_{\max}]$	$[x, y, z]$
	A	$[\theta_x, \sigma_{\max}, \theta_y]$	$[-z, y, x]$
	B	$[\sigma_{\max}, \theta_y, \theta_x]$	$[x, -z, y]$
$\sigma_{\max} \leq \theta_x \leq \theta_y$	Self <sup>1</sup>	$[\theta_x, \theta_y, \sigma_{\max}]$	$[x, y, z]$
	A	$[\sigma_{\max}, \theta_x, \theta_y]$	$[y, z, x]$
	B	$[\sigma_{\max}, \theta_y, \theta_x]$	$[x, -z, y]$

<sup>1</sup> The first optimised solution.







$$\begin{pmatrix} 1 & 0 & 0 & 0 & 0 & 0 \\ -1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & -1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & -1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & -1 \end{pmatrix}$$



$P_x$

$P_y$

$P_z$

$p_x$

$p_y$

$p_z$

— 500

— 500

— 500

— 500

— 500

— 500

— 999

— 999

— 999

— 999

— 999

— 999



$$\begin{pmatrix} 1 & 0 & 0 & 0 & 0 \\ -1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & -1 & 0 & 0 & 0 \\ 0 & -1 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & -1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & -1 \end{pmatrix}$$

$$\begin{pmatrix} \theta \\ \theta_x \\ \theta_y \\ \sigma_{\max} \\ \sigma_{\max,2} \end{pmatrix}$$

0

$-\pi$

0

$-\pi$

0

0

$-\pi$

0

$-\pi$

0

$-\pi$



$$\sqrt{\frac{(f^2) - (f)^2}{N}}$$















FOR THE PEOPLE









Exercises 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100.



images/cam\_iq\_abc\_whole\_structural\_noise-eps-converted-to.pdf







min





$$\frac{(y_i - y_i(\theta))^2}{\sigma_i^2}$$

$$\begin{pmatrix} \frac{\partial}{\partial \theta_1} \\ \frac{\partial}{\partial \theta_2} \\ \vdots \\ \frac{\partial}{\partial \theta_n} \end{pmatrix}$$



$$\begin{pmatrix} \frac{\partial^2}{\partial \theta_1^2} & \frac{\partial^2}{\partial \theta_1 \cdot \partial \theta_2} & \cdots & \frac{\partial^2}{\partial \theta_1 \cdot \partial \theta_n} \\ \frac{\partial^2}{\partial \theta_2 \cdot \partial \theta_1} & \frac{\partial^2}{\partial \theta_2^2} & \cdots & \frac{\partial^2}{\partial \theta_2 \cdot \partial \theta_n} \\ \vdots & \vdots & \ddots & \vdots \\ \frac{\partial^2}{\partial \theta_n \cdot \partial \theta_1} & \frac{\partial^2}{\partial \theta_n \cdot \partial \theta_2} & \cdots & \frac{\partial^2}{\partial \theta_n^2} \end{pmatrix}$$







min

per











$$\mathcal{L}_A(\theta, \lambda^k; \mu_k) \stackrel{\text{def}}{=} f(\theta) + \sum_{i \in \mathcal{I}} \Psi(c_i(\theta), \lambda_i^k; \mu_k),$$

$$\begin{cases} -\lambda^k c_i(\theta) + \frac{1}{2\mu_k} c_i^2(\theta) & \text{if } c_i(\theta) - \mu_k \lambda^k \leq 0, \\ -\frac{\mu_k}{2} (\lambda^k)^2 & \text{otherwise.} \end{cases}$$









$$\mathcal{L}_A(\theta, \lambda^k; \mu_k) = \nabla f(\theta) - \sum_{i \in \mathcal{I} | c_i(\theta) \leq \mu_k \lambda_i^k} \left( \lambda_i^k - \frac{c_i(\theta)}{\mu_k} \right) \nabla c_i(\theta),$$

$$\mathcal{L}_A(\theta, \lambda^k; \mu_k) = \nabla^2 f(\theta) + \sum_{i \in \mathcal{I} | c_i(\theta) \leq \mu_k \lambda_i^k} \left[ \frac{1}{\mu_k} \nabla c_i^2(\theta) - \left( \lambda_i^k - \frac{c_i(\theta)}{\mu_k} \right) \nabla^2 c_i(\theta) \right].$$


$S^2$

$T_e$

$Re x$

$$\begin{pmatrix} 1 \\ \infty \\ \infty \end{pmatrix}$$


$$\begin{cases} e^{\sum_{i=1}^m -\log(b_i - A_i^T \theta)} & \text{if } A \cdot \theta < b, \\ +\infty & \text{otherwise.} \end{cases}$$















$\mathcal{D} = 1$ ,  $\mathcal{D} \equiv 4$ ,  $\mathcal{D} \equiv 6$ ,

$$G = \mathcal{D} \cup \left( \bigcup_{i=1}^l \mathcal{F}_i \right),$$

$$G = \dim \mathcal{D} + \sum_{i=1}^l k_i \leq 6 + 5l,$$

















2020

---

2020

















1



2

0

1











$$(\gamma_H \gamma_X h)^2$$

---


$$< r_6 >$$

od

\_\_\_\_\_

ov



$$(\gamma_H \gamma_X h)^2$$

---


$$\langle r^7 \rangle$$

$d^2d$



$d^2$





$$(\gamma_H \gamma_X h)^2$$

---


$$\langle r^8 \rangle$$

$$(\omega_X \cdot \Delta \sigma)^2$$

---


$$3$$

dc



dΔσ

$$\frac{2w_x^2 \cdot \Delta \sigma}{3}$$

$$d^2c$$

---

$$d\Delta\sigma^2$$

$$2w^2x$$



$$3$$

$dR_{ex}$



$d\rho_{ex}$

$$d^2 R_{ex}$$


---

$$d\rho_{ex}^2$$



$$\frac{\partial J^{R_1}}{\partial d}$$

---


$$\partial \theta_j$$

$$\frac{\partial J(\omega_H - \omega_X)}{\partial \theta_j}$$

$$\frac{\partial J(w_x)}{\partial \theta_j}$$

$$\partial \theta_j$$

$$\frac{\partial J(\omega_H + \omega_X)}{\partial \theta_j}$$

$$\partial^2 J^{\text{R}_1}_d$$


---

$$\partial\theta_j \cdot \partial\theta_k$$

$$\frac{\partial^2 J(\omega_H - \omega_X)}{\partial \theta_j \cdot \partial \theta_k}$$

$$\frac{\partial^2 J(\omega_X)}{\partial \theta_j \cdot \partial \theta_k}$$

$$\frac{\partial^2 J(\omega_H + \omega_X)}{\partial \theta_j \cdot \partial \theta_k}$$



$$\frac{\partial J_{R_1}}{\partial c}$$


---

$$\partial \theta_j$$

$$\partial_c^2 J_{R_1}$$

---


$$\partial\theta_j.\partial\theta_k$$

$$\frac{\partial J_{R_2}}{\partial d}$$

---


$$\partial \theta_j$$

$$\frac{\partial J(0)}{\partial \theta_j}$$

$$\partial \theta_j$$

$$\frac{\partial J(\omega_H)}{\partial \theta_j}$$



$$\frac{\partial J_{R_2}}{\partial c}$$

$$\partial \theta_j$$

$$\partial_c^2 J_{R_2}$$

---


$$\partial\theta_j \cdot \partial\theta_k$$



$$\partial^2 J(0)$$

---


$$\partial\theta_j \cdot \partial\theta_k$$

$$\frac{\partial J^{\sigma\text{NOE}}}{\partial}$$


---

$$\partial\theta_j$$

$$\partial^2 J^{\sigma \text{NOE}}_d$$

---


$$\partial \theta_j \cdot \partial \theta_k$$



































$$(1 - S_f^2)(\tau_f + \tau_i)\tau_f$$


---

$$(\tau_f + \tau_i)^2 + (\omega\tau_f\tau_i)^2$$

$$(S_f^2 - S_i^2)(\tau_s + \tau_i)\tau_s$$


---

$$(\tau_s + \tau_i)^2 + (\omega\tau_s\tau_i)^2$$





$$\frac{\partial J(\omega)}{\partial \omega_j}$$

$$\frac{\partial J}{\partial \omega_j}$$

dcj



ddj



$$\partial J(\omega)$$

---

$$\partial S^2$$

1



$$1 + (w\tau_i)^2$$

$$(\tau_e + \tau_i) \tau_e$$


---

$$(\tau_e + \tau_i)^2 + (\omega \tau_e \tau_i)^2$$

$$\frac{\partial J(\omega)}{\partial \tau_e}$$

$$(\tau_e + \tau_i)^2 - (\omega \tau_e \tau_i)^2$$


---

$$(\tau_e + \tau_i)^2 + (\omega \tau_e \tau_i)^2$$











$$\partial^2 J(\omega)$$



$$\partial \mathcal{D}_j \cdot \partial \mathcal{D}_k$$

$$\partial^2 c_j$$



$$\partial \mathcal{D}_j \cdot \partial \mathcal{D}_k$$

$$\partial^2 J(\omega)$$



$$\partial \mathcal{D}_j \cdot \partial S^2$$

$$\partial^2 J(\omega)$$



$$\partial \mathcal{D}_j \cdot \partial \tau_e$$

$$\frac{\partial^2 J(\omega)}{(\partial S^2)^2}$$

$$\partial^2 J(\omega)$$



$$\partial S^2 \cdot \partial \tau_e$$

$$\frac{\partial^2 J(\omega)}{\partial \tau_e^2}$$





$$(\tau_e + \tau_i)^3 + 3\omega^2 \tau_i^3 \tau_e (\tau_e + \tau_i) - (\omega \tau_i)^4 \tau_e^3$$


---

$$((\tau_e + \tau_i)^2 + (\omega \tau_e \tau_i)^2)^3$$



$$(\tau_s + \tau_i) \tau_s$$


---

$$(\tau_s + \tau_i)^2 + (\omega \tau_s \tau_i)^2$$

$$\frac{\partial J(\omega)}{\partial s_f^2}$$

$$(\tau_f + \tau_i)\tau_f$$


---

$$(\tau_f + \tau_i)^2 + (\omega\tau_f\tau_i)^2$$

$$\frac{\partial J(\omega)}{\partial \tau_f}$$

$$(\tau_f + \tau_i)^2 - (\omega \tau_f \tau_i)^2$$


---

$$((\tau_f + \tau_i)^2 + (\omega \tau_f \tau_i)^2)^2$$



$$\partial J(\omega)$$


---

$$\partial \tau_s$$

$$(\tau_s + \tau_i)^2 - (\omega \tau_s \tau_i)^2$$


---

$$(\tau_s + \tau_i)^2 + (\omega \tau_s \tau_i)^2$$

















$$\partial^2 J(\omega)$$

---


$$\partial \mathcal{D}_j \cdot \partial S_j^2$$

$$\partial^2 J(\omega)$$



$$\partial \mathcal{D}_j \cdot \partial \tau_f$$

$$\partial^2 J(\omega)$$



$$\partial \theta_j \cdot \partial \tau_8$$

$$\partial^2 J(\omega)$$

---


$$\partial S^2 \cdot \partial S^2_f$$

$$\partial^2 J(\omega)$$

---


$$\partial S^2 \cdot \partial \tau_f$$

$$\partial^2 J(\omega)$$



$$\partial S^2 \cdot \partial \tau_S$$

$$\partial^2 J(\omega)$$



$$(\partial S_f^2)^2$$



$$\partial^2 J(\omega)$$

---


$$\partial s_f^2 \cdot \partial \tau_f$$

$$\partial^2 J(\omega)$$

---


$$\partial S_f^2 \cdot \partial \tau_s$$

$$\partial^2 J(\omega)$$

---


$$\partial \tau_f^2$$

$$(\tau_f + \tau_i)^3 + 3\omega^2 \tau_i^3 \tau_f (\tau_f + \tau_i) - (\omega \tau_i)^4 \tau_f^3$$


---

$$((\tau_f + \tau_i)^2 + (\omega \tau_f \tau_i)^2)^3$$

$$\partial^2 J(\omega)$$

---


$$\partial \tau_f \cdot \partial \tau_g$$

$$\frac{\partial^2 J(\omega)}{\partial \tau_s^2}$$

$$\frac{(\tau_s + \tau_i)^3 + 3\omega^2 \tau_i^3 \tau_s (\tau_s + \tau_i) - (\omega \tau_i)^4 \tau_s^3}{(\tau_s + \tau_i)^2 + (\omega \tau_s \tau_i)^2}^3$$

$$(\tau_s + \tau_i)^2 + (\omega \tau_s \tau_i)^2$$

$$S_f^2 \cdot S_s^2$$

---


$$1 + (w_{Ti})^2$$



$$S_f^2(1-S_g^2)(\tau_g+\tau_i)\tau_g$$


---

$$(\tau_g+\tau_i)^2+(\omega\tau_g\tau_i)^2$$

$$s_g^2$$



$$1 + (\omega \tau_i)^2$$

$$(1 - S_g^2)(\tau_g + \tau_i)\tau_g$$


---

$$(\tau_g + \tau_i)^2 + (\omega\tau_g\tau_i)^2$$

$$\frac{\partial J(\omega)}{\partial \omega}$$

$$\frac{\partial S^2}{\partial g}$$





$$\partial^2 J(\omega)$$

---


$$\partial \mathcal{D}_j \cdot \partial S_g^2$$

$$\partial^2 J(\omega)$$

---


$$\partial S_f^2 \cdot \partial S_g^2$$



$$\frac{\partial^2 J(\omega)}{(\partial s^2)^2}$$

$$\partial^2 J(\omega)$$


---

$$\partial S_g^2 \cdot \partial \tau_f$$

$$\partial^2 J(\omega)$$

---


$$\partial S^2_s \cdot \partial \tau_s$$

2



$$i = -2$$





Wiederholung





$$2Q_r)(\delta_x^4 + 2\delta_y^2\delta_z^2) + (1 - 3Q_r)(\delta_y^4 + 2\delta_x^2\delta_z^2) - 2(\delta_z^4 + 2\delta_x^2\delta_y^2) \Big].$$





de



adi



$$\partial_r) \left( \delta_x^3 \frac{\partial \delta_x}{\partial \partial_i} + \delta_y \delta_z \left( \delta_y \frac{\partial \delta_z}{\partial \partial_i} + \delta_z \frac{\partial \delta_y}{\partial \partial_i} \right) \right)$$

$$\partial_r) \left( \delta_y^3 \frac{\partial \delta_y}{\partial \partial_i} + \delta_x \delta_z \left( \delta_x \frac{\partial \delta_z}{\partial \partial_i} + \delta_z \frac{\partial \delta_x}{\partial \partial_i} \right) \right)$$





002



003



$\partial\delta_y$



$\partial\partial_i$

$\partial\delta x$



$\partial\partial i$















de



ds<sub>r</sub>

1



13

$$\mathcal{Q}_r)(\delta_x^4 + 2\delta_y^2\delta_z^2) - (1 + \mathcal{Q}_r)(\delta_y^4 + 2\delta_x^2\delta_z^2) + 2\mathcal{Q}_r(\delta_z^4 + 2\delta_x^2\delta_y^2) \Big].$$













$$\partial^2 e$$

---


$$\partial \partial_i \cdot \partial \partial_j$$

$$\mathcal{D}_r) \left( \delta_x^2 \left( \delta_x \frac{\partial^2 \delta_x}{\partial \mathcal{D}_i \cdot \partial \mathcal{D}_j} + 3 \frac{\partial \delta_x}{\partial \mathcal{D}_i} \cdot \frac{\partial \delta_x}{\partial \mathcal{D}_j} \right) \right)$$



$$\partial^2 \delta_z$$

---


$$\partial \partial_i \cdot \partial \partial_j$$

$\partial\delta_z$



$\partial\partial_j$







$$\partial^2 \delta_y$$



$$\partial \partial_i \cdot \partial \partial_j$$

$\partial \delta_y$



$\partial \partial_j$







$$\mathcal{D}_r) \left( \delta_y^2 \left( \delta_y \frac{\partial^2 \delta_y}{\partial \mathcal{D}_i \cdot \partial \mathcal{D}_j} + 3 \frac{\partial \delta_y}{\partial \mathcal{D}_i} \cdot \frac{\partial \delta_y}{\partial \mathcal{D}_j} \right) \right)$$





$$\partial^2 \delta x$$

---


$$\partial \partial_i \cdot \partial \partial_j$$

$\partial\delta_x$



$\partial\partial_j$















$$\partial^2 e$$



$$\partial\partial_i \cdot \partial\partial_r$$

$$2r \left( \delta_z^3 \frac{\partial \delta_z}{\partial \mathcal{D}_i} + \delta_x \delta_y \left( \delta_x \frac{\partial \delta_y}{\partial \mathcal{D}_i} + \delta_y \frac{\partial \delta_x}{\partial \mathcal{D}_i} \right) \right)$$















$$\partial^2 e$$



$$\partial \partial^2 \gamma$$

1



95

$$2x^2 - 20x + 1 \div (2x^2 + 2x) = 1$$

$$2x^2 + 20x + 1 \div (2x^2 + 20x + 2)$$

$$2021 + 2022 = 4043$$























1



$$i = 1$$
































0

Σ

0 = 0



deco



σππ



$$\partial^2 c_0$$

---


$$\partial_{\tau}^2 m$$

$\sigma\pi^0$



$\sigma\pi\pi$

$$\partial^2 \tau_0$$

---


$$\partial \tau_m^2$$









$\partial\delta_j$



$\partial\partial_j$



2



20j







ad i



ad j

$$\frac{\partial XH}{\partial \theta_j}$$

$$\frac{\partial \theta_j}{\partial \theta_j}$$















$$\partial^2 \delta_i$$



$$\partial \mathcal{D}_j \cdot \partial \mathcal{D}_k$$

$$\partial^2$$



$$\partial\mathcal{D}_j \cdot \partial\mathcal{D}_k$$

$$\partial^2 \widehat{\mathcal{Q}}_i$$

---


$$\partial \mathcal{Q}_j \cdot \partial \mathcal{Q}_k$$













$$\begin{pmatrix} \sin \theta \cos \phi \\ \sin \theta \sin \phi \\ \cos \theta \end{pmatrix}$$

2



202







ad



ad





$$\partial \overline{XH}$$

---


$$\partial \mathcal{D}_i$$



$$\partial^2$$

---


$$\partial\partial_i \cdot \partial\partial_j$$

$$\partial^2 \widehat{\mathfrak{D}}_{\parallel}$$

---


$$\partial \mathfrak{D}_i \cdot \partial \mathfrak{D}_j$$



১৭  
 ১৮  
 ১৯  
 ২০  
 ২১  
 ২২  
 ২৩  
 ২৪  
 ২৫  
 ২৬  
 ২৭  
 ২৮  
 ২৯  
 ৩০  
 ৩১  
 ৩২  
 ৩৩  
 ৩৪  
 ৩৫  
 ৩৬  
 ৩৭  
 ৩৮  
 ৩৯  
 ৪০  
 ৪১  
 ৪২  
 ৪৩  
 ৪৪  
 ৪৫  
 ৪৬  
 ৪৭  
 ৪৮  
 ৪৯  
 ৫০  
 ৫১  
 ৫২  
 ৫৩  
 ৫৪  
 ৫৫  
 ৫৬  
 ৫৭  
 ৫৮  
 ৫৯  
 ৬০  
 ৬১  
 ৬২  
 ৬৩  
 ৬৪  
 ৬৫  
 ৬৬  
 ৬৭  
 ৬৮  
 ৬৯  
 ৭০  
 ৭১  
 ৭২  
 ৭৩  
 ৭৪  
 ৭৫  
 ৭৬  
 ৭৭  
 ৭৮  
 ৭৯  
 ৮০  
 ৮১  
 ৮২  
 ৮৩  
 ৮৪  
 ৮৫  
 ৮৬  
 ৮৭  
 ৮৮  
 ৮৯  
 ৯০  
 ৯১  
 ৯২  
 ৯৩  
 ৯৪  
 ৯৫  
 ৯৬  
 ৯৭  
 ৯৮  
 ৯৯  
 ১০০

$$\begin{pmatrix} 1 & \cdot & \cdot \\ \cdot & 1 & \cdot \\ \cdot & \cdot & 1 \end{pmatrix}$$













1234567890













COM



1









images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_



images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

$$\begin{pmatrix} \cos \sigma & -\sin \sigma & 0 \\ \sin \sigma & \cos \sigma & 0 \\ 0 & 0 & 1 \end{pmatrix}$$















images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sijk



images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk











images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk



images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk



images/frame\_order\_matrix/Sijk









images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sijk



images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk













images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_



images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk









22



22





1



$\theta_2$

max

$$\cos^2 \phi$$


---

$$\theta_x^2$$

$$\frac{\sin^2 \phi}{\theta_y^2}$$

images/pseudo\_elliptic\_cone-eps-converted-



$\sigma_{\max}$

$-\sigma_{\max}$









$$\int_{-\sigma_{\max}}^{\sigma_{\max}}$$







$$\frac{1}{\sqrt{\frac{\cos^2 \phi}{\theta_x^2} + \frac{\sin^2 \phi}{\theta_y^2}}}$$







$$\theta_{\max}^2$$



$$2!$$

$$\theta_{\max}^4$$


---

$$4!$$

$$\theta_{\max}^6$$


---

$$6!$$

$$\theta_{\max}^8$$

---


$$8!$$

$$\theta_{\max}^{10}$$


---

10!



$$(-1)^n$$



$$(2n)!$$

$\pi \theta_x \theta_y$

---

24







$\pi \theta_x \theta_y$

---

2880





$\pi \theta_x \theta_y$

---

322560







$\pi\theta_x\theta_y$

---

232243200







images/pec\_y-eps-converted-to.

images/pec\_diag-eps-converted-

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_



images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk



images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_



images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk























































images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_



images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_



images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

$$\begin{pmatrix} \cos^2 \phi \cos \theta + \sin^2 \phi & \cos \phi \sin \phi \cos \theta - \cos \phi \sin \phi & \cos \phi \sin \theta \\ \cos \phi \sin \phi \cos \theta - \cos \phi \sin \phi & \sin^2 \phi \cos \theta + \cos^2 \phi & \sin \phi \sin \theta \\ -\cos \phi \sin \theta & -\sin \phi \sin \theta & \cos \theta \end{pmatrix}$$











































images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_



images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_



images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk



















































images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_



images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_

images/frame\_order\_matrix/Sij\_



images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk

images/frame\_order\_matrix/Sijk













$$\int_{-\sigma_{\max,2}}^{\sigma_{\max,2}}$$

$$\int_{-\sigma_{\max,1}}^{\sigma_{\max,1}}$$







$$\begin{pmatrix} \text{sinc}\sigma_{\text{max},1} & \cdot & \cdot \\ \cdot & \text{sinc}\sigma_{\text{max},2} & \cdot \\ \cdot & \cdot & \text{sinc}\sigma_{\text{max},1}\text{sinc}\sigma_{\text{max},2} \end{pmatrix}$$





Data type	String	Description
$S^2$ .	's2'	The standard model-free order parameter, equal to $S_f^2$ . S2s for the two timescale models. The default colour gradient starts at 'yellow' and ends at 'red'.
$S_f^2$ .	's2f'	The order parameter of the faster of two internal motions. Residues which are described by model-free models m1 to m4, the single timescale models, are illustrated as white neon bonds. The default colour gradient is the same as that for the $S^2$ data type.
$S_s^2$ .	's2s'	The order parameter of the slower of two internal motions. This functions exactly as $S_f^2$ except that $S_s^2$ is plotted instead.
Amplitude of fast motions.	'amp_fast'	Model independent display of the amplite of fast motions. For residues described by model-free models m5 to m8, the value plotted is that of $S_f^2$ . However, for residues described by models m1 to m4, what is shown is dependent on the timescale of the motions. This is because these single timescale models can, at times, be perfect approximations to the more complex two timescale models. Hence if $\tau_e$ is less than 200 ps, $S^2$ is plotted. Otherwise the peptide bond is coloured white. The default colour gradient is the same as that for $S^2$ .
Amplitude of slow motions.	'amp_slow'	Model independent display of the amplite of slow motions, arbitrarily defined as motions slower than 200 ps. For residues described by model-free models m5 to m8, the order parameter $S^2$ is plotted if $\tau_s > 200$ ps. For models m1 to m4, $S^2$ is plotted if $\tau_e > 200$ ps. The default colour gradient is the same as that for $S^2$ .
$\tau_e$ .	'te'	The correlation time, $\tau_e$ . The default colour gradient starts at 'turquoise' and ends at 'blue'.
$\tau_f$ .	'tf'	The correlation time, $\tau_f$ . The default colour gradient is the same as that of $\tau_e$ .
$\tau_s$ .	'ts'	The correlation time, $\tau_s$ . The default colour gradient starts at 'blue' and ends at 'black'.
Timescale of fast motions	'time_fast'	Model independent display of the timescale of fast motions. For models m5 to m8, only the parameter $\tau_f$ is plotted. For models m2 and m4, the parameter $\tau_e$ is plotted only if it is less than 200 ps. All other residues are assumed to have a correlation time of zero. The default colour gradient is the same as that of $\tau_e$ .
Timescale of slow motions	'time_slow'	Model independent display of the timescale of slow motions. For models m5 to m8, only the parameter $\tau_s$ is plotted. For models m2 and m4, the parameter $\tau_e$ is plotted only if it is greater than 200 ps. All other residues are coloured white. The default colour gradient is the same as that of $\tau_s$ .
Chemical exchange	'rex'	The chemical exchange, $R_{ex}$ . Residues which experience no chemical exchange are coloured white. The default colour gradient starts at 'yellow' and finishes at 'red'.

Value	Param	Description
None	None	This case is used to set the model parameters prior to minimisation or calculation. The model parameters are set to the default values.
1	None	Invalid combination.
n	None	This case is used to set the model parameters prior to minimisation or calculation. The length of the val array must be equal to the number of model parameters. The parameters will be set to the corresponding number.
None	1	The parameter matching the string will be set to the default value.
1	1	The parameter matching the string will be set to the supplied number.
n	1	Invalid combination.
None	n	Each parameter matching the strings will be set to the default values.
1	n	Each parameter matching the strings will be set to the supplied number.
n	n	Each parameter matching the strings will be set to the corresponding number. Both arrays must be of equal length.