

# Univalent Enriched Categories and the Enriched Rezk Completion

Niels van der Weide

# Univalent Foundations

- ▶ We work in **univalent foundations (UF)**
- ▶ Concretely, we assume the **univalence axiom**:

$$(A = B) \simeq (A \simeq B)$$

- ▶ Identity is proof relevant, and we interpret types as spaces

# Univalence Principles

Using the univalence axiom we can prove that

- ▶ Monoids are **identified** up to **monoid isomorphism**:

$$(M = N) \simeq (M \cong N)$$

- ▶ Groups are **identified** up to **group isomorphism**:

$$(G = H) \simeq (G \cong H)$$

- ▶ Rings are **identified** up to **ring isomorphism**:

$$(R = S) \simeq (R \cong S)$$

So: sameness of algebraic structures is given by isomorphism

# Univalence Principles

Using the univalence axiom we can prove that

- ▶ Monoids are **identified** up to **monoid isomorphism**:

$$(M = N) \simeq (M \cong N)$$

- ▶ Groups are **identified** up to **group isomorphism**:

$$(G = H) \simeq (G \cong H)$$

- ▶ Rings are **identified** up to **ring isomorphism**:

$$(R = S) \simeq (R \cong S)$$

So: sameness of algebraic structures is given by isomorphism  
But **what about categories?**

# Category Theory in UF

In UF, we have two notions of categories

- **Strict categories**: identified up to **isomorphism**, i.e.

$$\mathcal{C} \begin{array}{c} \xrightarrow{F} \\ \xleftarrow{G} \end{array} \mathcal{D}$$

such that  $F(G(x)) = x$  and  $G(F(x)) = x$ .

- **Univalent categories**: identified up to **adjoint equivalence**, i.e.

$$\mathcal{C} \begin{array}{c} \xrightarrow{F} \\ \xleftarrow{G} \end{array} \mathcal{D}$$

together with natural isomorphisms  $F \cdot G \cong \text{id } \mathcal{C}$  and  $G \cdot F \cong \text{id } \mathcal{D}$  for which the triangle equations hold

# Category Theory in UF

In UF, we have two notions of categories

- ▶ ~~Strict categories~~: identified up to isomorphism, i.e.

$$\mathcal{C} \begin{array}{c} \xrightarrow{F} \\ \xleftarrow{G} \end{array} \mathcal{D}$$

such that  $F(G(x)) = x$  and  $G(F(x)) = x$ .

- ▶ **Univalent categories**: identified up to **adjoint equivalence**, i.e.

$$\mathcal{C} \begin{array}{c} \xrightarrow{F} \\ \xleftarrow{G} \end{array} \mathcal{D}$$

together with natural isomorphisms  $F \cdot G \cong \text{id } \mathcal{C}$  and  $G \cdot F \cong \text{id } \mathcal{D}$  for which the triangle equations hold

Our focus is on **univalent categories**

# Why Univalent Categories

In this talk, we are only concerned with **univalent categories**

- ▶ In category theory, categories usually are identified up to adjoint equivalence
- ▶ The univalent perspective offers an interesting new perspective on category theory

# Univalent Categories

## Definition

Let  $\mathcal{C}$  be a category.

- ▶ We have a map  $\text{idtoiso}$  sending identities  $p : x = y$  of objects  $x, y : \mathcal{C}$  to isomorphisms  $x \cong y$
- ▶  $\mathcal{C}$  is **univalent** if  $\text{idtoiso}$  is an equivalence of types



# Univalent Categories

## Definition

Let  $\mathcal{C}$  be a category.

- ▶ We have a map  $\text{idtoiso}$  sending identities  $p : x = y$  of objects  $x, y : \mathcal{C}$  to isomorphisms  $x \cong y$
- ▶  $\mathcal{C}$  is **univalent** if  $\text{idtoiso}$  is an equivalence of types

So:

- ▶ In univalent categories, we have  $(x = y) \simeq (x \cong y)$
- ▶ Objects of univalent categories are **identified up to isomorphism**
- ▶ This follows **common mathematical practice** because properties of objects are invariant up to isomorphism
- ▶ Univalent categories are **identified up to equivalence**

# Univalent Category Theory

There are many interesting aspects to univalent category theory

- **Univalence principle:** univalent categories are identified up to adjoint equivalence

---

<sup>1</sup>Ahrens, Benedikt, Krzysztof Kapulkin, and Michael Shulman. "*Univalent categories and the Rezk completion*.", MSCS.

<sup>2</sup>Ahrens, Benedikt, Paige Randall North, Michael Shulman, and Dimitris Tsementzis. "*The univalence principle*", LICS 2020.

<sup>3</sup>Van der Weide, Niels. "*The Formal Theory of Monads, Univalently*", FSCD 2023.

# Univalent Category Theory

There are many interesting aspects to univalent category theory

- ▶ **Univalence principle**: univalent categories are identified up to adjoint equivalence
- ▶ Constructively proving that **fully faithful and essentially surjective functors are adjoint equivalences**

---

<sup>1</sup>Ahrens, Benedikt, Krzysztof Kapulkin, and Michael Shulman. "*Univalent categories and the Rezk completion*.", MSCS.

<sup>2</sup>Ahrens, Benedikt, Paige Randall North, Michael Shulman, and Dimitris Tsementzis. "*The univalence principle*", LICS 2020.

<sup>3</sup>Van der Weide, Niels. "*The Formal Theory of Monads, Univalently*.", FSCD 2023.

# Univalent Category Theory

There are many interesting aspects to univalent category theory

- ▶ **Univalence principle:** univalent categories are identified up to adjoint equivalence
- ▶ Constructively proving that **fully faithful and essentially surjective functors are adjoint equivalences**
- ▶ **Rezk completions:** every not necessarily univalent category is weakly equivalent to a univalent one (*weak equivalence: eso and fully faithful*)

---

<sup>1</sup>Ahrens, Benedikt, Krzysztof Kapulkin, and Michael Shulman. "Univalent categories and the Rezk completion.", MSCS.

<sup>2</sup>Ahrens, Benedikt, Paige Randall North, Michael Shulman, and Dimitris Tsementzis. "The univalence principle", LICS 2020.

<sup>3</sup>Van der Weide, Niels. "The Formal Theory of Monads, Univalently.", FSCD 2023.

# Univalent Category Theory

There are many interesting aspects to univalent category theory

- ▶ **Univalence principle**: univalent categories are identified up to adjoint equivalence
- ▶ Constructively proving that **fully faithful and essentially surjective functors are adjoint equivalences**
- ▶ **Rezk completions**: every not necessarily univalent category is weakly equivalent to a univalent one (*weak equivalence: eso and fully faithful*)
- ▶ The usual definition of the Kleisli category does **not** give rise to a univalent category: instead we use the **Rezk completion**

Each of these points have been established in the literature<sup>1 2 3</sup>

<sup>1</sup>Ahrens, Benedikt, Krzysztof Kapulkin, and Michael Shulman. "Univalent categories and the Rezk completion.", MSCS.

<sup>2</sup>Ahrens, Benedikt, Paige Randall North, Michael Shulman, and Dimitris Tsementzis. "The univalence principle", LICS 2020.

<sup>3</sup>Van der Weide, Niels. "The Formal Theory of Monads, Univalently.", FSCD 2023.

# Enriched Categories

We like **enriched categories** <sup>4</sup> <sup>5</sup>

- ▶ An enriched category is a category whose hom-sets are endowed with extra structure
- ▶ For instance: every hom-set could be an abelian group or a DCPO
- ▶ Have found applications in programming languages <sup>6</sup>, algebraic topology <sup>7</sup>, higher category theory

---


<sup>4</sup>Bénabou Jean. " *Catégories relatives*", C. R. Acad. Sci. Paris, 1965.

<sup>5</sup>Kelly, Max. " *Basic concepts of enriched category theory*", London Math. Soc. Lecture Note Ser., 64, 1982


<sup>6</sup>Power, John. " *Models for the computational  $\lambda$ -calculus*", MFCSIT 2000.

<sup>7</sup>Goerss, Paul G., and John F. Jardine. *Simplicial homotopy theory*.

# Enriched Categories Illustrated



# Enriched Categories Illustrated





# This Paper

This paper studies **univalent enriched categories**, and it contains

- ▶ A univalence principle for univalent enriched categories
- ▶ A proof that fully faithful and essentially surjective enriched functors are adjoint equivalences
- ▶ A construction of the Rezk completion of enriched categories and a proof of the universal mapping property
- ▶ Univalent enriched Kleisli categories

# Monoidal Categories

## Definition

A **monoidal category**  $V$  is given by

- ▶ an object  $I : V$  called the **unit**
- ▶ an operation  $\otimes : V \rightarrow V \rightarrow V$  called the **tensor**

Unitality and associativity hold up to coherent isomorphism. This means that we have natural isomorphisms  $l : I \otimes x \cong x$ ,  $r : x \otimes I \cong x$ , and  $a : x \otimes (y \otimes z) \cong (x \otimes y) \otimes z$  satisfying suitable coherences. In addition,  $\otimes$  is required to be functorial.

# Enrichments

Suppose that we have

- ▶ A monoidal category  $V$  with unit  $I$  and tensor  $\otimes$

## Definition

A  **$V$ -enrichment**  $\mathcal{E}$  of a category  $C$  consists of

- ▶ a function  $\mathcal{E}(-, -) : C \rightarrow C \rightarrow V$
- ▶ for all  $x : C$  a morphism  $\text{id}^e : I \rightarrow \mathcal{E}(x, x)$
- ▶ for all  $x, y, z : C$  a morphism

$$\text{comp} : \mathcal{E}(y, z) \otimes \mathcal{E}(x, y) \rightarrow \mathcal{E}(x, z)$$

- ▶ for all  $f : x \rightarrow y$  a morphism  $\overrightarrow{f} : I \rightarrow \mathcal{E}(x, y)$
- ▶ for all  $f : I \rightarrow \mathcal{E}(x, y)$  a morphism  $\overleftarrow{f} : x \rightarrow y$

We require that  $\overleftrightarrow{\overrightarrow{f}} = f$  and that  $\overleftrightarrow{\overleftarrow{f}} = f$ , and that these operations preserve identity and composition. Associativity and unitality are given in the next slides

## Enrichments: Unitality Axioms

$$\begin{array}{ccc} \mathbf{1} \otimes \mathcal{E}(x, y) & \xrightarrow{\text{id}^e(y) \otimes \text{id}} & \mathcal{E}(y, y) \otimes \mathcal{E}(x, y) \\ & \searrow \text{l}_{\mathcal{E}(x, y)} & \downarrow \text{comp}(x, y, y) \\ & & \mathcal{E}(x, y) \end{array}$$

$$\begin{array}{ccc} \mathcal{E}(x, y) \otimes \mathbf{1} & \xrightarrow{\text{id} \otimes \text{id}^e(x)} & \mathcal{E}(x, y) \otimes \mathcal{E}(x, x) \\ & \searrow \text{r}_{\mathcal{E}(x, y)} & \downarrow \text{comp}(x, x, y) \\ & & \mathcal{E}(x, y) \end{array}$$

# Enrichments: Associativity Axiom

$$\begin{array}{ccc} (\mathcal{E}(y, z) \otimes \mathcal{E}(x, y)) \otimes \mathcal{E}(w, x) & \xrightarrow{a} & \mathcal{E}(y, z) \otimes (\mathcal{E}(x, y) \otimes \mathcal{E}(w, x)) \\ \downarrow \text{comp}(x, y, z) \otimes \text{id} & & \downarrow \text{id} \otimes \text{comp}(w, x, y) \\ & & \mathcal{E}(y, z) \otimes \mathcal{E}(w, y) \\ & & \downarrow \text{comp}(w, y, z) \\ \mathcal{E}(x, z) \otimes \mathcal{E}(w, x) & \xrightarrow{\text{comp}(w, x, z)} & \mathcal{E}(w, z) \end{array}$$

# Examples of Enrichments

Examples of enrichments:

- ▶ Every category has a unique set-enrichment
- ▶ The category of DCPOs is enriched over DCPOs
- ▶ More general, every cartesian closed category is enriched over itself
- ▶ Even more general, every symmetric monoidal closed category is enriched over itself

# Enrichments and the Underlying Category

Some standard facts from enriched category theory

- ▶ We have 2-categories  $\text{EnrichCat}_V$  and  $\text{Cat}$
- ▶ We have a pseudofunctor  $F$  from  $\text{EnrichCat}_V$  to  $\text{Cat}$  that sends an enriched category  $E$  to its underlying category  $E_0$  (objects: same as in  $E$ , morphisms  $I \rightarrow E(x, y)$ )

Idea:

- ▶ a  $V$ -enrichment of  $C$  is an object in the fiber of  $C$  along  $F$ .
- ▶ the definition on the previous slide formalizes this idea.

For this reason, our definition is equivalent to the usual one.

# Univalent Enriched Category Theory

Now we discuss

1. a notion of univalent enriched category and a univalence principle for them
2. essentially surjective fully faithful functors are adjoint equivalences
3. the Rezk completion of enriched categories

In addition, our proof techniques arise from **bicategory theory**



# Univalent Enriched Categories

## Definition

A **univalent  $V$ -enriched category** is a univalent category together with a  $V$ -enrichment.

If we would use Kelly's definition: a  $V$ -enriched category is univalent if its underlying category is univalent. This agrees with completeness of enriched  $\infty$ -categories<sup>8</sup>.

---

<sup>8</sup>David Gepner and Rune Haugseng. " *Enriched  $\infty$ -categories via non-symmetric  $\infty$ -operads*", Adv. Math. 2015.

# The Univalence Principle

- ▶ **Theorem:** identity of enriched categories corresponds to enriched adjoint equivalence
- ▶ We formulate that using **univalent bicategories**
- ▶ More specifically, we show that the bicategory of univalent enriched categories is univalent

---

<sup>9</sup>Benedikt Ahrens, Dan Frumin, Marco Maggesi, Niccolò Veltri, and Niels van der Weide. " *Bicategories in univalent foundations.*", MSCS.

# The Univalence Principle

- ▶ **Theorem:** identity of enriched categories corresponds to enriched adjoint equivalence
- ▶ We formulate that using **univalent bicategories**
- ▶ More specifically, we show that the bicategory of univalent enriched categories is univalent
- ▶ Global univalence: identity of enriched categories corresponds to enriched adjoint equivalence
- ▶ Local univalence: identity of enriched functors corresponds to enriched natural isomorphism

---

<sup>9</sup>Benedikt Ahrens, Dan Frumin, Marco Maggesi, Niccolò Veltri, and Niels van der Weide. "*Bicategories in univalent foundations.*", MSCS.

# The Univalence Principle

- ▶ **Theorem:** identity of enriched categories corresponds to enriched adjoint equivalence
- ▶ We formulate that using **univalent bicategories**
- ▶ More specifically, we show that the bicategory of univalent enriched categories is univalent
- ▶ Global univalence: identity of enriched categories corresponds to enriched adjoint equivalence
- ▶ Local univalence: identity of enriched functors corresponds to enriched natural isomorphism
- ▶ **Method:** displayed bicategories <sup>9</sup>

---

<sup>9</sup>Benedikt Ahrens, Dan Frumin, Marco Maggesi, Niccolò Veltri, and Niels van der Weide. " *Bicategories in univalent foundations.*", MSCS.

# Displayed Bicategories

- ▶ **Main idea:** a displayed bicategory over a bicategory  $B$  represents structure/properties to be added to the objects, 1-cells, and 2-cells of  $B$
- ▶ Displayed bicategories allow for **modular proofs of univalence**
- ▶ Every displayed bicategory gives rise to a bicategory by taking the total category
- ▶ In essence, this generalizes taking  $\Sigma$ -types to categories

# Displayed Bicategories

- ▶ **Main idea:** a displayed bicategory over a bicategory  $B$  represents structure/properties to be added to the objects, 1-cells, and 2-cells of  $B$
- ▶ Displayed bicategories allow for **modular proofs of univalence**
- ▶ Every displayed bicategory gives rise to a bicategory by taking the total category
- ▶ In essence, this generalizes taking  $\Sigma$ -types to categories

Enriched categories as a displayed bicategory over  $\mathbf{Cat}$ :

- ▶ Objects over  $C$ :  $V$ -enrichments for  $C$
- ▶ 1-cells over  $F : C \rightarrow C'$  from  $\mathcal{E}$  to  $\mathcal{E}'$ :  $V$ -enrichments for  $F$
- ▶ 2-cells over  $\tau : F \Rightarrow G$  from  $\mathcal{F}$  to  $\mathcal{G}$ : proofs that  $\tau$  is  $V$ -enriched

# Univalent Enriched Category Theory

1. ~~a notion of univalent enriched category and a univalence principle for them~~
2. essentially surjective fully faithful functors are adjoint equivalences
3. the Rezk completion of enriched categories

# Adjoint Equivalences

- ▶ **Key theorem about equivalences:** essentially surjective fully faithful functors are adjoint equivalences
- ▶ Usually, proving this requires the axiom of choice.

Proof sketch:

- ▶ Suppose  $F : C \rightarrow D$  is fully faithful and essentially surjective
- ▶ To define an inverse, we need to find a preimage for every  $y : D$
- ▶ Such preimages are only unique **up to isomorphism** (by fully faithfulness)
- ▶ However, if  $C$  is univalent, then the preimages are unique



# Orthogonal Factorization Systems

- ▶ We construct the orthogonal factorization system of eso functors and fully faithful functors<sup>10</sup>
- ▶ Orthogonality means that we can solve the following lifting problems:

$$\begin{array}{ccc} C_1 & \xrightarrow{G_1} & C_2 \\ F_1 \downarrow & \nearrow \text{---} & \downarrow F_2 \\ D_1 & \xrightarrow{G_2} & D_2 \end{array}$$

where  $F_1$  is eso and  $F_2$  is fully faithful

- ▶ By taking  $F_1 = F_2$  and  $G_1 = G_2 = \text{id}$ , we get the desired theorem

---

<sup>10</sup>Fosco Loregian and Emily Riehl. " *Categorical notions of fibration* ", Expo. Math. 2019.

# Univalent Enriched Category Theory

1. ~~a notion of univalent enriched category and a univalence principle for them~~
2. ~~essentially surjective fully faithful functors are adjoint equivalences~~
3. the Rezk completion of enriched categories

# The Rezk Completion

- ▶ Every category  $C$  is weakly equivalent to a univalent one
- ▶ This is known as the **Rezk completion**
- ▶ Universal property: left biadjoint of  $\text{UnivCat} \rightarrow \text{Cat}$

# The Rezk Completion

- ▶ Every category  $C$  is weakly equivalent to a univalent one
- ▶ This is known as the **Rezk completion**
- ▶ Universal property: left biadjoint of  $\text{UnivCat} \rightarrow \text{Cat}$

The Rezk completion of  $C$  is constructed as follows:

- ▶ Take the image of  $C \rightarrow [C^{\text{op}}, \text{Set}]$
- ▶ Essentially surjective: by definition
- ▶ Fully faithful: by the Yoneda lemma
- ▶ Univalence: since  $\text{Set}$  is univalent

## The **Enriched** Rezk Completion

Every **enriched** category  $\mathcal{E}$  is weakly equivalent to a univalent one

# The **Enriched** Rezk Completion

Every **enriched** category  $\mathcal{E}$  is weakly equivalent to a univalent one  
The Rezk completion of  $\mathcal{E}$  is constructed as follows:

- ▶ Take the image of  $\mathcal{E} \rightarrow [\mathcal{E}^{\text{op}}, \mathbf{V}]$
- ▶ Essentially surjective: by definition
- ▶ Fully faithful: by the Yoneda lemma
- ▶ Univalence: since  $\mathbf{V}$  is univalent

We can also prove the universal property  
Here we need:

- ▶  $\mathbf{V}$  is symmetric (opposite enriched categories)
- ▶  $\mathbf{V}$  is closed (self enriched categories)
- ▶  $\mathbf{V}$  is complete (enriched functor categories)

# Conclusion

- ▶ We developed enriched categories in univalent foundations
- ▶ We proved a univalence principle and we showed that weak equivalences between univalent categories are adjoint equivalences
- ▶ We also constructed a Rezk completion and proved its universal property (useful for Kleisli categories)
- ▶ Key techniques: enrichments, displayed