### **Production Supporting Systems in Factories**

ระบบสนับสนุนการผลิตในโรงงานอุตสาหกรรม

### Topic

- อุปกรณ์ตรวจวัดอัจฉริยะ
- ระบบสารสนเทศ
- Industrial Control System (ICS)
  - SCADA (Supervisory control and data acquisition)
  - DCS (Distributed control systems)

### **SCADA**


Supervisory control and data acquisition

#### **SCADA**

- A system of software and hardware elements that allows industrial organizations to:
  - Control industrial processes locally or at remote locations
  - Directly interact with devices such as sensors, valves, pumps, motors, and more through human-machine interface (HMI) software
  - Monitor, gather, and process real-time data
  - Record events into a permanent storage.

#### **Architecture**

- PLC (Programmable Logic Controller) and/or RTU (Remote Terminal Units)
- **HMI** (Human Machine Interface)
- Field devices sensors and actuators
- SCADA computer



# We will come back to this topic later.

• Now, let's learn about a control system by making a DIY "SCADA".

# **Project Demo**

Link

# **Diagram**

Link

### Components

- Node-Red App running on a cloud server (Railway Cloud)
  - Collect sensor data
  - Displaying sensor data
  - Notifying operator of the incident through Line App (on a desktop computer)
  - Writing and reading from Database (on Google Firestore)

### **Components (cont)**

- Node-Red App runnign on mobile
  - Receive command to toogle a flashlight
  - Process and send accelerometer data
- Mosquitto App running on a cloud server (Google VM)
  - Receiving and broadcasting data from and to both Node-Red App.

#### **Protocol**

- HTTP (Hypertext Transfer Protocol)
  - Basically the "internet" protocol
- MQTT
  - Leading open source protocol for connecting internet of things (IoT) and industrial IoT (IIoT) devices.

### Comparison to SCADA components

Component	Function	SCADA Equiv.
Node-Red (Railway	Collect data	PLC / RTU
	Display data	SCADA computer
	Notify to Line	SCADA computer
	Write to Database	SCADA computer

# **Comparison to SCADA components**

Component	Function	SCADA Equiv.
Node-Red (Mobile)	Control sensors	PLC / RTU
Accelerometer	Measure acceleration	Sensor
Flashlight	Light	Actuator

# Enough talk. Let's get started.

# Module 1-1: Setting up Node-Red

- Install Node.js
- Install Visual Studio Code

- Change default terminal in VSCode (Windows only)
  - Open a window
  - O Select terminal -> New Terminal
  - press ctrl + p
  - O Type > Terminal: Select Default Profile and click
  - Select cmd

- Install Node-Red
  - Create a new folder
  - Drag a folder into VSCode
  - Select terminal -> New Terminal
  - (Terminal) npm init -y
  - (Terminal) npm install node-red
  - Create a directory called local

- Configure Node-Red
  - Click at the file package.json to edit
  - Add this line "start": "npx node-red -u ./local -p 1880"

```
{
    // ...
    "scripts": {
        "test": "echo \"Error: no test specified\" && exit 1",
        // Add a new line here
        // Don't forget to add the extra "," above.
        "start": "npx node-red -u ./local -p 1880"
    }
    // ...
}
```

- Start Node-Red
  - (Terminal) npm start
- Visit the web browser at
  - o http://127.0.0.1:1880 or
  - http://localhost:1880

### Module 1-2: Navigating around Node-Red

#### Create flows to

- Show timestamp in the debug panel.
- Show date and time using function node. (See code on the other page.)
- Send continuous random numbers. (Use Math.random())
- Use switch and change.

```
const date = new Date();
msg.payload = date.toDateString();
return msg;
```

### Module 1-3: HTTP Get Request


- Send a get request to http://google.com.
- Display a response to a debug panel.
- Write a response to index.html

### **Module 1-4: HTTP Server**


- Create a server that responds to the GET request to /hello.
  - Respond with a static string.
  - Respond with a dynamic string.

```
const date = new Date();
msg.time = date.toLocaleTimeString();
return msg;
```

- Reponse to /home with an HTML document.
  - Create flow http in , read file , http response , debug



- http in node
  - Method = GET
  - O URL = home
- read file node
  - Filename = html/index.html
  - See next page.




- http response node
  - No need to do anything.

- Create a folder html
- Place an index.html in the folder
- Use web browser to the url /home

#### **Module 1-5: Public server**


- Get ngrok
  - Create an account at https://ngrok.com/
  - Verify email.
  - Download the program.
  - Extract the program to the project folder.
  - Copy the command below.



- VSCode
  - Create New Terminal
  - Run ngrok authtoken <YOUR AUTHTOKEN> (Remove ./ from what you just copied.)
  - O Run ngrok http 1880
- Copy the https address (ctrl + shift + c)

```
ngrok by @inconshreveable
                                                                                (Ctrl+C to quit)
Session Status
                              online
Account
                              nnnpooh (Plan: Free)
Version
                              2.3.40
                              United States (us)
Region
Web Interface
                              http://127.0.0.1:4040
Forwarding
                               tp://3fe2-2405-9800-b900-fda2-2d0a-b28f-a42c-1971.ngrok.io -> h
Forwarding
                              https://3fe2-2405-9800-b900-fda2-2d0a-b28f-a42c-1971.ngrok.io ->
Connections
                              ttl
                                              rt1
                                                      rt5
                                                                      p90
                                                              p50
                                      opn
                                              0.00
                                                      0.00
                                                              0.00
                                                                      0.00
```

- Paste the address in the browser.
  - Don't forget to add the url in the end.



• Try sharing this link to your friends.