

Midterm 2 practice 3

UCLA: Math 115A, Fall 2019

Instructor: Noah White

Date:

- This exam has 4 questions, for a total of 20 points.
- Please print your working and answers neatly.
- Write your solutions in the space provided showing working.
- Indicate your final answer clearly.
- You may write on the reverse of a page or on the blank pages found at the back of the booklet however these will not be graded unless very clearly indicated.
- Non programmable and non graphing calculators are allowed.

Name: _____

ID number: _____

Discussion section (please circle):

Question	Points	Score
1	5	
2	5	
3	5	
4	5	
Total:	20	

Question 1 is multiple choice. Indicate your answers in the table below. *The following three pages will not be graded, your answers must be indicated here.*

Part	A	B	C	D
(a)				
(b)				
(c)				
(d)				
(e)				

Clarification on notation: Let $T : V \longrightarrow W$ be a linear map. The *kernel* of T is the same thing as the *nullspace* of T , i.e. $\ker T = N(T)$. Similarly the *image* of T is the same thing as the *range* of T , i.e. $\operatorname{im} T = R(T)$.

Note also that

$$\Sigma_n = \left\{ \left(\begin{pmatrix} x_1 \\ x_2 \\ \vdots \\ x_n \end{pmatrix} \in \mathbb{R}^n \mid x_1 + x_2 + \cdots + x_n = 0 \right) \right\}.$$

1. Each of the following questions has exactly one correct answer. Choose from the four options presented in each case. No partial points will be given.

(a) (1 point) If V is a finite dimensional vector space, with two bases, B and C and $T : V \rightarrow W$ is a linear map, and if Q is the matrix such that $Q^{-1}[T]_B^B Q = [T]_C^C$ then Q equals

- A. $[T]_B^C$
- B. $[T]_C^B$
- C. $[\text{id}]_B^C$
- D. $[\text{id}]_C^B$

(b) (1 point) Let $E = \{1, x\}$, $C = \{x + 2, x + 1\}$ be bases of $\mathbb{C}_1[x]$. What is $[\text{id}]_E^C$?

- A. $\begin{pmatrix} 1 & -1 \\ -1 & 2 \end{pmatrix}$
- B. $\begin{pmatrix} 0 & -1 \\ 1 & 2 \end{pmatrix}$
- C. $\begin{pmatrix} 2 & 1 \\ 1 & 1 \end{pmatrix}$
- D. $\begin{pmatrix} 3 & -4 \\ 1 & -1 \end{pmatrix}$

- (c) (1 point) Consider the linear map $\frac{d}{dx} : \mathbb{R}[x] \rightarrow \mathbb{R}[x]$. Which of the following is an eigenvector?
- A. x^2
 - B. $1 - x$
 - C. x
 - D. 3

- (d) (1 point) Suppose $T : V \rightarrow V$ is a diagonalizable linear map. Which of the following is true?
- A. T is invertible.
 - B. T has non-zero kernel.
 - C. The characteristic polynomial of T splits.
 - D. T must have a non-zero eigenvalue.

- (e) (1 point) What is the dimension of $\text{Hom}(\mathbb{R}^2, \mathbb{R}^2)$? (this is the space of linear maps)
- A. 0
 - B. 2
 - C. 4
 - D. 6

2. Let $T : V \longrightarrow W$ be a linear map between vector spaces.

(a) (2 points) Define what it means for T to be an isomorphism.

(b) (3 points) Suppose B is a basis for V , prove that if $T(B) = \{T(v) \mid v \in B\}$ is a basis for W then T is an isomorphism.

3. Consider the linear map $T : \Sigma_4 \longrightarrow \Sigma_4$ (see front cover), given by

$$T \begin{pmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \end{pmatrix} = \begin{pmatrix} x_4 \\ x_3 \\ x_2 \\ x_1 \end{pmatrix}.$$

- (a) (2 points) Find the characteristic polynomial and eigenvalues of T . *Hint: recall that Σ_4 is three dimensional! You shouldn't need to work any 4×4 matrices!*

- (b) (2 points) For each eigenvalue, determine an eigenvector of T (note that the eigenvectors should live in $\Sigma_4 \subset \mathbb{R}^4$).

- (c) (1 point) Is T diagonalisable?

-
4. Consider the differential operator $D = x \frac{d}{dx}$, so for example $D((x-1)^2) = 2x^2 - 2x$. This is called the *Euler operator*.
- (a) (1 point) Consider the linear map $D : \mathbb{C}_n[x] \rightarrow \mathbb{C}_n[x]$, given by the Euler operator. Is this an isomorphism?
- (b) (4 points) Prove or disprove that the linear map D is diagonalisable. *Hint: you might want to first try thinking about $n = 2$ or 3 before attempting to answer the question as stated, though you will need to say something about general n to get the points. Bonus: if you do this problem correctly with \mathbb{C} replaced by an arbitrary field \mathbb{F} , you will get 2 top-up points (100% max total).*

This page has been left intentionally blank. You may use it as scratch paper. It will not be graded unless indicated very clearly here and next to the relevant question.

This page has been left intentionally blank. You may use it as scratch paper. It will not be graded unless indicated very clearly here and next to the relevant question.