Math 3B: Lecture 23

Noah White

November 30, 2018

Announcements

- Solutions to midterms are up

Announcements

- Solutions to midterms are up
- Practice finals and solutions are up

Announcements

- Solutions to midterms are up
- Practice finals and solutions are up
- Extra office hours, see Campuswire

Announcements

- Solutions to midterms are up
- Practice finals and solutions are up
- Extra office hours, see Campuswire
- Class evaluation, please fill it out

Announcements

- Solutions to midterms are up
- Practice finals and solutions are up
- Extra office hours, see Campuswire
- Class evaluation, please fill it out
- If 85% of the class participates, you'll get exam hints

Announcements

- Solutions to midterms are up
- Practice finals and solutions are up
- Extra office hours, see Campuswire
- Class evaluation, please fill it out
- If 85% of the class participates, you'll get exam hints
- Review lectures, see Campuswire

Announcements

- Solutions to midterms are up
- Practice finals and solutions are up
- Extra office hours, see Campuswire
- Class evaluation, please fill it out
- If 85% of the class participates, you'll get exam hints
- Review lectures, see Campuswire
- Final grades...

Announcements

- Solutions to midterms are up
- Practice finals and solutions are up
- Extra office hours, see Campuswire
- Class evaluation, please fill it out
- If 85% of the class participates, you'll get exam hints
- Review lectures, see Campuswire
- Final grades...
- Final homework: q3 from PS10

Bifurcation

Often in real life situations we would like to study a system that includes an unknown parameter

$$\frac{\mathrm{d}y}{\mathrm{d}t} = f(y, a)$$

The behaviour of the solution depends on a!

Example

We have been studying populations growing logistically. We also considered their behaviour under harvesting, but suppose we don't know exactly how many are harvested and we want to understand the effect of different harvesting rates.

$$= N(1 - N) - h$$

Bifurcation

- We would like to study how the behaviour of the solution depends on the parameter.

Bifurcation

- We would like to study how the behaviour of the solution depends on the parameter.
- The bahviour of the solution, depends on the equilibria and their stability!

Bifurcation

- We would like to study how the behaviour of the solution depends on the parameter.
- The bahviour of the solution, depends on the equilibria and their stability!
- Draw a bifurcation diagram

Bifurcation

- We would like to study how the behaviour of the solution depends on the parameter.
- The bahviour of the solution, depends on the equilibria and their stability!
- Draw a bifurcation diagram
- The bifurcation diagram tells us how the phase line changes for different parameters.

Bifurcation diagram

$$\frac{\mathrm{d}y}{\mathrm{d}t} = (y - a)(y - 3)$$



Bifurcation diagram

$$\frac{\mathrm{d}y}{\mathrm{d}t} = (y - a)(y - 3)$$



Bifurcation diagram

$$\frac{\mathrm{d}y}{\mathrm{d}t} = (y - a)(y - 3)$$



Bifurcation diagram

$$\frac{\mathrm{d}y}{\mathrm{d}t} = (y - a)(y - 3)$$



Bifurcation diagram

$$\frac{\mathrm{d}y}{\mathrm{d}t} = (y - a)(y - 3)$$



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram



Bifurcation diagram

$$\frac{\mathrm{d}y}{\mathrm{d}t} = (y-a)(y-3)$$



Recipe to draw the bifurcation diagram

$$\frac{\mathrm{d}y}{\mathrm{d}t} = f(a, y)$$

- Draw the axes for the ay-plane (y vertical axis)

Recipe to draw the bifurcation diagram

$$\frac{\mathrm{d}y}{\mathrm{d}t} = f(a, y)$$

- Draw the axes for the ay-plane (y vertical axis)
- draw the points (a, y) such that $f(a, y) = 0$

Recipe to draw the bifurcation diagram

$$\frac{\mathrm{d}y}{\mathrm{d}t} = f(a, y)$$

- Draw the axes for the ay-plane (y vertical axis)
- draw the points (a, y) such that $f(a, y) = 0$
- label the regions according to whether $f(a, y)$ is positive or negative.

Example

$$\frac{\mathrm{d}y}{\mathrm{d}t} = a - 3 + (2 - y)^2$$



Example

$$\frac{\mathrm{d}y}{\mathrm{d}t} = a - 3 + (2 - y)^2$$

$$a = -(2 - y)^2 + 3$$



Example

$$\frac{\mathrm{d}y}{\mathrm{d}t} = a - 3 + (2 - y)^2$$



Example

$$\frac{\mathrm{d}y}{\mathrm{d}t} = a - 3 + (2 - y)^2$$



Example

$$\frac{\mathrm{d}y}{\mathrm{d}t} = a - 3 + (2 - y)^2$$