Math 3B: Lecture 23

Noah White

December 1, 2017

• Solutions to midterms are up

- Solutions to midterms are up
- Solutions to practice finals are up

- Solutions to midterms are up
- Solutions to practice finals are up
- Extra office hours (probably Mon exam week), see Piazza

- Solutions to midterms are up
- Solutions to practice finals are up
- Extra office hours (probably Mon exam week), see Piazza
- Class evaluation, please fill it out

- Solutions to midterms are up
- Solutions to practice finals are up
- Extra office hours (probably Mon exam week), see Piazza
- Class evaluation, please fill it out
- If 80% of the class participates, you'll get exam hints

- Solutions to midterms are up
- Solutions to practice finals are up
- Extra office hours (probably Mon exam week), see Piazza
- Class evaluation, please fill it out
- If 80% of the class participates, you'll get exam hints
- Review lectures, see Piazza

- Solutions to midterms are up
- Solutions to practice finals are up
- Extra office hours (probably Mon exam week), see Piazza
- Class evaluation, please fill it out
- If 80% of the class participates, you'll get exam hints
- Review lectures, see Piazza
- Final grades. . .

- Solutions to midterms are up
- Solutions to practice finals are up
- Extra office hours (probably Mon exam week), see Piazza
- Class evaluation, please fill it out
- If 80% of the class participates, you'll get exam hints
- Review lectures, see Piazza
- Final grades...
- Quiz 3, look at q1,2 on PS10

Often in real life situations we would like to study a system that includes an unknown parameter

$$\frac{\mathrm{d}y}{\mathrm{d}t}=f(y,a)$$

The behaviour of the solution depends on a!

Example

We have been studying populations growing logistically. We also considered their behaviour under harvesting, but suppose we don't know exactly how many are harvested and we want to understand the effect of different harvesting rates.


$$\frac{\mathrm{d}N}{\mathrm{d}t} = N(1-N) - h$$


• We would like to study how the behaviour of the solution depends on the parameter.


- We would like to study how the behaviour of the solution depends on the parameter.
- The bahviour of the solution, depends on the equilibria and their stability!


- We would like to study how the behaviour of the solution depends on the parameter.
- The bahviour of the solution, depends on the equilibria and their stability!
- Draw a bifurcation diagram


- We would like to study how the behaviour of the solution depends on the parameter.
- The bahviour of the solution, depends on the equilibria and their stability!
- Draw a bifurcation diagram
- The bifurcation diagram tells us how the phase line changes for different parameters.



















































































Recipe to draw the bifurcation diagram

$$\frac{\mathrm{d}y}{\mathrm{d}t} = f(a, y)$$

• Draw the axes for the ay-plane (y vertical axis)

Recipe to draw the bifurcation diagram

$$\frac{\mathrm{d}y}{\mathrm{d}t} = f(a, y)$$

- Draw the axes for the ay-plane (y vertical axis)
- draw the points (a, y) such that f(a, y) = 0

Recipe to draw the bifurcation diagram

$$\frac{\mathrm{d}y}{\mathrm{d}t} = f(a, y)$$

- Draw the axes for the ay-plane (y vertical axis)
- draw the points (a, y) such that f(a, y) = 0
- label the regions according to whether f(a, y) is positive or negative.

