

Final exam (practice)

UCLA: Math 31B, Spring 2017

Instructor: Noah White

Date:

- This exam has 8 questions, for a total of 80 points.
- Please print your working and answers neatly.
- Write your solutions in the space provided showing working.
- Indicate your final answer clearly.
- You may write on the reverse of a page or on the blank pages found at the back of the booklet however these will not be graded unless very clearly indicated.
- Non programmable and non graphing calculators are allowed.

Name: _____

ID number: _____

Discussion section: _____

| Question | Points | Score |
|----------|--------|-------|
| 1 | 12 | |
| 2 | 12 | |
| 3 | 8 | |
| 4 | 11 | |
| 5 | 9 | |
| 6 | 10 | |
| 7 | 8 | |
| 8 | 10 | |
| Total: | 80 | |

Questions 1 and 2 are multiple choice. Once you are satisfied with your solutions, indicate your answers by marking the corresponding box in the table below.

Please note! The following four pages will not be graded. You must indicate your answers here for them to be graded!

Question 1.

| <i>Part</i> | A | B | C | D |
|-------------|---|---|---|---|
| (a) | | | | |
| (b) | | | | |
| (c) | | | | |
| (d) | | | | |
| (e) | | | | |
| (f) | | | | |

Question 2.

| <i>Part</i> | Converges | Diverges |
|-------------|-----------|----------|
| (a) | | |
| (b) | | |
| (c) | | |
| (d) | | |
| (e) | | |
| (f) | | |

1. Each of the following questions has exactly one correct answer. Choose from the four options presented in each case. No partial points will be given.

(a) (2 points) Find A , B and C so that

$$\frac{4}{(x+1)(x-1)^2} = \frac{A}{x+1} + \frac{B}{x-1} + \frac{C}{(x-1)^2}.$$

- A. $A = 1, B = 1, C = 2$
- B. $A = 1, B = 1, C = 1$
- C. $A = 1, B = -1, C = 2$
- D. $A = 3, B = 0, C = 1$

(b) (2 points) Calculate the integral $\int_1^e \ln x \, dx$.

- A. $e - 1$
- B. e
- C. 0
- D. 1

(c) (2 points) Find an alternative expression for $\cos(\tan^{-1} x)$

- A. $\frac{1}{\sqrt{1+x^2}}$
- B. $\frac{x}{\sqrt{1-x^2}}$
- C. $\frac{1}{\sqrt{1-x^2}}$
- D. $\frac{\sqrt{1+x^2}}{x}$

(d) (2 points) The third Taylor polynomial of $\ln(x+1)$ at 0 is

- A. $x - x^2 + 2x^3$
- B. $1 + x + x^2 + x^3$
- C. $1 - x + 2x^2$
- D. $x - \frac{1}{2}x^2 + \frac{1}{3}x^3$

(e) (2 points) Find the limit $\lim_{n \rightarrow \infty} \left(\frac{n}{n+1} \right)^n$.

- A. e^{-1}
- B. 1
- C. 0
- D. e^2

(f) (2 points) Calculate the improper integral $\int_1^\infty e^{-3x} dx$.

- A. $(3e^3)^{-1}$.
- B. e^{-1} .
- C. e .
- D. $3e$.

2. In each of the following questions, analyse the integral, sequence or series below and determine whether it converges or diverges. No partial points will be given.

(a) (2 points)

$$\int_1^{\infty} \frac{1}{x^2 \sqrt{\ln(x)}} dx$$

- ☐ Converges
☐ Diverges

(b) (2 points) The sequence (a_n) where

$$a_n = \frac{n \cos(\pi n)}{n+1}.$$

- ☐ Converges
☐ Diverges

(c) (2 points) The sequence (a_n) where

$$a_n = (-1)^n \frac{1}{1 + \ln n}.$$

- ☐ Converges
☐ Diverges

(d) (2 points) The series

$$\sum_{n=1}^{\infty} \frac{n\sqrt{n}}{n^4 + \ln n}$$

- ☐ Converges
- ☐ Diverges

(e) (2 points) The series

$$\sum_{n=3}^{\infty} \frac{e^{4n}}{(n-2)!}$$

- ☐ Converges
- ☐ Diverges

(f) (2 points) The series $\sum_{n=1}^{\infty} a_n$ where the partial sums are given by

$$S_N = \frac{\ln n + 1}{\ln n}$$

- ☐ Converges
- ☐ Diverges

3. (8 points) Calculate the following antiderivative.

$$\int \frac{4x(x^2 - 2x + 4)}{x^4 - 16} dx$$

4. (a) (2 points) Is there a function $f(x)$ such that the 4-th Taylor polynomial centered at 0 is given by

$$T_4(x) = 1 + x + \frac{x^2}{2!} + \frac{x^3}{3!} + \frac{x^4}{4!}?$$

If so, give an example. No justification is required.

- (b) (2 points) Is there a function $f(x)$ such that the 4-th Taylor polynomial centered at 0 is given by

$$T_4(x) = 1 + x + \frac{x^2}{2!} + \frac{x^3}{3!} - \frac{x^4}{4!}?$$

If so, give an example. No justification is required.

- (c) (2 points) Is there a function $f(x)$ such that the 3-rd Taylor polynomial centered at 0 is given by

$$T_3(x) = 1 - \frac{x^2}{2!} + \frac{x^4}{4!}?$$

If so, give an example. No justification is required.

- (d) (5 points) Let $f(x) = \cos x + \sin x$ and $T_n(x)$ be the n -th Taylor polynomial of $f(x)$ centered at 0. Find an n such that

$$|T_n(2) - f(2)| \leq \frac{1}{10^{123}}.$$

5. (a) (5 points) Use u -substitution(s) to calculate the following antiderivative.

$$\int \frac{2 \ln(-\ln x)}{x \ln x} dx$$

- (b) (4 points) Verify whether the following improper integral converges or diverges. If it converges, calculate what it converges to.

$$\int_{\frac{1}{e}}^1 \frac{2 \ln(-\ln x)}{x \ln x} dx$$

6. (a) (4 points) Calculate the 4th Taylor polynomial centered at $x = 0$ for $\ln(3x + 4)$.
(b) (6 points) Calculate the Taylor series centered at 0 for $\ln(3x + 4)$.

7. (a) (4 points) Using the geometric series, obtain a power series with center $c = 0$ for the function

$$\frac{1}{x+1}.$$

- (b) (4 points) Using the properties of derivatives and integrals of power series, find a power series with center $c = 0$ for

$$\ln(1+x^2).$$

Be sure to state the radius of convergence in both cases carefully, and to justify your choice of integration constant if necessary.

8. (a) (3 points) Does the series

$$\sum_{n=0}^{\infty} \frac{1}{4n^2 - 1}$$

converge? Justify your answer carefully.

- (b) (7 points) Evaluate the series above. *Hint: use the definition of the series as a limit of partial sums. Calculate the partial sum by first using partial fractions.*

This page has been left intentionally blank. You may use it as scratch paper. It will not be graded unless indicated very clearly here and next to the relevant question.

This page has been left intentionally blank. You may use it as scratch paper. It will not be graded unless indicated very clearly here and next to the relevant question.