Informattion Science3

Assignment3

Nobuoka Yuki (1240492)

2022-11-01


1 1


```
glimpse(mpg)
```

```
## Rows: 234
## Columns: 11
## $ manufacturer <chr> "audi", "audi"
                                                         <chr> "a4", "a4", "a4", "a4", "a4", "a4", "a4", "a4 quattro", "~
## $ model
                                                         <dbl> 1.8, 1.8, 2.0, 2.0, 2.8, 2.8, 3.1, 1.8, 1.8, 2.0, 2.0, 2.~
## $ displ
## $ year
                                                         <int> 1999, 1999, 2008, 2008, 1999, 1999, 2008, 1999, 1999, 200~
## $ cyl
                                                        <int> 4, 4, 4, 4, 6, 6, 6, 4, 4, 4, 4, 6, 6, 6, 6, 6, 6, 8, 8, ~
## $ trans
                                                         <chr> "auto(15)", "manual(m5)", "manual(m6)", "auto(av)", "auto~
                                                         ## $ drv
## $ cty
                                                        <int> 18, 21, 20, 21, 16, 18, 18, 18, 16, 20, 19, 15, 17, 17, 1~
                                                         <int> 29, 29, 31, 30, 26, 26, 27, 26, 25, 28, 27, 25, 25, 25, 2~
## $ hwy
                                                         ## $ fl
## $ class
                                                         <chr> "compact", "compact", "compact", "compact", "c~
```

横軸はエンジン排気量 (displ)、縦軸は、(cyl)

```
ggplot() +
geom_point(aes(x = displ, y = cty, color = class), size = 1) +
scale_color_brewer(palette = "Dark2") +
labs(x = "Engine displacement (litter)", y = "City miles per gallon", color = "Class")
```





Engine displacement (litter)

2 2

glimpse(presidential)

```
## Rows: 11
## Columns: 4
                                                                     <chr> "Eisenhower", "Kennedy", "Johnson", "Nixon", "Ford", "Carter", "~
## $ start <date> 1953-01-20, 1961-01-20, 1963-11-22, 1969-01-20, 1974-08-
09, 197~
## $ end
                                                                        <date> 1961-01-20, 1963-11-22, 1969-01-20, 1974-08-09, 1977-01-
20, 198~
## $ party <chr> "Republican", "Democratic", "Democratic", "Republican", "Republican "Republican", "Republican "Republican", "Republican "
glimpse(economics)
```

```
## Rows: 574
## Columns: 6
## $ date
              <date> 1967-07-01, 1967-08-01, 1967-09-01, 1967-10-01, 1967-11-
01, ~
              <dbl> 506.7, 509.8, 515.6, 512.2, 517.4, 525.1, 530.9, 533.6, 544.3~
## $ pce
## $ pop
              <dbl> 198712, 198911, 199113, 199311, 199498, 199657, 199808, 19992~
              <dbl> 12.6, 12.6, 11.9, 12.9, 12.8, 11.8, 11.7, 12.3, 11.7, 12.3, 1~
## $ psavert
              <dbl> 4.5, 4.7, 4.6, 4.9, 4.7, 4.8, 5.1, 4.5, 4.1, 4.6, 4.4, 4.4, 4~
## $ uempmed
```


```
## $ unemploy <dbl> 2944, 2945, 2958, 3143, 3066, 3018, 2878, 3001, 2877, 2709, 2~ まず、折れ線グラフを先につくり、キャンバスの大きさは presidental に合わせる gglot を重ねられるのか?
```

Date 型を数値に直す

```
daydata_1 \leftarrow seq(as.Date("1953-01-20"), as.Date("1967-07-01")-1, by = "1 day") daydata_2 \leftarrow seq(as.Date("2015-04-02"), as.Date("2017-01-20"), by = "1 day")
```


まずは、ecininucsのデータの長さを president にそろえる必要あり。キャンバスが一致しない

```
fig1 <- df1 %>%
   ggplot() +
   geom_line(aes(x = date, y = unemploy))
fig1
```



```
df1 <- df1 %>%
  mutate(party = rep(0, length(df1$date)))
```

```
for (i in 1:length(df1$date)) {
  day <- df1$date[i]</pre>
  if (day <= "1961-01-20") {</pre>
    df1$party[i] <- "Republican"</pre>
  } else if ((day >= "1969-01-20") & (day <= "1974-08-09")) {
    df1$party[i] <- "Republican"</pre>
  } else if ((day >= "1969-01-20") & (day <= "1977-01-20")) {
    df1$party[i] <- "Republican"</pre>
  } else if ((day >= "1981-01-20") & (day <= "1993-01-20")) {
    df1$party[i] <- "Republican"</pre>
  } else if ((day >= "2001-01-20") & (day <= "2009-01-20")) {
    df1$party[i] <- "Republican"</pre>
  } else {
    df1$party[i] <- "Democratic"</pre>
  }
}
```



3 3

 $https://www.soumu.go.jp/senkyo/senkyo_s/news/sonota/nendaibetu/\\$