


Worksheet for reading QR V4H7



> Step 1.

Color in the QR code modules. If a module contains only a diagonal line, color only the upper left half. Only color in modules that are connected to the **green** line.

> Step 2.

For each (interleaved) data digit (4 consecutive bits along the green line), fill it inside the block table. Count squares with a diagonal line as flipped (white<->black).

0	:	0000	8	:	1000
1	:	0001	9	:	1001
2	:	0010	A	:	1010
3	:	0011	B	:	1011
4	:	0100	C	:	1100
5	:	0101	D	:	1101
6	:	0110	E	:	1110
7	:	0111	F	:	1111

Data block 1 (18 digits, 9 bytes)

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Data block 2 (18 digits, 9 bytes)

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Data block 3 (18 digits, 9 bytes)

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Data block 4 (18 digits, 9 bytes)

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

> Step 3.

Now, decode the data. Read the data block-by-block, essentially concatenating the blocks. The first digit indicates the encoding mode: 1 for numeric, 2 for alphanumeric, 4 for byte. If it's not byte, this tutorial will not work - sorry! The next two digits represent the number of characters to read. After, each two digits together form a number from 0 to 255, representing the ASCII values. It's easy to memorize: 31 (hex) is '1', 41 is 'A', 61 is 'a', 2E is '.', 2F is '/', and 3A is ':'. These are enough to reconstruct most URLs and texts.

--