

according to Regulation (EC) No. 1907/2006

Revision Date 26.03.2014

Version 6.6

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Catalogue No. 102109

Product name Calcium oxide from marble small lumps ~3-20 mm

REACH Registration Number A registration number is not available for this substance as the

substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a

later registration deadline.

CAS-No. 1305-78-8

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merck-chemicals.com).

# 1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone: +49 6151 72-0

Responsible Department EQ-RS \* e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

# SECTION 2. Hazards identification

# 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

# Classification (67/548/EEC or 1999/45/EC)

Xi Irritant R41

For the full text of the R-phrases mentioned in this Section, see Section 16.

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word
Danger

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109

Product name Calcium oxide from marble small lumps ~3-20 mm

#### Hazard statements

H318 Causes serious eye damage.

#### Precautionary statements

Prevention

P260 Do not breathe dust.

P280 Wear protective gloves/ eye protection/ face protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Reduced labelling (≤125 ml)

Hazard pictograms



Signal word
Danger

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

CAS-No. 1305-78-8

#### 2.3 Other hazards

None known.

# SECTION 3. Composition/information on ingredients

#### 3.1 Substance

Formula CaO (Hill)
EC-No. 215-138-9
Molar mass 56,07 g/mol

### Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No. Registration number Classification

calcium oxide (<= 100 %)

1305-78-8 \*)

Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

# Hazardous components (1999/45/EC)

Chemical Name (Concentration)
CAS-No. Classification

<sup>\*)</sup> A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109

Product name Calcium oxide from marble small lumps ~3-20 mm

calcium oxide *(<= 100 % )* 1305-78-8 Xi, Irritant; R41

For the full text of the R-phrases mentioned in this Section, see Section 16.

### 3.2 Mixture

not applicable

#### **SECTION 4. First aid measures**

### 4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing. Consult doctor in the event of any complaints.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Dermatitis

Risk of corneal clouding.

Risk of serious damage to eyes.

# 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5. Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Not combustible.

# 5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

# SECTION 6. Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Ensure adequate ventilation. Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109

Product name Calcium oxide from marble small lumps ~3-20 mm

# 6.2 Environmental precautions

Do not empty into drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

Indications about waste treatment see section 13.

# SECTION 7. Handling and storage

# 7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Do not use light-weight-metal containers.

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

# SECTION 8. Exposure controls/personal protection

#### 8.1 Control parameters

# 8.2 Exposure controls

# **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

# Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Nitrile rubber

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109

Product name Calcium oxide from marble small lumps ~3-20 mm

Glove thickness: 0,11 mm Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber Glove thickness: 0,11 mm Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# Environmental exposure controls

Do not empty into drains.

### SECTION 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Form solid

Colour white

Odour odourless

Odour Threshold not applicable

pH 12,6

at 20 °C

(saturated solution)

Melting point 2.580 °C

Boiling point/boiling range 2.850 °C

at 100 hPa

Flash point does not flash

Evaporation rate No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109

Product name Calcium oxide from marble small lumps ~3-20 mm

Flammability (solid, gas) The product is not flammable.

Lower explosion limit not applicable

Upper explosion limit not applicable

Vapour pressure not applicable

Relative vapour density No information available.

Density 3,37 g/cm<sup>3</sup>

at 20 °C

Relative density No information available.

Water solubility 1,65 g/l

at 20 °C

Risk of violent reaction.

Partition coefficient: n-

octanol/water not applicable

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic not applicable

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature not combustible

Bulk density 800 - 1.200 kg/m<sup>3</sup>

# SECTION 10. Stability and reactivity

# 10.1 Reactivity

See section 10.3

# 10.2 Chemical stability

Decomposes when moist.

# 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Risk of explosion with:

Alcohols, Hydrogen halides, halogen-halogen compounds, Light metals, Water, acids

# 10.4 Conditions to avoid

Exposure to moisture.

### 10.5 Incompatible materials

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109

Product name Calcium oxide from marble small lumps ~3-20 mm

no information available

# 10.6 Hazardous decomposition products

no information available

# **SECTION 11. Toxicological information**

### 11.1 Information on toxicological effects

Acute oral toxicity

Symptoms: Irritations of:, Gastrointestinal tract

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

This information is not available.

Skin irritation

rabbit

Result: No irritation

OECD Test Guideline 404

in case of perspiration/moisture corrosive. After long-term exposure to the chemical: Dermatitis

Eye irritation

Risk of corneal clouding.

Causes serious eye damage.

Sensitisation

Patch test: human Result: negative

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(IUCLID)

Carcinogenicity

This information is not available.

Reproductive toxicity

No impairment of reproductive performance in animal experiments. (IUCLID)

**Teratogenicity** 

Did not show teratogenic effects in animal experiments. (IUCLID)

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

### 11.2 Further information

Decomposition of the substance with tissue moisture.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109

Product name Calcium oxide from marble small lumps ~3-20 mm

# **SECTION 12. Ecological information**

### 12.1 Toxicity

Toxicity to fish

LC50 Cyprinus carpio (Carp): 1.070 mg/l; 96 h (IUCLID)

# 12.2 Persistence and degradability

No information available.

## 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

not applicable

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

#### 12.6 Other adverse effects

Additional ecological information

Harmful effect due to pH shift.

Discharge into the environment must be avoided.

# **SECTION 13. Disposal considerations**

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### **SECTION 14. Transport information**

# Land transport (ADR/RID)

**14.1 - 14.6** Not classified as dangerous in the meaning of transport

regulations.

### Inland waterway transport (ADN)

Not relevant

#### Air transport (IATA)

**14.1 UN number** UN 1910

14.2 Proper shipping name CALCIUM OXIDE

14.3 Class814.4 Packing groupIII14.5 Environmentally hazardous--14.6 Special precautions forno

user

# Sea transport (IMDG)

**14.1 - 14.6** Not classified as dangerous in the meaning of transport

regulations.

14.5 Environmentally hazardous --

# 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109

Product name Calcium oxide from marble small lumps ~3-20 mm

### **SECTION 15. Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC

Legislation Directive 96/82/EC does not apply

Occupational restrictions

Take note of Dir 94/33/EC on the protection of young people at

work

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

Regulation (EC) No 689/2008 concerning the export not regulated

and import of dangerous chemicals

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of  $\geq$  0.1 % (w/w).

National legislation

Storage class 10 - 13

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

### **SECTION 16. Other information**

Full text of H-Statements referred to under sections 2 and 3.

H318 Causes serious eye damage.

Full text of R-phrases referred to under sections 2 and 3

R41 Risk of serious damage to eyes.

## Training advice

Provide adequate information, instruction and training for operators.

### Labelling (67/548/EEC or 1999/45/EC)

Symbol(s) Xi Irritant

*R-phrase(s)* 41 Risk of serious damage to eyes.

S-phrase(s) 22-24-26-39 Do not breathe dust. Avoid contact with skin. In case of

contact with eyes, rinse immediately with plenty of water and

seek medical advice. Wear eye/face protection.

EC-No. 215-138-9

according to Regulation (EC) No. 1907/2006

Catalogue No. 102109

Product name Calcium oxide from marble small lumps ~3-20 mm

Reduced labelling (≤125 ml)

Symbol(s) Xi Irritant

*R-phrase(s)* 41 Risk of serious damage to eyes.

S-phrase(s) 26-39 In case of contact with eyes, rinse immediately with plenty of water

and seek medical advice. Wear eye/face protection.

# Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

# Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.