

according to Regulation (EC) No. 1907/2006

Revision Date 04.03.2016

Version 14.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

REACH Registration Number 01-2119490790-32-XXXX

CAS-No. 1303-96-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

In compliance with the conditions described in the annex to this safety

data sheet.

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department EQ-RS * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 1B, H360FD

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

Repr.Cat.2 Toxic to Reproduction Category 2 R60 - 61

For the full text of the R-phrases mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H360FD May damage fertility. May damage the unborn child.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

Response

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Restricted to professional users.

Index-No. 005-011-01-1

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula $Na_2B_4O_7*10 H_2O$ $B_4Na_2O_7*10H_2O$ (Hill)

Index-No. 005-011-01-1

EC-No. 215-540-4

Molar mass 381,32 g/mol

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No. Registration number Classification

disodium tetraborate decahydrate (<= 100 %)

PBT/vPvB: Not applicable for inorganic substances

1303-96-4 01-2119490790-32-

XXXX Reproductive toxicity, Category 1B, H360FD

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hazardous components (1999/45/EC)

Chemical Name (Concentration)

CAS-No. Classification

disodium tetraborate decahydrate (<= 100 %)

1303-96-4 Repr.Cat.2; R60-61

For the full text of the R-phrases mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects

The following applies to boron compounds in general: resorption is followed by nausea and vomiting, agitation, spasms, CNS disorders, cardiovascular disorders.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

7.3 Specific end use(s)

See exposure scenario in the Annex to this MSDS.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Derived No Effect Level (DNEL)

Worker DNEL, acute	Local effects	inhalation	2,52 mg/m³ (Expressed as Boron)
Worker DNEL, longterm	Systemic effects	dermal	68 mg/kg Body weight (Expressed as Boron)
Worker DNEL, longterm	Systemic effects	inhalation	1,45 mg/m³ (Expressed as Boron)
Worker DNEL, longterm	Local effects	inhalation	2,52 mg/m³ (Expressed as Boron)
Consumer DNEL, acute	Systemic effects	oral	0,17 mg/kg Body weight (Expressed as Boron)
Consumer DNEL, acute	Local effects	inhalation	2,52 mg/m³ (Expressed as Boron)
Consumer DNEL, longterm	Systemic effects	dermal	34,3 mg/kg Body weight (Expressed as Boron)
Consumer DNEL, longterm	Systemic effects	inhalation	0,73 mg/m³ (Expressed as Boron)
Consumer DNEL, longterm	Systemic effects	oral	0,17 mg/kg Body weight (Expressed as Boron)
Consumer DNEL, longterm	Local effects	inhalation	2,52 mg/m³ (Expressed as Boron)

Predicted No Effect Concentration (PNEC)

PNEC Fresh water 2,9 mg/l (Expressed as Boron)

PNEC Marine water 2,9 mg/l (Expressed as Boron)

PNEC Aquatic intermittent release 13,7 mg/l (Expressed as Boron)

PNEC Sewage treatment plant 10 mg/l (Expressed as Boron)

PNEC Soil 5,7 mg/kg (Expressed as Boron)

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 3 (acc. to DIN 3181) for solid and liquid particles of toxic and very toxic substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form crystals

Colour white

Odour odourless

Odour Threshold Not applicable

pH 9,2

at 47 g/l 20 °C

Melting point 75 °C

Elimination of water of crystallisation

Boiling point No information available.

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas)

The product is not flammable.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapour pressure 0,213 hPa

at 20 °C

Relative vapour density No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Density 1,72 g/cm3

at 20 °C

Relative density No information available.

Water solubility 51,4 g/l

at 20 °C

Partition coefficient: n-

octanol/water Not applicable

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature not combustible

Bulk density ca.750 kg/m3

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

releases water of crystallisation when heated.

10.3 Possibility of hazardous reactions

Violent reactions possible with:

strong oxidising agents, Acids, metallic salts

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

106308

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 2.660 mg/kg

(RTECS)

Acute inhalation toxicity

Symptoms: Irritation symptoms in the respiratory tract.

Acute dermal toxicity

LD50 Rabbit: > 2.000 mg/kg

(IUCLID)

Skin irritation

Rabbit

Result: No irritation

(IUCLID)

Eye irritation

Rabbit

Result: slight irritation

(IUCLID)

according to Regulation (EC) No. 1907/2006

Catalogue No.

106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Sensitisation

Patch test: human Result: negative

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(IUCLID)

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

CMR effects

Teratogenicity:

May damage the unborn child.

Reproductive toxicity:

May damage fertility.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Absorption via:

Gastrointestinal tract, Mucous membranes

The following applies to boron compounds in general: resorption is followed by nausea and vomiting, agitation, spasms, CNS disorders, cardiovascular disorders.

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

LC50 Carassius auratus (goldfish): 630 mg/l; 72 h

(IUCLID)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 1.085 - 1.402 mg/l; 48 h

(IUCLID)

EC5 E.sulcatum: 1,3 mg/l; 72 h

(anhydrous substance) (IUCLID)

Toxicity to algae

IC50 Desmodesmus subspicatus (green algae): 158 mg/l; 96 h

(anhydrous substance) (IUCLID)

Toxicity to bacteria

EC0 Pseudomonas putida: 15,8 mg/l; 16 h

(anhydrous substance) (IUCLID)

12.2 Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

Not applicable

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB: Not applicable for inorganic substances

12.6 Other adverse effects

Additional ecological information

Herbicide

Discharge into the environment must be avoided.

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

Sea transport (IMDG)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions

Take note of Dir 94/33/EC on the protection of young people at

work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

Regulation (EC) No 1005/2009 on substances that

not regulated

deplete the ozone layer

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Regulation (EC) No 850/2004 of the European

not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does contain substances of

very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57

above the respective regulatory concentration limit of \geq 0.1 % (w/w).

Contains: disodium tetraborate decahydrate

National legislation

Storage class 6.1 D

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out according to regulation (EC) No. 1907/2006 (REACH) for this substance.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H360FD May damage fertility. May damage the unborn child.

Full text of R-phrases referred to under sections 2 and 3

R60 May impair fertility.

R61 May cause harm to the unborn child.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Signal word

Danger

Hazard statements

H360 May damage fertility or the unborn child.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

Response

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

106308

Restricted to professional users.

Labelling (67/548/EEC or 1999/45/EC)

Symbol(s)	T	Toxic
Symbol(s)		IOX

R-phrase(s) 60-61 May impair fertility. May cause harm to the unborn child. S-phrase(s) 53-45

Avoid exposure - obtain special instructions before use. In

case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible).

Further information

Restricted to professional users.

EC-No. 215-540-4 EC Label

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

EXPOSURE SCENARIO 1 (Industrial use)

1. Industrial use (Reagent for analysis)

Sectors of end-use

SU 3	Industrial uses: Uses of substances as such or in preparations at industrial sites
SU9	Manufacture of fine chemicals
SU 10	Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

Chemical product category

PC21 Laboratory chemicals

Process categories

	•
PROC1	Use in closed process, no likelihood of exposure
PROC2	Use in closed, continuous process with occasional controlled exposure
PROC3	Use in closed batch process (synthesis or formulation)
PROC4	Use in batch and other process (synthesis) where opportunity for exposure arises
PROC5	Mixing or blending in batch processes for formulation of preparations and articles
	(multistage and/ or significant contact)
PROC7	Industrial spraying
PROC8a	Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large
	containers at non-dedicated facilities
PROC8b	Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large
	containers at dedicated facilities
PROC9	Transfer of substance or preparation into small containers (dedicated filling line, including
	weighing)
PROC10	Roller application or brushing
PROC14	Production of preparations or articles by tabletting, compression, extrusion, pelletisation
PROC15	Use as laboratory reagent
PROC22	Potentially closed processing operations with minerals/ metals at elevated temperature;
	Industrial setting
PROC23	Open processing and transfer operations with minerals/ metals at elevated temperature

Environmental Release Categories

ERC2	Formulation of preparations
ERC4	Industrial use of processing aids in processes and products, not becoming part of articles
ERC6a	Industrial use resulting in manufacture of another substance (use of intermediates)
ERC6b	Industrial use of reactive processing aids

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

2. Contributing scenarios: Operational conditions and risk management measures

2.1 Contributing scenario controlling environmental exposure for: ERC2

Amount used

Annual amount per site 950 t

Remarks Expressed as, Boron

Environment factors not influenced by risk management

Dilution Factor (River) 10

Other given operational conditions affecting environmental exposure

Number of emission days per year 200

Emission or Release Factor: Air 0,0004 % Emission or Release Factor: Water 0,008 %

Technical conditions and measures / Organizational measures

Air exhaust air scrubber Fabric filter Air cyclones for dust

collection Electrostatic precipitation for dust collection.

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant Municipal sewage treatment plant

Flow rate of sewage treatment 2.000 m3/d

plant effluent

Percentage removed from waste 0 %

water

Remarks The concentration in the sewage treatment plant should be

below the respective PNEC STP

Conditions and measures related to external treatment of waste for disposal

Disposal methods Dispose of as hazardous waste in compliance with local and

national regulations.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Sweep up or vacuum up spillage and collect in suitable

container for disposal.

2.2 Contributing scenario controlling environmental exposure for: ERC4

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Amount used

Annual amount per site 14 t

Remarks Expressed as, Boron

Environment factors not influenced by risk management

Dilution Factor (River) 10

Other given operational conditions affecting environmental exposure

Number of emission days per year 365

Emission or Release Factor: Air 0,037 % Emission or Release Factor: Water 100 %

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant Municipal sewage treatment plant

Flow rate of sewage treatment 2.000 m3/d

plant effluent

Percentage removed from waste 0 %

water

Remarks The concentration in the sewage treatment plant should be

below the respective PNEC STP

Conditions and measures related to external treatment of waste for disposal

Disposal methods Dispose of as hazardous waste in compliance with local and

national regulations.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Sweep up or vacuum up spillage and collect in suitable

container for disposal.

2.3 Contributing scenario controlling environmental exposure for: ERC6a, ERC6b

Amount used

Annual amount per site 190 t

Remarks Expressed as, Boron

Environment factors not influenced by risk management

Dilution Factor (River) 10

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Other given operational conditions affecting environmental exposure

Number of emission days per year 100

Emission or Release Factor: Air 0,037 % Emission or Release Factor: Water 0,06 %

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant Municipal sewage treatment plant

Flow rate of sewage treatment 2.000 m3/d

plant effluent

Percentage removed from waste 0 %

water

Remarks The concentration in the sewage treatment plant should be

below the respective PNEC STP

Conditions and measures related to external treatment of waste for disposal

Disposal methods Dispose of as hazardous waste in compliance with local and

national regulations.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Sweep up or vacuum up spillage and collect in suitable

container for disposal.

2.4 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC22, PROC23

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Solid, high dustiness

Frequency and duration of use

Frequency of use 8 hours/day
Frequency of use 5 days/week

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

Conditions and measures related to personal protection, hygiene and health evaluation

Tightly fitting safety goggles

Additional good practice advice beyond the REACH Chemical Safety Assessment

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Additional good practice advice Wear suitable coveralls to prevent exposure to the skin. Wear

suitable gloves tested to EN374.

2.5 Contributing scenario controlling worker exposure for: PROC4, PROC14

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 25 %.

Physical Form (at time of use) Solid, high dustiness

Frequency and duration of use

Frequency of use < 15 minutes/day
Frequency of use 5 days/week

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

Conditions and measures related to personal protection, hygiene and health evaluation

Tightly fitting safety goggles

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Wear suitable coveralls to prevent exposure to the skin. Wear

suitable gloves tested to EN374.

2.6 Contributing scenario controlling worker exposure for: PROC5

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Solid, high dustiness

Frequency and duration of use

Frequency of use 8 hours/day
Frequency of use 5 days/week

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Conditions and measures related to personal protection, hygiene and health evaluation

Respirator with a half face mask Tightly fitting safety goggles

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Wear suitable coveralls to prevent exposure to the skin. Wear

suitable gloves tested to EN374.

2.7 Contributing scenario controlling worker exposure for: PROC7, PROC10

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 5%.

Physical Form (at time of use) Solid, high dustiness

Frequency and duration of use

Frequency of use 8 hours/day
Frequency of use 5 days/week

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

Conditions and measures related to personal protection, hygiene and health evaluation

Tightly fitting safety goggles

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Wear suitable coveralls to prevent exposure to the skin. Wear

suitable gloves tested to EN374.

2.8 Contributing scenario controlling worker exposure for: PROC8a, PROC8b, PROC9

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 25 %.

Physical Form (at time of use) Solid, high dustiness

Frequency and duration of use

Frequency of use 8 hours/day
Frequency of use 5 days/week

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

Conditions and measures related to personal protection, hygiene and health evaluation

Tightly fitting safety goggles

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Wear suitable coveralls to prevent exposure to the skin. Wear

suitable gloves tested to EN374.

2.9 Contributing scenario controlling worker exposure for: PROC15

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Solid, high dustiness

Frequency and duration of use

Frequency of use < 1 hours/day
Frequency of use 5 days/week

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

Conditions and measures related to personal protection, hygiene and health evaluation

Tightly fitting safety goggles

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Wear suitable coveralls to prevent exposure to the skin. Wear

suitable gloves tested to EN374.

3. Exposure estimation and reference to its source

SAFETY DATA SHEET – Annex according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Environment

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method
2.1	ERC2		Fresh water	0,68	EUSES
			Soil	< 0,01	EUSES
2.2	ERC4		Fresh water	0,68	EUSES
			Soil	0,01	EUSES
2.3	ERC6a, ERC6b		Fresh water	0,68	EUSES
			Soil	0,15	EUSES

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.4	PROC1, PROC2, PROC3, PROC22, PROC23	longterm, inhalative, systemic	0,06	MEASE
		longterm, dermal, systemic	< 0,01	MEASE
		longterm, combined, systemic	0,06	
2.5	PROC4, PROC14	longterm, inhalative, systemic	0,02	MEASE
		longterm, dermal, systemic	0,02	ART
		longterm, combined, systemic	0,04	
2.6	PROC5	longterm, inhalative, systemic	0,14	MEASE
		longterm, dermal, systemic	< 0,01	Measured data
		longterm, combined, systemic	0,14	
2.7	PROC7, PROC10	longterm, inhalative, systemic	0,46	MEASE
		longterm, dermal, systemic	0,05	ART
		longterm, combined, systemic	0,51	
2.8	PROC8a, PROC8b, PROC9	longterm, inhalative, systemic	0,69	MEASE
		longterm, dermal, systemic	0,14	ART
		longterm, combined, systemic	0,83	
2.9	PROC15	longterm, inhalative, systemic	0,11	MEASE
		longterm, dermal, systemic	< 0,01	Measured data
		longterm, combined, systemic	0,11	

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

SAFETY DATA SHEET – Annex according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of environmental exposure assessments, please refer to the ARCHE tool at www.arche-consulting.be/Metal-CSA-toolbox/du-scaling-tool.

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

EXPOSURE SCENARIO 2 (Professional use)

1. Professional use (Reagent for analysis)

Sectors of end-use

SU 22 Professional uses: Public domain (administration, education, entertainment, services,

craftsmen)

Chemical product category

PC21 Laboratory chemicals

Process categories

PROC15 Use as laboratory reagent

Environmental Release Categories

ERC2 Formulation of preparations

ERC6a Industrial use resulting in manufacture of another substance (use of intermediates)

ERC6b Industrial use of reactive processing aids

2. Contributing scenarios: Operational conditions and risk management measures

2.1 Contributing scenario controlling environmental exposure for: ERC2

Amount used

Annual amount per site 950 t

Remarks Expressed as, Boron

Environment factors not influenced by risk management

Dilution Factor (River) 10

Other given operational conditions affecting environmental exposure

Number of emission days per year 200

Emission or Release Factor: Air 0,0004 % Emission or Release Factor: Water 0,008 %

Technical conditions and measures / Organizational measures

Air exhaust air scrubber Fabric filter Air cyclones for dust

collection Electrostatic precipitation for dust collection.

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant Municipal sewage treatment plant

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Flow rate of sewage treatment 2.000 m3/d

plant effluent

Percentage removed from waste 0 %

water

Remarks The concentration in the sewage treatment plant should be

below the respective PNEC STP

Conditions and measures related to external treatment of waste for disposal

Disposal methods Dispose of as hazardous waste in compliance with local and

national regulations.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Sweep up or vacuum up spillage and collect in suitable

container for disposal.

2.2 Contributing scenario controlling environmental exposure for: ERC6a, ERC6b

Amount used

Annual amount per site 190 t

Remarks Expressed as, Boron

Environment factors not influenced by risk management

Dilution Factor (River) 10

Other given operational conditions affecting environmental exposure

Number of emission days per year 100

Emission or Release Factor: Air 0,037 % Emission or Release Factor: Water 0,06 %

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant Municipal sewage treatment plant

Flow rate of sewage treatment 2.000 m3/d

plant effluent

Percentage removed from waste 0 %

water

Remarks The concentration in the sewage treatment plant should be

below the respective PNEC STP

Conditions and measures related to external treatment of waste for disposal

according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Disposal methods Dispose of as hazardous waste in compliance with local and

national regulations.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Sweep up or vacuum up spillage and collect in suitable

container for disposal.

2.3 Contributing scenario controlling worker exposure for: PROC15

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Solid, high dustiness

Frequency and duration of use

Frequency of use < 1 hours/day
Frequency of use 5 days/week

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

Conditions and measures related to personal protection, hygiene and health evaluation

Tightly fitting safety goggles

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Wear suitable coveralls to prevent exposure to the skin. Wear

suitable gloves tested to EN374.

3. Exposure estimation and reference to its source

Environment

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method
2.1	ERC2		Fresh water	0,68	EUSES
			Soil	< 0,01	EUSES
2.2	ERC6a, ERC6b		Fresh water	0,68	EUSES
			Soil	0,15	EUSES

SAFETY DATA SHEET – Annex according to Regulation (EC) No. 1907/2006

Catalogue No. 106308

Product name di-Sodium tetraborate decahydrate for analysis ACS,ISO,Reag. Ph Eur

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.3	PROC15	longterm, inhalative, systemic	0,11	MEASE
		longterm, dermal, systemic	< 0,01	Measured data
		longterm, combined, systemic	0,11	

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of environmental exposure assessments, please refer to the ARCHE tool at www.arche-consulting.be/Metal-CSA-toolbox/du-scaling-tool.