


# **TARGET: JEE (ADVANCED) 2015**

Course : VIJETA & VIJAY (ADP & ADR) Date : 11-04-2015



### TEST INFORMATION

DATE: 15.04.2015

**PART TEST-01 (PT-01)** 

PAGE NO.-1

**Syllabus :** Mole concept, Equivalent Concept, Ionic equilibrium, Electrochemistry, Inorganic Nomenclature, Periodic table, Chemical bonding and Coordination compounds.

# **DPP No. # 02 (JEE-ADVANCED)**

Total N	Marks: 169	Max. Time: 118 min.						
Single correct Objective ('-1' negative marking) Q.1 to Q.15 One or more correct objective (no negative marking) Q.16 to Q.20 Single digit integer type ('-1' negative marking) Q.21 to Q.29 Assertion and Reason ('-1' negative marking) Q.30 to Q.32 Comprehension ('-1' negative marking) Q.33 to Q.41 Match the Listing (no negative marking) Q.42 Match the Following (no negative marking) Q.43 to Q.45					(s, 2 min.) (s, 3 min.) (s, 3 min.) (s, 2 min.) (s, 6 min.)	[45, 30] [20, 10] [36, 27] [09, 09] [27, 18] [08, 06] [24, 18]		
1.	During the complete coundergo?  (A) sp³ to sp	ombustion of ethene $C_2H$ (B) $sp^3$ to $sp^2$	H <sub>4</sub> , what change (C) sp <sup>2</sup> to sp	in hybri	disation does the	e carbon atom		
2.		· / I	. ,	water 2	` ' ' '			
۷.	Which of the following substances does not exhibit H-bonding with water?							
	(A) CH <sub>3</sub> CH <sub>2</sub> OH	O    (B) CH <sub>3</sub> – C – OH	(C) CH <sub>3</sub> -CH <sub>2</sub> -	·CH <sub>3</sub>	(D) N(CH <sub>3</sub> ) <sub>3</sub>			
3.	In which of the following (A) TeCl <sub>4</sub> , PCl <sub>4</sub> <sup>+</sup>	pairs, the number of lone (B) CIF <sub>3</sub> , PCI <sub>3</sub>	s, the number of lone pair(s) and molecular geometry is same?  CIF <sub>3</sub> , PCI <sub>3</sub> (C) SiCI <sub>4</sub> , BF <sub>4</sub> (D) BrF <sub>5</sub> , XeF <sub>5</sub>					
4.	In which of the following	, the $\pi$ -bonds can lie nece	essarily in same p	olane?				
			Ŗr اِ	1				
	$(A) CI - C \equiv C - CI$	(B) O = C = O	(C) H-C=C-C=C H H Br	C–H	(D) N <sub>2</sub>			
5.	What is the maximum number of electrons which can be accommodated in an atom in which the highest principal quantum number is 4?							
	(A) 10	(B) 18	(C) 36		(D) 54			
6.	The ligand N(CH <sub>2</sub> CH <sub>2</sub> NF (A) tridentate	$\left(\frac{1}{2}\right)_3$ is : (B) tetradentate	(C) didentate		(D) pentadentate	•		
7.	The correct name for the complex $[Pt(NH_3)_2CI_4]$ , which has maximum planes of symmetry is : (A) cis-platinum tetrachlorodiammine (B) trans-platinum tetrachlorodiammine (C) trans-Diamminetetrachloroplatinum(IV) (D) cis-Diammine tetrachloroplatinum (IV)							
8.	Which of the following pairs of coordination compound showsame type of isomerism? (A) $[Co(NH_3)_5Br]SO_4$ and $[Ni(dmg)_2]$ (B) $[Pt(NH_3)_2Cl_2]$ and $[Co(en)_2BrCl]Cl$ (C) $[Co(NH_3)_6][Cr(CN)_6]$ and $K[PtCl_3(C_2H_4)]$ (D) $[Ni(en)_3]^{2+}$ and $[Pt(en)_2]^{2+}$							
9.	The correct electronic co (A) $t_{2g}^{4}e_{g}^{\circ}$	onfiguration for [CrF <sub>6</sub> ] <sup>4–</sup> w (B) e <sup>2</sup> t <sup>2</sup>	ill be : (C) $t_{2g}^{3} e_{g}^{1}$		(D) e <sub>4</sub> t°			
10.	4-nitrophenyl hydrazine (A) a tridentate ligand (C) a monodentate ligan	·	(B) a bidentate I (D) a tetradenta	-				



11.	What is the coordination (A) 6	hat is the coordination number of La in the compound [La(EDTA) $(H_2O)_4$ ]. $3H_2O$ ) 6 (B) 8 (C) 10 (D) 12						
12.	Which among the follow (A) [Cr(en) <sub>2</sub> Br <sub>2</sub> ] Br <sub>2</sub>	wing will be named as dibro (B) [Cr(en) <sub>2</sub> Br <sub>2</sub> ]Br <sub>3</sub>	omobis(ethylenediamine) (C) $[Cr(en)_2 Br_2] Br$	chromium (III) bromide ? (D) [Cr(en) <sub>2</sub> Br <sub>3</sub> ]				
13.	C <sub>6</sub> H <sub>5</sub> -C-CH-C-CH <sub>3</sub> is (A) structural isomerism (C) optical isomerism		Bis(Benzoylacetonato)beryllium will show :  (B) geometrical isomerism  (D) None of these					
14.	In which of the following element?	g pairs of elements the ele	ctronegativity of the first element is less than that of second					
	(A) Al, Ga	(B) Li, K	(C) CI, S	(D) F, CI				
15.	Which of the following can not show linkage isomerism?							
	$NH_2$							
	(A) O	(B) NO <sub>2</sub> <sup>-</sup>	(C) OCN-	(D) N <sub>3</sub> <sup>-</sup>				
16.	6. Which among the following is stronger lewis bases than HN(SiH <sub>2</sub> ) <sub>2</sub> ?							
	(A) NH <sub>3</sub>	(B) H <sub>2</sub> N(CH <sub>3</sub> )	(C) H <sub>2</sub> N(SiH <sub>3</sub> )	(D) :NH				
17.	In which of following silicate, the number of corner shared per tetrahedron is ≥ 2 ?  (A) Four membered cylic silicate  (B) Pyrosilicate  (C) Chain silicate  (D) 2-D silicate							
18.	Which of the following is/are correct?  (A) vander Waal's radius of iodine is more than its covalent radius  (B) All isoelectronic ions belong to the same period of periodic table  (C) First ionisation energy of Be is more than that of C  (D) Electron affinity of N as well as noble gases is negative.							
19.	the molecular axis)?	How many nodal suface can be present in the molecular orbital formed by the overlap of s and $p_x$ (x axis the molecular axis)?						
	(A) 2	(B) 1	(C) 3	(D) None of these				
20.	Which of the following (A) salicylaldehyde	show intramolecular hydro	ogen bonding? (B) O-nitrotoluene					
	(C) p-nitrophenol		(D) hydrogenpthalate ion					
			0 0					
21.	How many types of C-	O bond length are presen	t in CH <sub>3</sub> - C - CH <sub>2</sub> - CH - C OH	$-O^{\Theta}$ ?				
22.	How many of the follow (a) [Co(en) <sub>2</sub> ClBr] (e) [Co(en) <sub>3</sub> ] <sup>3+</sup> (i) [Cr(dmg) <sub>3</sub> ]	ving compound can be op (b) [Co(en)(NH <sub>3</sub> ) <sub>2</sub> Cl <sub>2</sub> ] <sup>+</sup> (f) [Ni(dmg) <sub>2</sub> ]	tically active ? (c) [Cr(NH <sub>3</sub> ) <sub>4</sub> Cl <sub>2</sub> ] <sup>+</sup> (g) [Pb(EDTA)] <sup>2-</sup>	(d) [Co(NH <sub>3</sub> ) <sub>3</sub> Cl <sub>3</sub> ] (h) [Cr(ox) <sub>2</sub> (dmg)] <sup>2-</sup>				
23.	The sum of oxidation state of Co and Cr in the following complex is : $[Co(NH_3)_6][Cr(NH_3)_2Cl_4]_3$							
24.		ving species use $d_{z^2}$ orbi						
	(a) [Ni(CN) <sub>4</sub> ] <sup>2-</sup> (e) [Cr(NH <sub>3</sub> ) <sub>6</sub> ] <sup>2+</sup>	(b) [CoBr <sub>4</sub> ] <sup>2-</sup> (f) [Cu(NH <sub>3</sub> ) <sub>4</sub> ] <sup>2+</sup>	(c) NH <sub>4</sub> Cl (g) [FeF <sub>6</sub> ] <sup>3-</sup>	(d) XeF <sub>4</sub> (h) I <sub>3</sub> <sup>-</sup>				
25.		ind total number of N-Cr-O bond angles in tris(glycinato)chromium (III).						
26.	Find the value of $x + y v$ (EAN rule is followed).	ind the value of $x + y$ where $x$ and $y$ indicate number of H atoms in $H_x$ Fe(CO) <sub>4</sub> and $H_y$ Re(CO) <sub>5</sub> respectively. EAN rule is followed).						

- 27. How many of the following relations is/are correct?
  - (a) Mg > Al (electropositive character)
  - (c)  $N^+ > N$  (Ionization energy)

(b) Al > Ga (electronegativity) (d) Se > S (magnitude of  $\Delta_{eq}H$ )

(e) He<sup>+</sup> > H (Atomic size)

- (f)  $O_2^{2-} < O_2$  (paramagnetic nature)
- (g)  $C_2 > N_2$  (Number of  $\pi$  bonds)
- (h)  $F_2 > B_2$  (bond order)

(i)  $B_2 > F_2$  (bond length)

- (f)  $NO_2^- > NO_3^-$  (bond angle)
- 28. How many N atoms in cyanuric amide (melamine) are sp<sup>2</sup> hybridized?

- controlled What is the value of a + x + y? 29. a (Si(Me),Cl,) + water
- 30. **Statement-1:**  $K_3[Fe(CN)_6]$  is an inner orbital complex where as  $K_3[FeF_6]$  is an outer orbital complex. Statement-2: CN<sup>-</sup> being a strong ligand, pairs electrons of Fe<sup>3+</sup> and we get d<sup>2</sup>sp<sup>3</sup> hybridization. But F<sup>-</sup> being weak ligand do not pair electrons in Fe<sup>3+</sup>.
  - (A) Statement-1 is True, Statement-2 is True; Statement-2 is a correct explanation for Statement-1.
  - (B) Statement-1 is True, Statement-2 is True; Statement-2 is NOT a correct explanation for Statement-1.
  - (C) Statement-1 is True, Statement-2 is False.
- (D) Statement-1 is False, Statement-2 is True.
- 31. Statement-1: H<sub>2</sub>S is less acidic than H<sub>2</sub>Te

Statement-2: As the size of Te is more than S, the bond Te-H is weaker than S-H

- (A) Statement-1 is True, Statement-2 is True; Statement-2 is a correct explanation for Statement-1.
- (B) Statement-1 is True, Statement-2 is True; Statement-2 is NOT a correct explanation for Statement-1.
- (C) Statement-1 is True, Statement-2 is False.
- (D) Statement-1 is False, Statement-2 is True.
- 32. Statement-1: Atomic size in Na is larger than Al.

Statement-2: Number of shells in Na are more than in Al.

- (A) Statement-1 is True, Statement-2 is True; Statement-2 is a correct explanation for Statement-1.
- (B) Statement-1 is True, Statement-2 is True; Statement-2 is NOT a correct explanation for Statement-1.
- (C) Statement-1 is True, Statement-2 is False.
- (D) Statement-1 is False, Statement-2 is True.

#### Comprehension # 1

Answer the questions based on the following reactions:

- $CuSO_4 + excess NH_3 \longrightarrow X$
- CuSO₄ + excess KCl → Y
- 33. The color of species X and hybridization of Cu<sup>2+</sup> in it are respectively.
- (A) Deep blue and sp<sup>3</sup> (B) Blue and sp<sup>3</sup>
- (C) Deep blue and dsp<sup>2</sup> (D) Black and dsp<sup>2</sup>

- 34. The name of Y is:+
  - (A) Potassium (tetrachloride) disulphate copper (II) (B) Potassium tetrachloridocuprate (II)
  - (C) Potassium tetrachloridocopper (II)
- (D) Dipotassiumcuprate(II) chloride
- 35. To Y, excess KCN is added due to which a highly stable complex results. This complex is:
  - (A) [Cu(CN)<sub>4</sub>]<sup>2-</sup> dimagnetic

- (B) [Cu(CN)<sub>6</sub>]<sup>4-</sup> dimagnetic
- (C) [Cu(CN)<sub>4</sub>]<sup>3-</sup> paramagnetic
- (D) [Cu(CN)<sub>6</sub>]<sup>5-</sup> paramagnetic


#### Comprehension # 2

Sulphur forms numerous compounds and show variety of oxidation states. It also exhibit a good tendency of catenation. It forms variety of oxoacids and oxoanions also. Sulphur also occur in several biomolecules and is also used in chemotherapy as sulphadrugs.

36. Sulphapyridine was shown to be effective against pneumonia

What is the hybridization of 'S' in this compound .

- (A) sp<sup>2</sup>
- (B) sp<sup>3</sup>d
- (C) sp<sup>3</sup>
- (D) sp<sup>3</sup>d<sup>2</sup>



(Sulphapyridine)

Corporate Office: CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.)-324005

Website: www.resonance.ac.in | E-mail: contact@resonance.ac.in

37.	$NH_2 - SO_3H$ is called as sulphamic acid. $NH_2 - SO_3H$ is called as sulphamic acid. $NH_2 - SO_3H$ in the sulphamate $\Rightarrow Ca(N-SO_3H)$ (C) Sodium carbamate $\Rightarrow Na(NH_2-COO)$				(B) Aluminum pyrophosphate $\Rightarrow Al_2(P_2O_7)_3$						
38.	Amon (A) H <sub>2</sub>	-	owing c	ompound (B) H <sub>2</sub> S	ds of sulphur, whi $S_2O_3$	ich cont (C) Na		-S bond	? (D) Ca	$S_2O_7$	
Compr	ehension # 3  Electronegativity is a feature which is relative hybridizations etc.  For instance, the electronegativity of differently hosp 2.99  sp 2.66 sp 2.48					e and depends on several factor like oxidation number, hybridized carbon are:					
39.	Which (A) Pro		llowing		II carbon of equa		negativity cloprope		(D) Cy	clopropane	
40.	Which of the following is correct ? $H_3C - CH_3$ , $H_2C = CH_2$ , $HC \equiv CH$ (a) (b) (c)  (A) The $C - C$ $\sigma$ bond is of equal strength in (a) and (b)  (B) The $C - C$ $\sigma$ bond is stronger in (a) than (c)  (C) The $C - C$ $\sigma$ bond is stronger in (b) than (c)  (D) The $C - C$ $\sigma$ bond is stronger in (c) than (a)										
41.	The direction of dipole of $C \equiv 0$ is $\leftarrow$ . This means the (A) higher electronegativity of O (C) positive formal charge on O					here is slight positive charge on O. This can be explained by:  (B) sp hybrization of C  (D) All of these					
42.	<b>Column I</b> (1) XeO <sub>2</sub> F <sub>4</sub> (2) SO <sub>2</sub> Cl <sub>2</sub>				Column II  (p) Central atom is sp³ hybridized with no lone pair on it.  (q) Central atom is sp² hybridized.						
	(3) COCI <sub>2</sub> (4) HCIO <sub>3</sub>				(r) Central atom involves ${\rm d}_{{\rm x}^2-{\rm y}^2}$ orbital in hybridization. (s) Contain central atom in oxidation state, two less than the highest.						
	(A) (C)	(1) p r	(2) q p	(3) r q	(4) s s	(B) (D)	(1) r s	(2) s p	(3) q q	(4) p r	
43.	Column I  (A) $Na_3[Co(ox)_3]$ (B) $[RhCl(CO)(PPh_3)(NH_3)]$ (C) $K[Cr(NH_3)_2(CN)_4]$ (D) $Ba[CoBr_2Cl_2]$				Column II  (p) Show geometric isomerism.  (q) Low spin complex.  (r) Paramagnetic with more than two unpaired electrons.  (s) Show colligative property corresponding of two particles per formula.  (t) Electrically conducting.						
44.	Column I  (A) MnO <sub>4</sub> <sup>-</sup> (B) MnO <sub>4</sub> <sup>2-</sup> (C) [Cu(CN) <sub>4</sub> ] <sup>3-</sup> (D) Ni(dmg) <sub>2</sub>				Column II  (p) Paramagnetic and colored.  (q) Diamagnetic and colored.  (r) Diamagnetic and colorless  (s) Tetrahedral complex.  (t) Square planar complex.						
45.	Column I (1) B > Be > Li (2) Na < K < Rb (3) Zn > Ca (4) S > Se				Column II  (p) Electronegativity  (q) Ionization energy  (r) Atomic radius  (s) Metallic nature.  (t) Acidic nature of oxide						