

In-class Exercises: Functional Dependencies

Suppose we have a relation R with attributes $ABCD$

1. **What an FD means.** Suppose the functional dependency $BC \rightarrow D$ holds in R . Create an instance of R that violates this FD.

2. Equivalent sets of FDs.

- (a) Are the sets $A \rightarrow BC$ and $A \rightarrow B, A \rightarrow C$ equivalent? If yes, explain why. If no, construct an instance of R that satisfies one set of FDs but not the other.
- (b) Are the sets $PQ \rightarrow R$ and $P \rightarrow R, Q \rightarrow R$ equivalent? If yes, explain why. If no, construct an instance of R that satisfies one set of FDs but not the other.
- (c) Are the sets $PQ \rightarrow R$ and $P \rightarrow Q, P \rightarrow R$ equivalent? If yes, explain why. If no, construct an instance of R that satisfies one set of FDs but not the other.

3. Keys and FDs.

- (a) We claimed that if a set of attributes K functionally determines all attributes, K must be a superkey (*i.e.*, no two tuples can agree on all attributes in K). Do you believe this? Suppose these FDs hold in R : $A \rightarrow BC, C \rightarrow D$. Does A functionally determine all attributes of R ? Can two tuples agree on A ?

- (b) We also said that if K is a superkey (*i.e.*, no two tuples can agree on all attributes in K) K must functionally determine all attributes. Do you believe this? Suppose A is a superkey of R . Does A functionally determine all attributes of R ?

4. **Does an FD follow from a set of FDs?** Suppose we have a relation on attributes $ABCDEF$ with these FDs:

$$AC \rightarrow F, CEF \rightarrow B, C \rightarrow D, DC \rightarrow A$$

- (a) Does it follow that $C \rightarrow F$?

- (b) Does it follow that $ACD \rightarrow B$?

5. **Projecting a set of FDs onto a subset of the attributes.** Suppose we have a relation on attributes $ABCDE$ with these FDs:

$$A \rightarrow C, C \rightarrow E, E \rightarrow BD$$

- (a) Project the FDs onto attributes ABC.

- (b) Project the FDs onto attributes ADE.