












Region 22

“ArcNet” scenario 33 achievement for region 22.
Use [Accenter](#) for advanced mode.



Thematic group diversity



CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
6053	Common eider (Somateria mollissima borealis) FJL breeding&moulting grounds	181.1%	100.0%	100.0%
5079	Narwhal Frants Joseph Land stock core distribution	138.9%	100.0%	100.0%
8039	Franz Josef Land glacial termini	333.3%	100.0%	100.0%
3001	Fast Ice distribution in the FJL region	1666.7%	100.0%	100.0%
5023	Beluga of the Frants Joseph Land stock distribution	554.3%	100.0%	99.8%
5080	Narwhal Frants Joseph Land stock summer distribution	206.6%	99.9%	99.5%
3113	polynya FJL	757.6%	97.5%	92.4%
2046	Ringed seal whelping areas in the FJL region	1010.0%	97.7%	92.2%
6037	Ivory gull (Pagophila eburnea) FJL breeding colonies	133.3%	99.4%	86.4%
7253	7253 I 1 1 5 3	111.7%	96.0%	80.2%
7219	Franz Josef Land kelp patches (15-19)	266.7%	99.0%	80.0%
6003	Little Auk (Alle alle polaris) breeding colonies	147.7%	82.5%	79.8%
9038	polar bear denning areas of BS (Barents Sea) subpopulation	123.2%	78.8%	65.0%
7074	I.1.3.2. Archipelago straits and coastal waters	596.7%	90.3%	57.4%
6096	6096 PagophileburneFJL breeding colonies	112.3%	89.6%	50.2%
6089	6089 Alle alle polaris breeding colonies	100.8%	59.2%	38.0%
6009	Brent goose (Branta bernicla hrota) Greenland, Svalbard and FJL breeding&moulting grounds	188.8%	35.0%	34.0%
3037	Marginal Ice Zone distribution in July in the Barents Sea LME	103.4%	34.6%	25.1%
6028	Glaucous gull (Larus hyperboreus hyperboreus) breeding grounds	200.6%	31.6%	24.1%
1005	Atlantic Walrus Winter Distribution in Spitsbergen and FJL region	77.3%	29.9%	21.8%
7041	South-eastern Barents - White Sea transitional zone	165.1%	53.6%	21.7%
1006	Atlantic Walrus Summer Distribution in Spitsbergen and FJL region	66.0%	35.6%	18.8%
1008	Atlantic Walrus haulouts in Spitsbergen and FJL region	21.8%	18.8%	18.0%
9003	polar bear of the BS (Barents Sea) subpopulation distribution	60.8%	29.6%	16.5%
5045	Bowhead whale of the Spitsbergen population core distribution	10.9%	10.9%	8.4%
6040	Ivory gull (Pagophila eburnea) postbreeding grounds in the Barents and the Kara Sea	34.7%	16.3%	7.8%
4038	Feeding area of the Polar cod in the Barents Sea (F 35)	27.6%	19.9%	6.9%
6106	6106 Urilomvilomvibreeding colonies	11.9%	8.7%	6.0%
5090	Narwhal in the Russian Arctic assumed summer range	47.9%	27.7%	5.9%
6082	Thick-billed murre (Uria lomvia lomvia) breeding colonies	7.6%	6.5%	5.5%
6099	6099 Rissa tridactyla tridactyla breeding colonies	7.3%	7.3%	5.0%
6015	Black guillemot (Cepphus grylle mandti) breeding grounds	39.7%	8.5%	4.8%
3055	Multiyear Ice distribution in September in the Barents Sea LME	25.9%	8.6%	4.7%
7066	I.1.1.3. Shelf plains	121.2%	10.0%	4.5%
3026	Marginal Ice Zone distribution in April in the Barents Sea LME	35.3%	8.4%	4.4%
7265	Barents and Kara Sea Throughs	92.2%	32.0%	4.3%
7067	I.1.1.4. Shelf troughs	133.3%	21.4%	4.3%
4076	Fish zoogeography, Arctic Region, High-Arctic Shelf Province, N Barents – Kara-Sea District	54.1%	14.0%	4.0%
7068	I.1.1.5.1. Shallow (< 100 m) shelf banks	38.8%	5.5%	3.7%
6047	Black-legged kittiwake (Rissa tridactyla pollicarius) breeding colonies	5.1%	4.4%	3.3%
5112	Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicted by MIZ	6.2%	5.1%	2.6%
4001	Arctic fish complex of the Barents region	30.3%	5.5%	2.1%
5046	Bowhead whale of the Spitsbergen population home range	10.2%	10.2%	2.0%
4059	Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49)	56.1%	4.7%	1.7%
3056	Multiyear Ice distribution in September in the Kara Sea LME	8.4%	6.5%	1.5%
4003	Range of the Atlantic Capelin (Mallotus villosus) (F10)	48.5%	4.1%	1.5%
4037	Distribution of the Glacial cod (Arctogadus glacialis) (F34)	14.3%	3.5%	1.3%
3027	Marginal Ice Zone distribution in April in the Kara Sea LME	9.2%	2.4%	1.1%
2061	Ringed seal circumpolar foraging areas as predicted by MIZ distribution	4.2%	2.2%	1.0%

CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
4017	Feeding/ migration area of the Greenland Shark (<i>Somniosus microcephalus</i>) (F1)	4.4% <div></div>	2.6% <div></div>	1.0% <div></div>
4057	Range of the American Plaice (<i>Hippoglossoides platessoides</i>) (F 47), American populations	26.5% <div></div>	2.4% <div></div>	0.9% <div></div>
2020	Harp seal foraging areas in the Barents Sea	3.0% <div></div>	3.0% <div></div>	0.8% <div></div>
4046	Range of the Thorny Skate (<i>Amblyraja radiata</i>) (F 3)	9.3% <div></div>	1.7% <div></div>	0.7% <div></div>
2011	Bearded seal whelping areas in the Kara Sea	2.8% <div></div>	2.7% <div></div>	0.7% <div></div>
3038	Marginal Ice Zone distribution in July in the Kara Sea LME	2.3% <div></div>	1.8% <div></div>	0.6% <div></div>
4041	Range of the Polar Cod (<i>Boreogadus saida</i>) (F35)	4.3% <div></div>	1.6% <div></div>	0.5% <div></div>
7069	I.1.1.5.2. Moderate (>100 m) shelf banks	2.8% <div></div>	2.5% <div></div>	0.4% <div></div>
4045	Feeding/migration area of the Pink Salmon (<i>Oncorhynchus gorbuscha</i>), native distribution (F23)	5.2% <div></div>	0.8% <div></div>	0.3% <div></div>
4090	Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic Province, Euro-Asian Bathyal District	1.2% <div></div>	0.7% <div></div>	0.2% <div></div>
4032	Range of the Arctic skate (<i>Amblyraja hyperborea</i>) (F2)	5.3% <div></div>	0.4% <div></div>	0.2% <div></div>
7025	Eurasian bathyal region	0.2% <div></div>	0.0% <div></div>	0.0% <div></div>