













Region 21

“ArcNet” scenario 33 achievement for region 21.
Use [Accenter](#) for advanced mode.



Thematic group diversity



CF	Name	Target Achieve- ment for Region	Proportion of Target Achievement in Region	Amount Propor- tion in Region
7255	7255 I 1 1 5 5	99.7%	91.6%	76.3%
7254	7254 I 1 1 5 4	96.5%	95.8%	71.3%
6032	Little auk (Alle alle alle) breeding colonies in Novaya Zemlya	105.8%	96.4%	57.1%
6092	6092 Little auk breeding colonies of A. alle alle NZ	141.1%	91.4%	55.0%
3119	polynya NZ W	356.7%	69.1%	48.7%
4040	Larvae distribution of the Polar Cod (Boreogadus saida) in the Barents Sea (F35)	69.6%	40.1%	37.0%
7068	I.1.1.5.1. Shallow (< 100 m) shelf banks	358.7%	50.8%	35.2%
2003	Bearded seal whelping areas in the Barents Sea	62.1%	27.0%	16.1%
6020	Long-tailed duck (Clangula hyemalis) North East Atlantic moulting&migration stopovers	14.7%	14.7%	12.3%
4001	Arctic fish complex of the Barents region	181.0%	32.9%	12.0%
7236	Kelp forests of North Island of Novaya Zemlya	28.7%	26.6%	11.0%
7041	South-eastern Barents - White Sea transitional zone	76.5%	24.8%	10.5%
5099	White-beaked dolphin feeding area in the Eastern North Atlantic	78.1%	28.1%	10.1%
2041	Ringed seal whelping areas in the Barents Sea	36.7%	15.6%	9.7%
4038	Feeding area of the Polar cod in the Barents Sea (F 35)	35.2%	25.4%	9.7%
1010	Atlantic Walrus Winter Distribution in Pechora and Kara region	25.6%	16.9%	9.4%
7076	I.1.3.4. Estuaries and lagoons	22.7%	10.4%	8.9%
7241	Kelp forests of South Island of Novaya Zemlya and Matochkin Shar Strait	23.7%	13.4%	8.9%
2020	Harp seal foraging areas in the Barents Sea	29.0%	28.9%	7.9%
6090	6090 Fratercularcticnaumanni breeding colonies	14.4%	9.1%	7.5%
7066	I.1.1.3. Shelf plains	166.7%	13.7%	7.0%
4072	Range of the Pechora herring (Clupea pallaii suworowi) (F 9)	49.3%	14.0%	7.0%
4054	Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), European populations	186.6%	13.6%	6.5%
4089	Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic Province, Mesen' – Pechora aquatory of the Barents District	27.5%	12.3%	6.2%
4057	Range of the American Plaice (Hippoglossoides platessoides) (F 47), American populations	173.6%	15.7%	5.9%
6101	6101 Uriaalge aalge breeding colonies	14.8%	10.4%	5.7%
3026	Marginal Ice Zone distribution in April in the Barents Sea LME	43.9%	10.4%	5.7%
3012	Fast ice distribution in the Pechora Sea	73.9%	6.3%	5.1%
4076	Fish zoogeography, Arctic Region, High-Arctic Shelf Province, N Barents – Kara-Sea District	62.6%	16.2%	5.1%
6106	6106 Urilomvilomvibreeding colonies	9.4%	6.9%	5.0%
6061	Common eider (Somateria mollissima mollissima) SE Barents and Kara Sea breeding&moulting grounds	7.5%	6.9%	4.8%
7265	Barents and Kara Sea Throughs	91.4%	31.7%	4.8%
6082	Thick-billed murre (Uria lomvia lomvia) breeding colonies	4.8%	4.1%	4.5%
4094	Subarctic fish complex of the Barents region	62.3%	11.5%	4.5%
6004	Little Auk (Alle alle polaris) wintering grounds	19.7%	11.0%	4.1%
4039	Spawning areas of the Polar Cod (Boreogadus saida) in the Barents Sea (F 35)	8.2%	5.5%	4.0%
6049	Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds	10.3%	10.2%	3.8%
4049	Range of the Haddock (Melanogrammus aeglefinus) (F 42)	53.2%	8.5%	3.7%
6023	Atlantic puffin (Fratercula arctica naumanni) wintering grounds	13.5%	10.9%	3.7%
6099	6099 Rissa tridactyla tridactyla breeding colonies	5.1%	5.1%	3.6%
7064	I.1.1.1. Coastal domain in the Barents Sea	36.2%	5.1%	3.3%
6043	Stellers eider (Polysticta stelleri) Atlantic moulting&migration stopovers	5.0%	3.6%	3.1%
6028	Glaucous gull (Larus hyperboreus hyperboreus) breeding grounds	21.2%	3.3%	3.0%
4046	Range of the Thorny Skate (Amblyraja radiata) (F 3)	35.1%	6.6%	2.9%
5007	Beluga of the Barents-Kara-Laptev Sea stock general distribution	10.4%	6.9%	2.8%
9038	polar bear denning areas of BS (Barents Sea) subpopulation	4.1%	2.6%	2.7%
7067	I.1.1.4. Shelf troughs	70.6%	11.3%	2.7%
4045	Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23)	37.9%	6.2%	2.6%
4003	Range of the Atlantic Capelin (Mallotus villosus) (F10)	67.0%	5.7%	2.3%

CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
4030	Feeding area of the Arctic charr (<i>Salvelinus alpinus</i>), anadromous populations (F28)	5.3%	4.7%	2.2%
4017	Feeding/ migration area of the Greenland Shark (<i>Somniosus microcephalus</i>) (F1)	8.7%	5.1%	2.2%
4052	Range of the Fourhorn Sculpin (<i>Myoxocephalus quadricornis</i>) (F 45), American populations	59.8%	4.1%	2.0%
6047	Black-legged kittiwake (<i>Rissa tridactyla pollicarius</i>) breeding colonies	1.6%	1.4%	1.2%
6022	Atlantic puffin (<i>Fratercula arctica naumanni</i>) breeding colonies	1.3%	1.0%	1.2%
3014	Fast ice distribution in the Novaya Zemlya region	12.7%	2.9%	1.0%
8032	Salt marshes of the Barents Sea LME	1.7%	1.7%	1.0%
9028	polar bear denning areas of KS (Kara Sea) subpopulation	1.8%	1.8%	1.0%
4059	Range of the Greenland Halibut (<i>Reinhardtius hippoglossoides</i>) (F 49)	26.8%	2.3%	0.9%
5112	Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicted by MIZ	1.9%	1.5%	0.8%
4041	Range of the Polar Cod (<i>Boreogadus saida</i>) (F35)	5.7%	2.2%	0.8%
7049	Pechora Sea - Baidara Bay transitional zone	2.0%	1.0%	0.6%
9003	polar bear of the BS (Barents Sea) subpopulation distribution	1.9%	0.9%	0.6%
6015	Black guillemot (<i>Cepphus grylle mandti</i>) breeding grounds	3.9%	0.8%	0.6%
4006	Feeding/nursery area of the Pacific rainbow smelt (<i>Osmerus dentex</i>) (F12)	3.0%	1.1%	0.5%
4027	Feeding/migration area of the Atlantic salmon (<i>Salmo salar</i>) American populations (F27)	2.2%	1.5%	0.5%
4020	Feeding area of the White-sea vendace (<i>Coregonus sardinella marisalbi</i>) (F21)	1.6%	0.7%	0.4%
4008	Feeding / nursery area of the Arctic Cisco (<i>Coregonus autumnalis</i>), Eurasian populations (F 14)	1.1%	1.0%	0.4%
5053	Harbour porpoise feeding areas in the Barents Sea	2.3%	1.4%	0.3%
9010	polar bear of the KS (Kara Sea) subpopulation distribution	0.5%	0.5%	0.1%
4043	Range of Nawaga (<i>Eleginus nawaga</i>) (F37)	1.0%	0.3%	0.1%
4015	Feeding area of the Broad whitefish (<i>Coregonus nasus</i>), American populations (F 19)	0.3%	0.3%	0.1%
1009	Atlantic Walrus Summer Distribution in Pechora and Kara region	0.3%	0.1%	0.1%
4014	Feeding area of the Siberian whitefish (<i>Coregonus pidschian</i>) (F 18)	0.3%	0.2%	0.1%
4018	Feeding area of the Vendace, Least cisco (<i>Coregonus sardinella</i>), Euro-Asian populations (F 20)	0.3%	0.2%	0.1%
4021	Feeding area of the Inconnu (<i>Stenodus leucichthys nelma</i>), Euro-Asian populations (F 22)	0.2%	0.2%	0.1%
4058	Range of the Arctic flounder (<i>Liopsetta glacialis</i>) (F48)	0.4%	0.1%	0.0%
6083	Thick-billed murre (<i>Uria lomvia lomvia</i>) wintering grounds	0.0%	0.0%	0.0%