
Region 45



"ArcNet" scenario 33 achievement for region 45. Use Accenter for advanced mode.



5971 Narwhal Admirally Inited stock winter core distribution 87.28% 69.9% 72.8% 5078 Narwhal Makhille Bay stock winter core distribution 81.7% 76.8% 60.8% 5086 Narwhal Makhille Bay stock winter core distribution 81.7% 76.8% 60.8% 7155 III.4.2 Subtivess Greenland stope 33.51% 58.50% 46.0% 34.88% 7156 III.4.1.2 Subtivess Greenland stope 172.7% 30.00% 22.48% 46.0% 34.88% 5115 Narwhal with extraction of the control of the contr	CF	Name	Target Achieve- ment for Region	Proportion of Target Achievement in Region	Amount Pro- portion in Region
Naviwal Melville Bay stock winfer core distribution 81.7% 76.8% 50.88% 7052 cold corals of Canada and Western Greenland 68.2% 46.0% 34.8% 7151 III.4.2. SW Greenland glacular toughs 775.7% 50.0% 228.8% 7259 7259 7259 7129 71	5071	Narwhal Admiralty Inlet stock winter core distribution	97.2%	96.9%	72.6%
14.5 14.2 2.5 2.	5078	Narwhal Eclipse Sound stock winter core distribution	84.0%	81.5%	63.0%
7/952 cold corols of Canada and Western Greenland 69.2% 46.0% 28.4% 5515 Narvohal wintoring areas 108.8% 52.3% 22.7% 7259 77269 1114 1.11 34.2% 23.39% 23.9% 2527 Hooded Sea foraging areas in the Northwest Allants 117.4% 45.3% 16.6% 5102 Bottlenose whate summer feeding areas in the Northwest Allants 127.4% 45.3% 16.6% 2021 Harp Seal foraging areas in the Baffin Bay and Lancaster Sound 273.0% 35.7% 15.6% 2021 Harp Seal foraging areas in the Baffin Bay ergion 60.2% 28.3% 15.2% 5042 Bowhead whale winter concartrations in the Baffin Bay 2.9.6% 20.0% 15.4% 5043 Blue whate summer feeding areas in the Northwest Allants 57.8% 20.0% 14.6% 5044 Ringed seal whelping areas in the Baffin Bay 29.6% 20.0% 11.6% 2044 Ringed seal whelping areas in the Baffin Bay region 48.3% 23.5% 12.3% 5043 Bowhead whale Baffin population are wind wind wind wind wind wind wind wind	5086	Narwhal Melville Bay stock winter core distribution	81.7%	76.8%	60.8%
11.5 11.4 1.2 5W Creenland glacial troughs 173,7% 30,0% 226,9% 2759 7259 71259 11.4 1.1 1.1 1.1 3.4 2.3 3.5 2.7	7155	III.4.2. Southwest Greenland slope	336.1%	85.6%	53.8%
1515 Nawhal wintering areas 106,9% 54,3% 22,0%	7052	cold corals of Canada and Western Greenland	69.2%	46.0%	34.8%
7259 7259 11 L4 1.1 1 34,2% 23,9% 23,9% 2027 Hooded saal foraging areas 41,8% 36,4% 10,8% 2027 Hooded saal foraging areas in the Northwest Allantic 137,4% 45,5% 16,8% 5102 Bottlenose whale summer feeding areas in the Northwest Allantic 273,0% 35,7% 15,8% 5028 Borbaced foraging areas in the Boffin Bay and Lancaster Sound 60,2% 20,3% 15,8% 5038 Blue whale summer feeding areas in the Northwest Allantic 57,8% 36,7% 15,2% 5038 Blue whale summer feeding areas in the Northwest Allantic 57,8% 36,7% 16,2% 5038 Blue whale summer feeding areas in the Northwest Allantic 57,8% 36,7% 16,2% 5042 Borbaced whale whale whale baffin population spring-autum distribution 48,3% 23,5% 12,8% 6034 Ivory gull (Pagophila eburnea) postitived in grounds 46,7% 23,4% 10,7% 5103 Bowhead whale Baffin population winter distribution 38,0% 18,3% 22,7% 6041 Warry gull (Pagophila eburnea) postitived distribution 38,0% 18,3% 1,0% 5114 Bowhead whale Baffin population with distribution 38	7154	III.4.1.2. SW Greenland glacial troughs	173.7%	30.0%	29.4%
Hooded seal foraging areas	5115	Narwhal wintering areas	106.9%	54.3%	27.0%
Bottlenose whale summer feeding areas in the Northwest Allantic 137,4% 45,3% 15,66% 15,66% 15,27% 15,66% 15,27%	7259	7259 4 1 1 1	34.2%	23.9%	23.9%
1746 Ill. 2.1. Archipelago slope in Baffin Bay and Lancaster Sound 273.0% 35.7% 28.3% 15.8% 28.3% 15.8% 28.3% 15.8% 28.3% 15.8% 28.3% 15.8% 28.3% 15.8% 28.3% 15.8% 28.3% 15.8% 28.3% 15.8% 28.3% 15.8% 28.3% 15.8% 28.3% 15.8% 28.3% 15.8% 28.3% 15.8% 28.3% 15.2% 29.5% 20.0% 14.8% 29.5% 20.0% 14.8% 29.5% 20.0% 14.8% 29.5% 20.0% 14.8% 29.5% 20.0% 14.8% 29.5% 20.0% 14.8% 29.5% 20.0% 14.8% 29.5% 20.0% 14.8% 29.5% 20.0% 14.8% 29.5% 20.0	2027	Hooded seal foraging areas	41.8%	36.4%	17.1%
Harp seal foraging areas in the Baffin Bay region 60.2% 28.3% 15.4%	5102	Bottlenose whale summer feeding areas in the Northwest Atlantic	137.4%	45.3%	16.6%
6038 Blue whale summer feeding areas in the Northwest Atlantic 57.8% 38.7% 15.2% 5042 Bowhead whale winter concentrations in the Baffin Bay 29.5% 20.0% 14.8% 713 Ill.4.1.1 SW Greenland medium and low profile shelf 100.6% 14.3% 12.6% 2044 Ringed seal whelping areas in the Baffin Bay region 48.3% 23.5% 10.7% 5103 Bowhead whale Baffin population spring-autumn distribution 41.5% 22.7% 10.7% 5103 Bowhead whale Baffin population spring-autumn distribution 30.1% 22.8% 10.4% 6041 bowy quil (Pagophila edurnea) postbreeding grounds in the Canadian Arcic 43.7% 17.0% 9.9% 5104 Bowhead whale Baffin population winter distribution 33.0% 18.8% 9.9% 5104 Bowhead whale Baffin population winter distribution 23.1% 17.3% 8.4% 5045 Doknead whale Baffin Say is subpopulation distribution 23.1% 17.3% 8.9% 5046 Bowhead whale Baffin Say is subpopulation distribution 23.1% 17.3% 8.9% 5045 European Say in Carlos of the Canadian Arcia of the Distribution of the American Plaice (Hippoplossoides) flow flow flow flow flow flow flow flow	7146	III.2.2.1. Archipelago slope in Baffin Bay and Lancaster Sound	273.0%	35.7%	15.6%
6042 Bowhead whale winter concentrations in the Baffin Bay 20.5% 20.0% 14.8% 7153 III.4.1.1.SW Greenland medium and low profile shalf 100.6% 14.3% 12.6% 6044 Ringed seal whelping areas in the Baffin Bay region 48.3% 22.5% 12.3% 6044 Nory gull (Pagophila eburnea) Atlantic wintering grounds 46.7% 23.4% 10.7% 6103 Bowhead whale Baffin population spring-autumn distribution 30.1% 24.8% 10.4% 8002 polar bear of the BB (Baffin Bay) subpopulation distribution 30.1% 24.8% 10.4% 8041 Nory gull (Pagophila eburnea) postbreeding grounds in the Canadian Arctic 43.7% 17.0% 9.9% 5104 Bowhead whale Baffin population winter distribution 33.0% 18.8% 9.9% 7142 III.2.1.1. Baffinian shelf 13.6% 15.7% 8.9% 9005 polar bear of the DS (Davis Strati) subpopulation distribution 23.1% 17.3% 8.4% 805 bit	2021	Harp seal foraging areas in the Baffin Bay region	60.2%	28.3%	
7153 III.4.1.1. SW Greenland medium and low profile shelf 100.6% 14,3% 12,8% 2044 Ringed seal whelping areas in the Baffin Bay region 48.3% 23,5% 12,3% 5103 Bowhead whale Baffin population spring-autumn distribution 41.5% 22,7% 10.5% 9002 polar bear of the BR (affin Bay) subopopulation distribution 30.1% 24.8% 10.4% 902 polar bear of the BR (affin Bay) subopopulation distribution 36.0% 18.8% 19.9% 7142 III.2.1.1 Baffinian shelf 113.6% 15.7% 8.9% 905 polar bear of the DS (Davis Strait) subopopulation distribution 23.1% 117.3% 8.4% 3034 Marginal Lee Zone distribution in July in the Baffin Bay LME 28.8% 11.9% 7.6% 4085 Distribution of the American Plaice (Hippoglossoides) platessoides) (F 47). 213.4% 13.6% 6.8% European populations 48.8% 11.9% 7.6% 4086 Peadinyfursery area of the Qsc (Sadus ogac) (F 41) 43.9% 10.9% 5.7% 4048 Feeding/fursery area of the ogac (Sadus ogac)	5038	Blue whale summer feeding areas in the Northwest Atlantic	57.8%	36.7%	
20.44 Ringed seal whelping areas in the Baffin Bay region	5042	Bowhead whale winter concentrations in the Baffin Bay			
6034 I vory gull (Pagophila eburnea) Atlantic wintering grounds 46.7% 23.4% 10.7% 5103 Bowhead whale Baffin population spring-autumn distribution 30.1% 22.7% 10.6% 9002 Polar bear of the BB (Baffin Bay) subpopulation distribution 30.1% 24.8% 10.4% 6041 Nordic Nordy gull (Pagophila eburnea) postbreeding grounds in the Canadian Archical Pagophila eburnea postbreeding grounds archical pagophila eburnea pagophila eburnea pagophila pagophila eburnea pagophila eburnea pagophila	7153	III.4.1.1. SW Greenland medium and low profile shelf		14 <mark>.3%</mark>	
5103 Bowhead whale Baffin population spring-autumn distribution 41.5% 22.7% 10.5% 9002 polar bear of the BB (Baffin Bay) subpopulation distribution 30.1% 24.9% 10.4% 6041 Vory guil (Pagophile aburnea) postbreeding grounds in the Canadian Arctic 43.7% 17.0% 9.9% 5104 Bowhead whale Baffin population winter distribution 38.0% 18.8% 9.9% 7142 Ill.2.1.1. Baffinian shelf 113.6% 15.7% 8.9% 9005 polar bear of the DS (Davis Strait) subpopulation distribution 23.1% 17.3% 8.4% 3034 Marginal lez Card edistribution in July in the Baffin Bay LME 28.8% 11.9% 6.8% 4066 Distribution of the American Plaice (Hippoglossoides platessoides) (F 47), European populations 213.4% 13.8% 6.8% 4087 Fish Zoogeography, Arctic Region, Subarctic Transitional-Atlantic Province, Labrador – S Greenland District 68.3% 14.4% 6.2% 4088 Feeding/mursery area of the ogac (Gadus ogac) (F 41) 43.9% 10.9% 5.7% 3021 Marginal Ice Zone distribution in April in the Baffin Bay 40.5% </td <td>2044</td> <td></td> <td></td> <td></td> <td></td>	2044				
9002 polar bear of the BB (Baffin Bay) subpopulation distribution 30.1% 24.8% 10.4% 6041 vory gull (Pagophila eburnea) postbreeding grounds in the Canadian Arche 43.7% 17.0% 9.9% 5104 B owhead whale Baffin population winter distribution 38.0% 18.8% 9.9% 9005 polar bear of the DS (Davis Strait) subpopulation distribution 23.1% 17.3% 8.4% 3034 Marginal lee Zone distribution in July in the Baffin Bay LME 28.8% 11.9% 7.6% 4065 European populations Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic European populations 68.3% 14.4% 6.2% 4086 Feeding/nursery area of the ogac (Gadus ogac) (F 41) 43.9% 10.9% 5.7% 4087 Harbour porpoise summer feeding areas in West Greenland 28.0% 4.2% 4.8% 4032 Range of the Arctic skate (Amblyraja hyperborea) (F2) 119.4% 9.2% 3.3% 5038 Borkhead whale autumn concentrations in the Baffin Bay 6.4% 6.3% 3.4% 4049 Baffinian region 10.1% 7.3% 3.4% 5039 Borkhead whale summer concentrations in the Baffin Bay 6.4% 6.3% 9.7% 3.3%	6034	, , , , , , , , , , , , , , , , , , , ,			
Nory gull (Pagophila eburnea) postbreeding grounds in the Canadian Archic Arc	5103	Bowhead whale Baffin population spring-autumn distribution	41.5%	22.7%	10.5%
Arctic Submit S	9002		30.1%	24.8%	10.4%
11.2.1.1 Baffinian shelf	6041		43.7%	17 <mark>.0%</mark>	9.9 <mark>%</mark>
9005 polar bear of the DS (Davis Strait) subpopulation distribution 23.1% 17.3% 8.4% 3034 Marginal lec Zone distribution in July in the Baffin Bay LME 28.8% 11.9% 7.6% 4056 Estribution of the American Plaice (Hippoglossoides platessoides) (F 47). 213.4% 13.6% 6.8% 4086 Fish zoogeography. Arctic Region, Subarctic Transitional-Atlantic Province, Labrador - S Greenland District 68.3% 14.4% 6.2% 4048 Feeding/nursery area of the ogac (Gadus ogac) (F 41) 43.9% 10.9% 5.7% 3021 Marginal lec Zone distribution in April in the Baffin Bay LME 40.5% 6.2% 5.3% 5056 Harbour porpoise summer feeding areas in West Greenland 28.0% 4.2% 4.8% 4032 Range of the Arctic skate (Amblyraja hyperborea) (F2) 119.4% 9.2% 3.8% 5039 Bowhead whale autumn concentrations in the Baffin Bay 6.4% 6.3% 3.4% 6049 Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds 9.7% 9.7% 3.3% 5112 predicterd by MIZ Arctic Cetaceans (beluga, bowhead, narwhal) winter habi	5104	Bowhead whale Baffin population winter distribution	38.0%	18.8%	9.9%
Marginal Lec Zone distribution in July in the Baffin Bay LME 28.8% 11.9% 7.6%	7142	III.2.1.1. Baffinian shelf	113.6%	15.7%	8.9%
Distribution of the American Plaice (Hippoglossoides platessoides) (F 47), European populations European popul	9005	polar bear of the DS (Davis Strait) subpopulation distribution	23.1%	17.3%	8.4%
European populations Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic Adas Feeding/nursery area of the ogac (Gadus ogac) (F 41) Adas Feeding/nursery area of the ogac (Gadus ogac) (F 41) August Marginal Ice Zone distribution in April in the Baffin Bay LME August Region Alexa and Subarchic Region August Region (F 48) Baffinian region Baffini	3034	Marginal Ice Zone distribution in July in the Baffin Bay LME	28.8%	11.9%	7.6%
4068 Province, Labrador – S Greenland District 60.3% 14.4% 6.2% 4048 Feeding/nursery area of the ogac (Gadus ogac) (F 41) 43.9% 10.9% 5.7% 3021 Marginal Ice Zone distribution in April in the Baffin Bay LME 40.5% 6.2% 4.8% 5056 Harbour porpoise summer feeding areas in West Greenland 28.0% 4.2% 4.8% 4032 Range of the Arctic skate (Amblyraja hyperborea) (F2) 119.4% 9.2% 3.8% 5039 Bowhead whale autumn concentrations in the Baffin Bay 6.4% 6.3% 3.4% 6049 Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds 9.7% 9.7% 3.3% 6112 Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ 7.1% 5.8% 2.9% 4055 Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), American populations 91.7% 5.2% 2.9% 4046 Range of the Thorny Skate (Amblyraja radiata) (F 3) 37.9% 7.1% 2.9% 5041 Bowhead whale summer concentrations in the Baffin Bay 4.4% 6.8% 2.9% <t< td=""><td>4056</td><td></td><td>213.4%</td><td>13.<mark>6%</mark></td><td>6.8%</td></t<>	4056		213.4%	13. <mark>6%</mark>	6.8%
3021 Marginal Ice Zone distribution in April in the Baffin Bay LME 40.5% 5.3% 5056 Harbour porpoise summer feeding areas in West Greenland 28.0% 4.2% 4.8% 4032 Range of the Arctic skate (Amblyraja hyperborea) (F2) 119.4% 9.2% 3.8% 5039 Bowhead whale autumn concentrations in the Baffin Bay 6.4% 6.3% 3.4% 7019 Baffinian region 10.1% 7.3% 3.4% 6049 Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds 9.7% 9.7% 3.3% 5112 Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ 5.8% 2.9% 4055 Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), American populations 91.7% 5.8% 2.9% 4046 Range of the Thorny Skate (Amblyraja radiata) (F 3) 37.9% 7.1% 2.9% 5041 Bowhead whale summer concentrations in the Baffin Bay 4.4% 6.8% 2.9% 5041 Bowhead whale summer concentrations in the Baffin Bay 4.8% 4.7% 2.6% 4059 Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49) 81.3% 6.8% 2.9% 4045 Feeding/migration area of the Pink Salmon (Oncorhynchus gorbu	4085		68.3%	14 <mark>.4%</mark>	6.2%
5056 Harbour porpoise summer feeding areas in West Greenland 28.0% 4.2% 4.8% 4032 Range of the Arctic skate (Amblyraja hyperborea) (F2) 119.4% 9.2% 3.8% 5039 Bowhead whale autumn concentrations in the Baffin Bay 6.4% 6.3% 3.4% 7019 Baffinian region 10.1% 7.3% 3.4% 6049 Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds 9.7% 9.7% 3.3% 5112 Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ 7.1% 5.8% 2.9% 4055 Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), American populations 91.7% 5.2% 2.9% 4046 Range of the Thorny Skate (Amblyraja radiata) (F 3) 37.9% 7.1% 2.9% 4047 Bawhead whale summer concentrations in the Baffin Bay 4.8% 4.7% 2.6% 4048 Range of the Greenland Hallibut (Reinhardtius hippoglossoides) (F 49) 81.3% 6.8% 2.6% 4045 Reading/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23) 39.1% 6.4% 2.5%	4048	Feeding/nursery area of the ogac (Gadus ogac) (F 41)	43.9%	10. <mark>9%</mark>	5.7%
4032 Range of the Arctic skate (Amblyraja hyperborea) (F2) 119.4% 9.2% 3.8% 5039 Bowhead whale autumn concentrations in the Baffin Bay 6.4% 6.3% 3.4% 7019 Baffinian region 10.1% 7.3% 3.4% 6049 Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds 9.7% 9.7% 3.3% 5112 Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ 7.1% 5.8% 2.9% 4055 Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), American populations 91.7% 5.2% 2.9% 4046 Range of the Thorny Skate (Amblyraja radiata) (F 3) 37.9% 7.1% 2.9% 2019 Harbour seal range in the North Atlantic region 44.4% 6.8% 2.9% 5041 Bowhead whale summer concentrations in the Baffin Bay 4.8% 4.7% 2.6% 4058 Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49) 81.3% 6.8% 2.6% 7143 III.2.1.2 Baffinian glacial troughs 13.5% 5.1% 2.6% 4045 Feeding/	3021	Marginal Ice Zone distribution in April in the Baffin Bay LME	40.5%	6.2 <mark>%</mark>	5.3%
5039 Bowhead whale autumn concentrations in the Baffin Bay 6.4% 6.3% 3.4% 7019 Baffinian region 10.1% 7.3% 3.4% 6049 Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds 9.7% 9.7% 3.3% 5112 Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ 7.1% 5.8% 2.9% 4055 Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), American populations 91.7% 5.2% 2.9% 4046 Range of the Thorny Skate (Amblyraja radiata) (F 3) 37.9% 7.1% 2.9% 2019 Harbour seal range in the North Atlantic region 44.4% 6.8% 2.9% 5041 Bowhead whale summer concentrations in the Baffin Bay 4.8% 4.7% 2.6% 4059 Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49) 81.3% 6.8% 2.6% 4045 Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23) 39.1% 6.4% 2.5% 6083 Thick-billed murre (Uria lomvia lomvia) wintering grounds 9.3% 6.5% 2.4%	5056	Harbour porpoise summer feeding areas in West Greenland	28.0%	4.2%	4.8%
7019 Baffinian region 10.1% 7.3% 3.4% 6049 Black-legged kittiwake (Rissa tridactyla) wintering grounds 9.7% 9.7% 3.3% 5112 Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ 7.1% 5.8% 2.9% 4055 Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), American populations 91.7% 5.2% 2.9% 4046 Range of the Thorny Skate (Amblyraja radiata) (F 3) 37.9% 7.1% 2.9% 2019 Harbour seal range in the North Atlantic region 44.4% 6.8% 2.9% 5041 Bowhead whale summer concentrations in the Baffin Bay 4.8% 4.7% 2.6% 4059 Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49) 81.3% 6.8% 2.6% 7143 Ill.2.1.2. Baffinian glacial troughs 13.5% 5.1% 2.6% 4045 Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23) 39.1% 6.4% 2.5% 6083 Thick-billed murre (Uria lomvia) wintering grounds 9.3% 6.5% 2.4% 4028 Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27) 18.3% 5.9% 2.3%	4032	Range of the Arctic skate (Amblyraja hyperborea) (F2)	119.4%	9.2 <mark>%</mark>	3.8%
6049Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds9.7%9.7%3.3%5112Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ7.1%5.8%2.9%4055Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), American populations91.7%5.2%2.9%4046Range of the Thorny Skate (Amblyraja radiata) (F 3)37.9%7.1%2.9%2019Harbour seal range in the North Atlantic region44.4%6.8%2.9%5041Bowhead whale summer concentrations in the Baffin Bay4.8%4.7%2.6%4059Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49)81.3%6.8%2.6%7143III.2.1.2. Baffinian glacial troughs13.5%5.1%2.6%4045Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23)39.1%6.4%2.5%6083Thick-billed murre (Urla lomvia lomvia) wintering grounds9.3%6.5%2.4%4028Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27)18.3%5.9%2.3%7152III.4.1. Southwest Greenland shelf17.7%2.5%2.3%6002Little Auk (Alle alle alle) winetring grounds8.6%6.0%2.2%4017Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1)5.5%2.2%6023Atlantic puffin (Fratercula arctica naumanni) wintering grounds8.2%6.7%2.1%6024Atlantic puffin (Fratercula	5039	Bowhead whale autumn concentrations in the Baffin Bay	6.4%	6.3 <mark>%</mark>	3.4%
Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ Anange of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), american populations American populations Anange of the Thorny Skate (Amblyraja radiata) (F 3) Arctic Cetaceans (beluga, bowhead), anarwhal) winter habitats as predicterd by MIZ Anange of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), 91.7% American populations Anange of the Thorny Skate (Amblyraja radiata) (F 3) Arctic Cetaceans (beluga, bowhead) scorpius) (F 46), 91.7% American populations Anange of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 3) At 4.4% Anange of the Thorny Skate (Amblyraja radiata) (F 3) Anange of the Thorny Skate (Amblyraja radiata) (F 3) Anange of the Shorthorn Sculpin (Reinhardius) in the Baffin Bay Anange of the Greenland Halibut (Reinhardius hippoglossoides) (F 49) Anange of the Greenland Halibut (Reinhardius hippoglossoides) (F 49) Anange of the Greenland Halibut (Reinhardius hippoglossoides) (F 49) Bla3% Anange of the Greenland Halibut (Reinhardius hippoglossoides) (F 49) Anange of the Greenland Halibut (Reinhardius hippoglossoides) (F 49) Bla3% Anange of the Greenland Halibut (Reinhardius hippoglossoides) (F 49) Bla3% Bla3	7019	Baffinian region	10.1%	7.3 <mark>%</mark>	3.4%
Predicterd by MIZ Pred	6049	Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds	9.7%	9.7%	3.3%
American populations Analysis and Atlantic salmon (F3) Analysis and American populations Analysis and American populations American populations Analysis and Atlantic salmon (American populations (F27) Analysis and Atlantic salmon (American populations) Analysis and American populations Allantic puffin (Fratercula arctica naumanni) wintering grounds Allantic puffin (Fratercula arctica naumanni) wintering grounds Allantic puffin (Fratercula arctica naumanni) wintering grounds American populations Analysis and Analysis	5112		7.1%	5.8%	2.9%
2019 Harbour seal range in the North Atlantic region 44.4% 6.8% 2.9% 5041 Bowhead whale summer concentrations in the Baffin Bay 4.8% 4.7% 2.6% 4059 Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49) 81.3% 6.8% 2.6% 7143 III.2.1.2. Baffinian glacial troughs 13.5% 5.1% 2.6% 4045 Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23) 39.1% 6.4% 2.5% 6083 Thick-billed murre (Uria lomvia lomvia) wintering grounds 9.3% 6.5% 2.4% 4028 Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27) 18.3% 5.9% 2.3% 6002 Little Auk (Alle alle alle) winetring grounds 8.6% 6.0% 2.2% 4017 Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 5.5% 2.2% 6.7% 2.1% 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 8.2% 6.7% 2.1% 2.007 Bearded seal whelping areas in the Baffin Bay 6.7% 2.4% 1.8%	4055		91.7%	5.2 <mark>%</mark>	2.9%
5041 Bowhead whale summer concentrations in the Baffin Bay4.8%4.7%2.6%4059 Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49)81.3%6.8%2.6%7143 III.2.1.2. Baffinian glacial troughs13.5%5.1%2.6%4045 Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23)39.1%6.4%2.5%6083 Thick-billed murre (Uria lomvia lomvia) wintering grounds9.3%6.5%2.4%4028 Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27)18.3%5.9%2.3%7152 III.4.1. Southwest Greenland shelf17.7%2.5%2.3%6002 Little Auk (Alle alle alle) winetring grounds8.6%6.0%2.2%4017 Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1)9.5%5.5%2.2%6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds8.2%6.7%2.1%2007 Bearded seal whelping areas in the Baffin Bay6.7%2.4%1.8%	4046	Range of the Thorny Skate (Amblyraja radiata) (F 3)	37.9%	7.1%	2.9%
4059Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49)81.3%6.8%2.6%7143III.2.1.2. Baffinian glacial troughs13.5%5.1%2.6%4045Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23)39.1%6.4%2.5%6083Thick-billed murre (Uria lomvia lomvia) wintering grounds9.3%6.5%2.4%4028Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27)18.3%5.9%2.3%7152III.4.1. Southwest Greenland shelf17.7%2.5%2.3%6002Little Auk (Alle alle alle) winetring grounds8.6%6.0%2.2%4017Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1)9.5%5.5%2.2%6023Atlantic puffin (Fratercula arctica naumanni) wintering grounds8.2%6.7%2.1%2007Bearded seal whelping areas in the Baffin Bay6.7%2.4%1.8%	2019	Harbour seal range in the North Atlantic region	44.4%	6.8%	2.9%
7143III.2.1.2. Baffinian glacial troughs13.5%5.1%2.6%4045Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23)39.1%6.4%2.5%6083Thick-billed murre (Uria lomvia lomvia) wintering grounds9.3%6.5%2.4%4028Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27)18.3%5.9%2.3%7152III.4.1. Southwest Greenland shelf17.7%2.5%2.3%6002Little Auk (Alle alle alle) winetring grounds8.6%6.0%2.2%4017Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1)9.5%5.5%2.2%6023Atlantic puffin (Fratercula arctica naumanni) wintering grounds8.2%6.7%2.1%2007Bearded seal whelping areas in the Baffin Bay6.7%2.4%1.8%	5041	Bowhead whale summer concentrations in the Baffin Bay	4.8%	4.7%	2.6%
Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23) 6083 Thick-billed murre (Uria lomvia lomvia) wintering grounds Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27) 7152 III.4.1. Southwest Greenland shelf 6002 Little Auk (Alle alle alle) winetring grounds 8.6% 6.0% 2.3% 6002 Little Auk (Alle alle alle) winetring grounds 8.6% 6.0% 2.2% 6003 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 8.2% 6.7% 2.1% 8.2% 8.2% 8.2% 8.2% 8.2% 8.2% 8.2% 8.2% 8.2% 8.2% 9.3% 9.5%	4059	Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49)	81.3%	6.8%	2.6%
native distribution (F23) 6083 Thick-billed murre (Uria lomvia lomvia) wintering grounds Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27) 7152 III.4.1. Southwest Greenland shelf 6002 Little Auk (Alle alle alle) winetring grounds Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 8.2% 6.4% 2.3% 2.3% 4.017 Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 8.2% 6.7% 2.1% 2.1% 2.1%	7143	III.2.1.2. Baffinian glacial troughs	13.5%	5.1%	2.6%
Thick-billed murre (Uria lomvia lomvia) wintering grounds Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27) T152 III.4.1. Southwest Greenland shelf 17.7% Little Auk (Alle alle alle) winetring grounds 4017 Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 8.2% 6.7% 2.4% 2.4% 2.4% 2.5% 2.2% 2.2% 2.2% 2.2% 2.2% 3.3% 3.6% 3.6% 3.6% 3.7% 3.8% 3.9%	4045		39.1%	6.4 <mark>%</mark>	2.5%
populations (F27) 7152 III.4.1. Southwest Greenland shelf 6002 Little Auk (Alle alle alle) winetring grounds 4017 Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 8.2% 6.7% 2.3% 2.3% 6.0% 2.2% 2.2% 6.2% 6.2% 6.7% 2.1% 6.7% 2.1%	6083	·	9.3%	6.5 <mark>%</mark>	2.4%
7152 III.4.1. Southwest Greenland shelf 6002 Little Auk (Alle alle alle) winetring grounds 8.6% 6.0% 2.2% 4017 Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 8.2% 6.7% 2.1% 8.207 Bearded seal whelping areas in the Baffin Bay 6.7% 2.4% 1.8%	4028	- · · · · · · · · · · · · · · · · · · ·	18.3%	5.9 <mark>%</mark>	2.3%
Little Auk (Alle alle alle) winetring grounds 4017 Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 2007 Bearded seal whelping areas in the Baffin Bay 8.6% 9.5% 5.5% 2.2% 6.7% 2.1%	7152		17.7%	2.5%	2.3%
Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 8.2% 6.7% 2.1% 8.207 Bearded seal whelping areas in the Baffin Bay 6.7% 2.4% 1.8%					
6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 8.2% 6.7% 2.1% 2007 Bearded seal whelping areas in the Baffin Bay 6.7% 2.4% 1.8%		Feeding/ migration area of the Greenland Shark (Somniosus			
2007 Bearded seal whelping areas in the Baffin Bay 6.7% 2.4% 1.8%	6023	. , ,	8 2%	6.7 <mark>%</mark>	2 1%
		· -			

CF	Name	Target Achieve- ment for Region	Proportion of Target Achievement in Region	Amount Pro- portion in Region
4029	Feeding area of the Arctic charr (Salvelinus alpinus), anadromous populations (F28)	3.6%	3.1%	1.5%
6106	6106 Urilomvilomvibreeding colonies	2.4%	1.8%	1.2%
4003	Range of the Atlantic Capelin (Mallotus villosus) (F10)	32.3%	2.7%	1.0%
6099	6099 Rissa tridactyla tridactyla breeding colonies	1.4%	1.4%	0.9%
5040	Bowhead whale spring concentrations in the Baffin Bay	1.1%	1.1%	0.8%
4041	Range of the Polar Cod (Boreogadus saida) (F35)	6.2%	2.4%	0.8%
1002	Atlantic Walrus Summer Distribution in Canada	2.0%	1.3%	0.8%
1003	Atlantic Walrus Wintering Areas in Canada	1.1%	0.9%	0.7%
4079	Fish zoogeography, Arctic Region, Arctic Abyssal Province (11A - Scandian, 11B - Central-Arctic and 11C - Baffin Deep-sea Districts)	13.4%	2.3%	0.6%
4074	Fish zoogeography, Arctic Region, High-Arctic Shelf Province, Canadian-Greenland District (10A)	5.0%	0.7%	0.4%
4037	Distribution of the Glacial cod (Arctogadus glacialis) (F34)	3.7%	0.9%	0.4%
2064	Bearded seal concentration areas in Greenland	1.4%	0.4%	0.3%
5074	Narwhal Eeast Baffin Island stock summer distribution	0.5%	0.5%	0.3%
4035	Feeding area of the Lake trout (Salvelinus namaycush) (F32)	1.4%	0.6%	0.3%
4053	Range of the Fourhorn Sculpin (Myoxocephalus quadricornis) (F 45), Euro-Asian populations	6.4%	0.4%	0.2%
5100	White-beaked dolphin feeding area in the Western North Atlantic	0.8%	0.1%	0.1%
5060	Humpback whale summer feeding areas in the Northwest Atlantic	0.5%	0.2%	0.1%
6101	6101 Uriaalge aalge breeding colonies	0.1%	0.0%	0.0%
5068	Minke whale feeding areas in the Western Atlantic	0.2%	0.0%	0.0%
5006	Beluga of the Baffin Bay winter distribution	0.0%	0.0%	0.0%