
## Region 67



"ArcNet" scenario 33 achievement for region 67. Use Accenter for advanced mode.



CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
5087	Narwhal Northern Hudson Bay stock summer distribution	167.5%	95.2%	87.0%
5088	Narwhal Northern Hudson Bay stock summer core distribution	98.9%	94.4%	73.6%
3127	polynya Foxe	275.4%	37.2%	35.4%
9025	polar bear denning areas of FB (Foxe Basin) subpopulation	49.3%	49.2%	34.0%
9007	polar bear of the FB (Foxe Basin) subpopulation distribution	82.8%	66.6%	29.9%
3053	Multiyear Ice distribution in September in the Hudson Bay LME	133.8%	32.3%	25.8%
1011	Atlantic Walrus haulouts in Nunavut and West Greenland	21.6%	21.6%	20.9%
8024	intertidal zone of the Hudson Bay LME	55.6%	48.1%	19.7%
3128	polynya Hudson W	94.7%	38.5%	13. <mark>0%</mark>
6064	Common eider (Somateria mollissima sedentari) Hudson Bay breeding&moulting grounds	16.9%	16.8%	10.8%
	Fox Basin trnasitional zone	54.2%	26.0%	9.6%
	Marginal Ice Zone distribution in July in the Hudson Bay LME	30.0%	21.0%	8.2%
	IV.2.2. central Hudson Bay	179.5%	53.2%	8.0%
	IV.2.3. Hudson Bay slope	59.0%	24.8%	7.4%
	Harp seal foraging areas in the Hudson Bay	26.4%	26.3%	7.2%
	III.1.1.6. Foxe Basin middle shelf	42.7%	16.3%	6.9%
	Atlantic Walrus Summer Distribution in Canada	15.4%	10.5%	5.9%
	Killer whale summer feeding areas in the North West Atlantic	87.5%	8.9%	5.9%
7028	Hudson Bay enclave	53.2%	33.5%	5.6%
4075	Fish zoogeography, Arctic Region, High-Arctic Shelf Province, Hudson District	46.4%	16.6%	4.8%
	Ringed seal whelping areas in the Hudson Bay area	17.3%	16.2%	4.7%
		17.0%	9.3%	4.7%
	Bearded seal whelping areas in the Hudson Bay	17.0%	17.0%	4.7%
5039	Bowhead whale autumn concentrations in the Baffin Bay	8.2%	8.1%	4.4%
8037	Salt marshes of the Hudson Bay LME	13.3%	9.5%	4.2%
4031	Feeding area of the Brook Trout (Salvelinus fontinalis) (F 29)	23.6% 4.0%	9.8%	3.8%
	Atlantic Walrus Wintering Areas in Canada		3.5%	3.3%
	Harbour seal range in the North Atlantic region	44.3% 17.6%	6.7 <mark>%</mark>	3.0% 2.3%
	Black guillemot (Cepphus grylle mandti) breeding grounds Feeding area of the Arctic charr (Salvelinus alpinus),		3.8%	
4029	anadromous populations (F28)	5.3%	4.6%	2.3%
4055	Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), American populations	65.6%	3.7%	2.2%
5041	Bowhead whale summer concentrations in the Baffin Bay	4.1%	4.0%	2.2%
4053	Range of the Fourhorn Sculpin (Myoxocephalus quadricornis) (F 45), Euro-Asian populations	43.6%	2.6%	1.5%
6106	6106 Urilomvilomvibreeding colonies	2.4%	1.8%	1.2%
3022	Marginal Ice Zone distribution in April in the Hudson Bay LME	9.0%	2.1%	1.2%
6083	Thick-billed murre (Uria lomvia lomvia) wintering grounds	4.3%	3.0%	1.2%
5112	Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ	2.4%	2.0%	1.1%
2061	Ringed seal circumpolar foraging areas as predicted by MIZ distribution	2.8%	1.4%	0.7%
4059	Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49)	21.4%	1.8%	0.7%
4035	Feeding area of the Lake trout (Salvelinus namaycush) (F32)	4.9%	2.0%	0.7%
4003	Range of the Atlantic Capelin (Mallotus villosus) (F10)	19.2%	1.6%	0.7%
6029	Glaucous gull (Larus hyperboreus euceretes) breeding grounds	4.1%	0.9%	0.5%
4041	Range of the Polar Cod (Boreogadus saida) (F35)	2.9%	1.1%	0.4%
6082	Thick-billed murre (Uria lomvia lomvia) breeding colonies	0.4%	0.4%	0.3%
4046	Range of the Thorny Skate (Amblyraja radiata) (F 3)	3.6%	0.7%	0.3%
7138	III.1.1.5. Foxe Basin shallow shelf	2.4%	0.8%	0.3%
4017	Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1)	0.0%	0.0%	0.0%