










Region 12

“ArcNet” scenario 33 achievement for region 12.
Use [Accenter](#) for advanced mode.



Thematic group diversity



CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
7244	Laptev Sea kelp patches (22,23)	331.7%	100.0%	100.0%
7008	Central Laptev area of increased benthic biomass	95.1%	94.7%	72.9%
3112	polynya Laptev E	151.4%	46.8%	31.4%
8023	Laptev Sea estuaries	109.2%	95.2%	31.3%
8034	Salt marshes of the Laptev Sea LME	76.8%	75.0%	26.1%
4095	Estuarian (Taymyr-Lena) brackish –water fish complex;	352.4%	72.2%	23.6%
1014	Laptev Walrus Whelping patches	88.5%	37.8%	22.5%
6080	Thick-billed murre (Uria lomvia eleonorae) breeding colonies	40.7%	28.0%	22.2%
4061	Feeding/nursery area of the Siberian sturgeon (Acipenser baerii) (F4)	44.9%	44.8%	19.1%
7114	II.1.1.8. Laptev inner shelf	230.4%	51.9%	17.8%
7113	II.1.1.7. Laptev shelf coastal domain	109.7%	59.7%	17.2%
6104	6104 Urilomvieleonorae breeding colonies	40.3%	22.8%	16.9%
8027	intertidal zone of the Laptev Sea LME	63.8%	56.6%	16.1%
7115	II.1.1.9. Laptev middle shelf	91.8%	49.4%	15.1%
3028	Marginal Ice Zone distribution in April in the Laptev Sea LME	104.2%	17.7%	12.6%
3008	Fast ice distribution in the Eastern part of the Laptev Sea and the East-Siberian Sea	154.4%	33.2%	10.7%
2013	Bearded seal whelping areas in the Laptev Sea	38.2%	18.0%	9.3%
3039	Marginal Ice Zone distribution in July in the Laptev Sea LME	32.0%	27.4%	8.8%
4036	Distribution of the Borisov's Arctic cod (Arctogadus borisovi) (F33)	58.1%	25.6%	8.6%
7035	Siberian shelf region	89.3%	25.5%	8.6%
1013	Laptev Walrus haulouts	9.5%	9.1%	8.6%
6011	Brent goose (Branta bernicla nigricans) Asian breeding&moulting grounds	28.0%	10.3%	5.5%
6045	Stellers eider (Polysticta stelleri) Pacific moulting&migration stopovers	9.3%	8.6%	5.0%
4077	Fish zoogeography, Arctic Region, High-Arctic Shelf Province, Laptev – East-Siberian District (10D)	36.7%	19.4%	5.0%
4008	Feeding / nursery area of the Arctic Cisco (Coregonus autumnalis), Eurasian populations (F 14)	9.2%	8.6%	4.0%
4010	Feeding area of the Muksun (Coregonus muksun) (F 15)	11.1%	10.9%	3.8%
6006	Brent goose (Branta bernicla bernicla) breeding&moulting grounds	18.8%	5.9%	3.6%
6100	6100 Risstridactylpollicarius breeding colonies	4.4%	4.4%	3.3%
6073	King eider (Somateria spectabilis) Pacific moulting&migration stopovers	6.4%	5.6%	3.2%
4015	Feeding area of the Broad whitefish (Coregonus nasus), American populations (F 19)	8.9%	7.6%	3.1%
4024	Distribution of the Chum Salmon (Oncorhynchus keta) (F24)	48.5%	5.7%	3.1%
6030	Glaucous gull (Larus hyperboreus pallidissimus) breeding grounds	24.6%	4.1%	3.0%
4014	Feeding area of the Siberian whitefish (Coregonus pidschian) (F 18)	9.7%	6.1%	2.5%
5007	Beluga of the Barents-Kara-Laptev Sea stock general distribution	8.9%	5.9%	2.4%
4021	Feeding area of the Inconnu (Stenodus leucichthys nelma), Euro-Asian populations (F 22)	6.9%	5.8%	2.4%
9012	polar bear of the LV (Laptev Sea) subpopulation distribution	8.0%	6.6%	2.4%
9030	polar bear denning areas of LV (Laptev Sea) subpopulation	3.7%	3.7%	2.2%
4018	Feeding area of the Vendace, Least cisco (Coregonus sardinella), Euro-Asian populations (F 20)	8.1%	4.3%	2.1%
4052	Range of the Fourhorn Sculpin (Myoxocephalus quadricornis) (F 45), American populations	62.1%	4.3%	2.0%
4030	Feeding area of the Arctic charr (Salvelinus alpinus), anadromous populations (F28)	4.2%	3.7%	1.9%
6066	Common eider (Somateria mollissima v-nigrum) breeding&moulting grounds	3.6%	3.5%	1.4%
4037	Distribution of the Glacial cod (Arctogadus glacialis) (F34)	12.9%	3.1%	1.3%

CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
6048	Black-legged kittiwake (<i>Rissa tridactyla tridactyla</i>) breeding colonies	1.8%	1.3%	1.2%
7026	Eurasian shelf region	12.4%	5.1%	1.2%
5090	Narwhal in the Russian Arctic assumed summer range	8.3%	4.8%	1.1%
4058	Range of the Arctic flounder (<i>Liopsetta glacialis</i>) (F48)	14.5%	1.9%	1.0%
4070	Local forms of the White-Sea herring (<i>Clupea pallasii</i>) (F8)	3.5%	2.0%	0.9%
4023	Feeding/migration area of the Pink Salmon (<i>Oncorhynchus gorbuscha</i>), native distribution (F23)	9.8%	1.5%	0.7%
4006	Feeding/nursery area of the Pacific rainbow smelt (<i>Osmerus dentex</i>) (F12)	2.6%	1.0%	0.5%
6028	Glaucous gull (<i>Larus hyperboreus hyperboreus</i>) breeding grounds	4.4%	0.7%	0.5%
4041	Range of the Polar Cod (<i>Boreogadus saida</i>) (F35)	3.9%	1.5%	0.5%
4004	Range of the Pacific Capelin (<i>Mallotus villosus catervarius</i>) (F11)	14.8%	1.1%	0.5%
5112	Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicted by MIZ	0.6%	0.5%	0.3%
6015	Black guillemot (<i>Cepphus grylle mandti</i>) breeding grounds	1.2%	0.2%	0.1%
4042	Range of the Saffron cod (<i>Eleginus gracilis</i>) (F 36)	1.4%	0.2%	0.1%
3057	Multiyear Ice distribution in September in the Laptev Sea LME	0.1%	0.0%	0.0%