
## Region 23



"ArcNet" scenario 33 achievement for region 23. Use Accenter for advanced mode.



CF	Name	Target Achieve- ment for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
7075	I.1.3.3. Large shallow unstratified bays	273.1%	99.0%	91.7%
7015	Chioshskaya Bay boreal enclave	101.1%	98.4%	80.9%
7245	Pechora Sea kelp patches (13-14)	96.7%	53.2%	50.0%
3124	polynya Mezen	265.0%	94.8%	35.7%
8025	intertidal zone of the Barents Sea LME	95.2%	40.9%	30.7%
6061	Common eider (Somateria mollissima mollissima) SE Barents and Kara Sea breeding&moulting grounds	14.4%	13. <mark>2%</mark>	9.1%
4020	Feeding area of the White-sea vendace (Coregonus sardinella marisalbi) (F21)	28.5%	12. <mark>4%</mark>	7.8%
8032	Salt marshes of the Barents Sea LME	13.7%	13.6%	7.7%
7064	I.1.1.1. Coastal domain in the Barents Sea	71.3%	10.1%	6.4%
2041	Ringed seal whelping areas in the Barents Sea	18.3%	7.8 <mark>%</mark>	5.0%
4089	Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic Province, Mesen' – Pechora aquatory of the Barents District	16.7%	7.5 <mark>%</mark>	3.8%
2003	Bearded seal whelping areas in the Barents Sea	13.9%	6.0%	3.8%
4072	Range of the Pechora herring (Clupea pallaii suworowi) (F 9)	21.2%	6.0 <mark>%</mark>	2.9%
1010	Atlantic Walrus Winter Distribution in Pechora and Kara region	6.8%	4.5%	2.6%
3026	Marginal Ice Zone distribution in April in the Barents Sea LME	17.1%	4.0%	2.3%
4043	Range of Nawaga (Eleginus nawaga) (F37)	15.9%	4.5%	2.2%
6043	Stellers eider (Polysticta stelleri) Atlantic moulting&migration stopovers	2.8%	2.0%	1.8%
4014		6.2%	3.9%	1.7%
4039	Spawning areas of the Polar Cod (Boreogadus saida) in the Barents Sea (F 35)	2.4%	1.6%	1.5%
4018	Feeding area of the Vendace, Least cisco (Coregonus sardinella), Euro-Asian populations (F 20)	5.1%	2.7%	1.4%
4021	Feeding area of the Inconnu (Stenodus leucichthys nelma), Euro-Asian populations (F 22)	3.8%	3.2%	1.4%
4094	Subarctic fish complex of the Barents region	16.5%	3.0%	1.1%
4008	Feeding / nursery area of the Arctic Cisco (Coregonus autumnalis), Eurasian populations (F 14)	2.6%	2.4%	1.1%
4052	Range of the Fourhorn Sculpin (Myoxocephalus quadricornis) (F 45), American populations	31.7%	2.2%	1.1%
4030	Feeding area of the Arctic charr (Salvelinus alpinus), anadromous populations (F28)	2.4%	2.1%	1.1%
5007	Beluga of the Barents-Kara-Laptev Sea stock general distribution	2.8%	1.9%	0.8%
4054	Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), European populations	21.0%	1.5%	0.7%
4006	Feeding/nursery area of the Pacific rainbow smelt (Osmerus dentex) (F12)	3.4%	1.3%	0.7%
2017	Grey seal distribution range	9.1%	1.3%	0.6%
4058	Range of the Arctic flounder (Liopsetta glacialis) (F48)	8.6%	1.1%	0.6%
4027	Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27)	2.4%	1.7%	0.6%
4057	Range of the American Plaice (Hippoglossoides platessoides) (F 47), American populations	14.5%	1.3%	0.5%
4049		6.8%	1.1%	0.5%
3012	Fast ice distribution in the Pechora Sea	6.4%	0.5%	0.5%
4045	Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23)	3.1%	0.5%	0.2%
4003		5.6%	0.5%	0.2%
4017	Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1)	0.7%	0.4%	0.2%
5112	Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ	0.3%	0.3%	0.1%
6028	Glaucous gull (Larus hyperboreus hyperboreus) breeding grounds	0.4%	0.1%	0.1%
4041	Range of the Polar Cod (Boreogadus saida) (F35)	0.5%	0.2%	0.1%
9010	polar bear of the KS (Kara Sea) subpopulation distribution	0.1%	0.1%	0.0%
4046		0.3%	0.0%	0.0%
	I.1.1.3. Shelf plains	0.3%	0.0%	0.0%
7067	I.1.1.4. Shelf troughs	0.1%	0.0%	0.0%

Target Achieve-ment for Region Proportion of Target Amount Propor-Achievement in Region tion in Region CF Name

1009 Atlantic Walrus Summer Distribution in Pechora and Kara region 0.0% 0.0% 0.0%