













Region 9

“ArcNet” scenario 33 achievement for region 9.
Use [Accenter](#) for advanced mode.



Thematic group diversity



CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
8019	East Siberian sea estuaries	90.9%	72.2%	48.1%
7012	East Siberian Sea Kolyma and Chaun refugia, enclaves of the boreal North Pacific fauna	39.0%	30.8%	32.4%
8035	Salt marshes of the East-Siberian Sea LME	14.1%	13.3%	12.6%
7103	II.1.1.12. East Siberian Shelf Coastal domain	44.5%	23.3%	9.4%
6030	Glaucous gull (<i>Larus hyperboreus pallidissimus</i>) breeding grounds	10.9%	1.8%	3.8%
6045	Stellers eider (<i>Polysticta stelleri</i>) Pacific moulting&migration stopovers	3.7%	3.5%	3.5%
7044	Western Chukchi transitional zone	11.3%	4.9%	2.5%
6011	Brent goose (<i>Branta bernicla nigricans</i>) Asian breeding&moulting grounds	6.7%	2.5%	2.3%
3008	Fast ice distribution in the Eastern part of the Laptev Sea and the East-Siberian Sea	19.3%	4.2%	2.0%
3040	Marginal Ice Zone distribution in July in the East-Siberian Sea LME	4.4%	4.4%	1.7%
4092	Estuarine (Indigirka-Kolyma) brackish –water fish complex	16.4%	5.4%	1.7%
4015	Feeding area of the Broad whitefish (<i>Coregonus nasus</i>), American populations (F 19)	2.9%	2.5%	1.6%
2009	Bearded seal whelping areas in the East-Siberian Sea	7.1%	4.7%	1.4%
4033	Feeding area of the Dolly Varden (<i>Salvelinus malma</i>) (F 30)	6.5%	1.3%	1.3%
4010	Feeding area of the Muksun (<i>Coregonus muksun</i>) (F 15)	2.3%	2.3%	1.3%
4014	Feeding area of the Siberian whitefish (<i>Coregonus pidschian</i>) (F 18)	3.1%	2.0%	1.3%
4034	Feeding area of the Taranetz's Char (<i>Salvelinus taranetzi</i>) (F 31)	2.3%	1.4%	1.2%
4018	Feeding area of the Vendace, Least cisco (<i>Coregonus sardinella</i>), Euro-Asian populations (F 20)	2.6%	1.4%	1.0%
4021	Feeding area of the Inconnu (<i>Stenodus leucichthys nelma</i>), Euro-Asian populations (F 22)	1.9%	1.6%	1.0%
7104	II.1.1.13. East Siberian inner shelf	8.5%	2.2%	0.8%
4008	Feeding / nursery area of the Arctic Cisco (<i>Coregonus autumnalis</i>), Eurasian populations (F 14)	1.3%	1.2%	0.8%
4052	Range of the Fourhorn Sculpin (<i>Myoxocephalus quadricornis</i>) (F 45), American populations	15.9%	1.1%	0.8%
4036	Distribution of the Borisov's Arctic cod (<i>Arctogadus borisovi</i>) (F33)	3.6%	1.6%	0.8%
4024	Distribution of the Chum Salmon (<i>Oncorhynchus keta</i>) (F24)	7.7%	0.9%	0.8%
9030	polar bear denning areas of LV (Laptev Sea) subpopulation	0.8%	0.8%	0.8%
6066	Common eider (<i>Somateria mollissima v-nigrum</i>) breeding&moulting grounds	1.1%	1.1%	0.6%
4006	Feeding/nursery area of the Pacific rainbow smelt (<i>Osmerus dentex</i>) (F12)	1.7%	0.6%	0.5%
4077	Fish zoogeography, Arctic Region, High-Arctic Shelf Province, Laptev – East-Siberian District (10D)	2.3%	1.2%	0.5%
4023	Feeding/migration area of the Pink Salmon (<i>Oncorhynchus gorbuscha</i>), native distribution (F23)	4.4%	0.7%	0.4%
4058	Range of the Arctic flounder (<i>Liopsetta glacialis</i>) (F48)	4.2%	0.5%	0.4%
4004	Range of the Pacific Capelin (<i>Mallotus villosus catervarius</i>) (F11)	8.3%	0.6%	0.4%
4070	Local forms of the White-Sea herring (<i>Clupea pallasii</i>) (F8)	0.9%	0.5%	0.3%
4042	Range of the Saffron cod (<i>Eleginus gracilis</i>) (F 36)	2.5%	0.4%	0.2%
4037	Distribution of the Glacial cod (<i>Arctogadus glacialis</i>) (F34)	0.8%	0.2%	0.1%
9012	polar bear of the LV (Laptev Sea) subpopulation distribution	0.3%	0.2%	0.1%
4041	Range of the Polar Cod (<i>Boreogadus saida</i>) (F35)	0.2%	0.1%	0.0%
5112	Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicted by MIZ	0.0%	0.0%	0.0%