










# Region 8

“ArcNet” scenario 33 achievement for region 8.  
Use [Accenter](#) for advanced mode.



Thematic group diversity



CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
7222	Kelp forests of Chaunskaya Bay	294.3%	100.0%	100.0%
7107	II.1.1.16. Chaunskaya Bay	287.1%	100.0%	96.5%
3102	polynya Chukotka	511.2%	96.4%	87.8%
2062	Ringed seal whelping areas in the East-Siberian Se	385.7%	82.7%	63.6%
7012	East Siberian Sea Kolyma and Chaun refugia, enclaves of the boreal North Pacific fauna	65.7%	51.9%	35.3%
8035	Salt marshes of the East-Siberian Sea LME	40.8%	38.7%	15.1%
6105	6105 Urilomviheckeri breeding colonies	23.7%	11.7%	12.1%
3040	Marginal Ice Zone distribution in July in the East-Siberian Sea LME	37.2%	37.2%	11.2%
7044	Western Chukchi transitional zone	44.8%	19.4%	8.5%
9030	polar bear denning areas of LV (Laptev Sea) subpopulation	11.4%	11.3%	7.2%
2009	Bearded seal whelping areas in the East-Siberian Sea	41.6%	27.7%	6.4%
6016	Long-tailed duck (Clangula hyemalis) East Asian moulting&migration stopovers	8.2%	6.0%	6.3%
4026	Feeding/migration area of the Chinook Salmon (Oncorhynchus tshawytscha) (F 26)	80.1%	8.7%	5.9%
4034	Feeding area of the Taranetz's Char (Salvelinus taranetzi) (F 31)	14.4%	8.6%	5.7%
4015	Feeding area of the Broad whitefish (Coregonus nasus), American populations (F 19)	13.9%	11.9%	5.5%
6030	Glaucous gull (Larus hyperboreus pallidissimus) breeding grounds	37.2%	6.3%	5.3%
4033	Feeding area of the Dolly Varden (Salvelinus malma) (F 30)	34.8%	7.2%	5.1%
6011	Brent goose (Branta bernicla nigricans) Asian breeding&moulting grounds	24.4%	9.0%	4.9%
4014	Feeding area of the Siberian whitefish (Coregonus pidschian) (F 18)	15.4%	9.7%	4.5%
4021	Feeding area of the Inconnu (Stenodus leucichthys nelma), Euro-Asian populations (F 22)	10.1%	8.5%	4.0%
3004	Fast Ice distribution in the Chukchi Sea region	36.9%	5.6%	3.7%
4018	Feeding area of the Vendace, Least cisco (Coregonus sardinella), Euro-Asian populations (F 20)	12.6%	6.6%	3.7%
6066	Common eider (Somateria mollissima v-nigrum) breeding&moulting grounds	7.8%	7.6%	3.4%
6100	6100 Risstridactylpollicarius breeding colonies	4.1%	4.1%	3.3%
3008	Fast ice distribution in the Eastern part of the Laptev Sea and the East-Siberian Sea	49.8%	10.7%	3.2%
9004	polar bear of the CS (Chukchi Sea) subpopulation distribution	6.8%	5.8%	3.1%
9022	polar bear denning areas of CS (Chukchi Sea) subpopulation	3.5%	3.4%	3.1%
4052	Range of the Fourhorn Sculpin (Myoxocephalus quadricornis) (F 45), American populations	84.4%	5.8%	3.1%
4024	Distribution of the Chum Salmon (Oncorhynchus keta) (F24)	38.0%	4.5%	2.8%
7105	II.1.1.14. East Siberian middle shelf	38.8%	10.8%	2.8%
6073	King eider (Somateria spectabilis) Pacific moulting&migration stopovers	4.7%	4.1%	2.6%
4036	Distribution of the Borisov's Arctic cod (Arctogadus borisovi) (F33)	16.0%	7.0%	2.5%
4008	Feeding / nursery area of the Arctic Cisco (Coregonus autumnalis), Eurasian populations (F 14)	5.3%	5.0%	2.4%
4077	Fish zoogeography, Arctic Region, High-Arctic Shelf Province, Laptev – East-Siberian District (10D)	15.0%	7.9%	2.3%
5105	Bowhead whale of the Bering-Chukchi-Beaufort population autumn distribution	5.4%	4.2%	2.3%
5052	Gray whale summer feeding areas	3.9%	1.8%	2.3%
8028	intertidal zone of the East-Siberian Sea LME	6.8%	2.4%	2.2%
6103	6103 Urilomviarrbreeding colonies	3.1%	2.3%	2.2%
7080	I.2.1.4. Shelf plains	38.5%	4.4%	2.1%
4070	Local forms of the White-Sea herring (Clupea pallasii) (F8)	5.7%	3.2%	1.8%
4042	Range of the Saffron cod (Eleginus gracilis) (F 36)	23.7%	3.5%	1.7%

CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
4004	Range of the Pacific Capelin ( <i>Mallotus villosus catervarius</i> ) (F11)	48.1%	3.5%	1.7%
1017	Pacific Walrus haulouts	1.7%	1.7%	1.5%
7104	II.1.1.13. East Siberian inner shelf	19.8%	5.1%	1.4%
4006	Feeding/nursery area of the Pacific rainbow smelt ( <i>Osmerus dentex</i> ) (F12)	6.7%	2.5%	1.4%
6079	Thick-billed murre ( <i>Uria lomvia arra</i> ) breeding colonies	1.1%	1.0%	1.4%
3030	Marginal Ice Zone distribution in July in the Chukchi Sea LME	3.3%	2.8%	1.2%
7103	II.1.1.12. East Siberian Shelf Coastal domain	8.2%	4.3%	1.2%
4023	Feeding/migration area of the Pink Salmon ( <i>Oncorhynchus gorbuscha</i> ), native distribution (F23)	16.4%	2.5%	1.1%
9012	polar bear of the LV (Laptev Sea) subpopulation distribution	3.6%	3.0%	1.0%
4058	Range of the Arctic flounder ( <i>Liopsetta glacialis</i> ) (F48)	14.6%	1.9%	1.0%
6048	Black-legged kittiwake ( <i>Rissa tridactyla tridactyla</i> ) breeding colonies	1.4%	1.0%	0.9%
6015	Black guillemot ( <i>Cepphus grylle mandti</i> ) breeding grounds	5.8%	1.2%	0.8%
7077	I.2.1.1. Coastal domain	1.5%	1.4%	0.7%
4037	Distribution of the Glacial cod ( <i>Arctogadus glacialis</i> ) (F34)	5.3%	1.3%	0.6%
1018	Pacific Walrus Summer-Autumn Distribution	1.7%	0.7%	0.6%
2061	Ringed seal circumpolar foraging areas as predicted by MIZ distribution	1.5%	0.8%	0.4%
2045	Ringed seal whelping areas in the Chukchi Sea	1.0%	0.6%	0.4%
2008	Bearded seal whelping areas in the Chukchi Sea	1.0%	0.7%	0.3%
4041	Range of the Polar Cod ( <i>Boreogadus saida</i> ) (F35)	1.6%	0.6%	0.2%
5112	Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicted by MIZ	0.2%	0.2%	0.1%