
Region 20



"ArcNet" scenario 33 achievement for region 20. Use Accenter for advanced mode.



CF	Name	Target Achieve- ment for Region	Proportion of Target Achievement in Region	Amount Propor- tion in Region
6069	King eider (Somateria spectabilis) Atlantic moulting&migration stopovers	156.1%	96.0%	87.1%
7010	SE Pechora Sea area of increased benthic biomass	110.4%	92.3%	84.3%
1009	Atlantic Walrus Summer Distribution in Pechora and Kara region	234.4%	98.7%	83.6%
3012	Fast ice distribution in the Pechora Sea	1096.5%	93.7%	70.5%
7076	I.1.3.4. Estuaries and lagoons	190.3%	87.3%	66.5%
1007	Atlantic Walrus haulouts in Pechora and Kara region	63.4%	61.7%	60.9%
3120	polynya Pechora	413.4%	95.4%	52.9%
7245	Pechora Sea kelp patches (13-14)	85.0%	46.8%	50.0%
4039	Spawning areas of the Polar Cod (Boreogadus saida) in the Barents Sea (F 35)	99.6%	66.8%	49.3%
7049	Pechora Sea - Baidara Bay transitional zone	178.9%	88.3%	46.0%
6020	Long-tailed duck (Clangula hyemalis) North East Atlantic moulting&migration stopovers	56.6%	56.5%	44.9%
6061	Common eider (Somateria mollissima mollissima) SE Barents and Kara Sea breeding&moulting grounds	73.9%	67.5%	43.0%
7241	Kelp forests of South Island of Novaya Zemlya and Matochkin Shar Strait	131.7%	74.1%	42.6%
2041	Ringed seal whelping areas in the Barents Sea	168.5%	71.7%	42.0%
1010	Atlantic Walrus Winter Distribution in Pechora and Kara region	102.3%	67.4%	35.3%
6043	Stellers eider (Polysticta stelleri) Atlantic moulting&migration stopovers	64.9%	45.9%	35.3%
2003		141.0%	61.3%	34.9%
4089	Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic Province, Mesen' – Pechora aquatory of the Barents District	164.3%	73.4%	33.6%
7064	I.1.1.1. Coastal domain in the Barents Sea	390.1%	55.3%	32.0%
4072		222.6%	63.3%	27.7%
4040	Larvae distribution of the Polar Cod (Boreogadus saida) in the Barents Sea (F35)	45.8%	26.3%	22.2%
3117	polynya NZ E	168.3%	70.4%	21.1%
4020	Feeding area of the White-sea vendace (Coregonus sardinella marisalbi) (F21)	81.1%	35.3%	20.9%
8032	Salt marshes of the Barents Sea LME	36.9%	36.7%	19.8%
3014	Fast ice distribution in the Novaya Zemlya region	284.3%	64.2%	19.1%
	Range of Nawaga (Eleginus nawaga) (F37)	152.6%	43.6%	19.0%
	polynya NZ W	153.2%	29.7%	18.4%
3027		111.9%	28.6%	14.3%
6028		86.5%	13.6%	11.2%
4008	Feeding / nursery area of the Arctic Cisco (Coregonus autumnalis), Eurasian populations (F 14)	25.6%	24.0%	10.3%
4094	Subarctic fish complex of the Barents region	162.6%	30.1%	10.1%
3026	Marginal Ice Zone distribution in April in the Barents Sea LME	77.1%	18.3%	9.5%
9028	polar bear denning areas of KS (Kara Sea) subpopulation	15.5%	15.4%	8.8%
3116	polynya Yamal	63.2%	21.7%	8.4%
5007	Beluga of the Barents-Kara-Laptev Sea stock general distribution	30.4%	20.3%	7.7%
8025		16.2%	7.0%	7.6%
	I.1.1.3. Shelf plains	193.1%	15.9%	7.4%
4054	Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), European populations	222.1%	16.2%	6.9%
4052	Range of the Fourhorn Sculpin (Myoxocephalus quadricornis) (F 45), American populations	219.6%	15 <mark>.2%</mark>	6.9%
4014		26.4%	16.7%	6.7%
8016		12.9%	10.6%	6.4%
4006	Feeding/nursery area of the Pacific rainbow smelt (Osmerus dentex) (F12)	33.7%	12.7%	6.3%
4018	Feeding area of the Vendace, Least cisco (Coregonus sardinella), Euro-Asian populations (F 20)	23.9%	12. <mark>5%</mark>	6.0%
4015	Feeding area of the Broad whitefish (Coregonus nasus), American populations (F 19)	16.5%	14 <mark>.1%</mark>	5.7%
7046		31.7%	31.4%	5.5%
. 0 10		31 /0	<u></u>	0.070

CF	Name	Target Achieve- ment for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
4030	Feeding area of the Arctic charr (Salvelinus alpinus), anadromous populations (F28)	12.9%	11.3%	5.3%
4027	Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27)	24.3%	16.6%	5.1%
9010	polar bear of the KS (Kara Sea) subpopulation distribution	17.0%	16.6%	4.8%
4021	Feeding area of the Inconnu (Stenodus leucichthys nelma), Euro-Asian populations (F 22)	13.5%	11. <mark>4%</mark>	4.6%
4057	Range of the American Plaice (Hippoglossoides platessoides) (F 47), American populations	147.4%	13. <mark>3%</mark>	4.6%
4058	Range of the Arctic flounder (Liopsetta glacialis) (F48)	71.7%	9.2%	4.5%
4049	Range of the Haddock (Melanogrammus aeglefinus) (F 42)	68.5%	10. <mark>9%</mark>	4.3%
2020	Harp seal foraging areas in the Barents Sea	14.2%	14 <mark>.2%</mark>	3.5%
7041	South-eastern Barents - White Sea transitional zone	21.9%	7.1 <mark>%</mark>	2.8%
6106	6106 Urilomvilomvibreeding colonies	5.1%	3.7%	2.5%
2011	Bearded seal whelping areas in the Kara Sea	8.9%	8.7 <mark>%</mark>	2.4%
4038	Feeding area of the Polar cod in the Barents Sea (F 35)	8.4%	6.1%	2.3%
4045	Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23)	33.2%	5.4 <mark>%</mark>	2.1%
4003	Range of the Atlantic Capelin (Mallotus villosus) (F10)	63.3%	5.4%	2.0%
6099	6099 Rissa tridactyla tridactyla breeding colonies	2.7%	2.7%	1.8%
4017	Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1)	7.4%	4.3%	1.7%
6049	Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds	5.0%	5.0%	1.7%
6082	Thick-billed murre (Uria Iomvia Iomvia) breeding colonies	2.1%	1.8%	1.6%
6015	Black guillemot (Cepphus grylle mandti) breeding grounds	8.8%	1.9%	1.1%
2049	Ringed seal whelping areas in the Kara Sea	4.4%	2.3%	1.1%
3037	Marginal Ice Zone distribution in July in the Barents Sea LME	3.9%	1.3%	1.1%
5112	Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ	2.6%	2.1%	1.1%
3038	Marginal Ice Zone distribution in July in the Kara Sea LME	3.4%	2.6%	0.9%
4076	Fish zoogeography, Arctic Region, High-Arctic Shelf Province, N Barents – Kara-Sea District	9.1%	2.4%	0.7%
4041	Range of the Polar Cod (Boreogadus saida) (F35)	5.4%	2.0%	0.7%
4010	Feeding area of the Muksun (Coregonus muksun) (F 15)	1.3%	1.3%	0.5%
4046	Range of the Thorny Skate (Amblyraja radiata) (F 3)	6.0%	1.1%	0.4%
7265		5.6%	1.9%	0.3%
7067	•	6.5%	1.0%	0.2%
6047	Black-legged kittiwake (Rissa tridactyla pollicarius) breeding colonies	0.3%	0.3%	0.2%
4061		0.0%	0.0%	0.0%