
Region 38



"ArcNet" scenario 33 achievement for region 38. Use Accenter for advanced mode.



1724 24.1. Sub-the-learned sheep 12.2%	CF	Name	Target Achieve- ment for Region	Proportion of Target Achievement in Region	Amount Propor- tion in Region
Common cider (Somateria mollissima borealis) Iceland 62.8% 60.2% 42.8%	7248	seagrasses of Iceland	159.8%	82.5%	66.7%
tools broadingAmoulting grounds 77.99 cold corates of Icoland and East Groniand 77.19 74.99 39.2% Common cider (Somateria mollissima borealis) lociand wintering grounds 72.00 Kelp forests of Icoland 77.19 17.19 59.79 39.2% 72.00 Kelp forests of Icoland 77.19 17.19 59.79 39.2% 72.00 Spanning areas of the Atlantic herring (Clupea harengun) (F6) 10.90 Spanning areas of the Atlantic herring (Clupea harengun) (F6) 10.91 17.10 59.79 18.28.2% 80.90 Spanning areas of the Atlantic herring (Clupea harengun) (F6) 10.92 18.29 18.29 19	7212	V.2.1. South Iceland shelf and glacial troughs	372.8%	70.6%	48.3%
Common edic (Somalaria mollissima borealis) localand wintering (Supea harrangus) (F6) (17,0% (19,0%) (6060		62.8%	60.2%	42.6%
grounds grounds grounds 1910/85 59.5% 34.9	7054	cold corals of Iceland and East Greenland	77.1%	74.9%	40.0%
April Apri	6054		58.0%	54.9%	39.2%
Long-tailled duck (Clangula hyemalis) Iceland mouthing&migration 46.5% 45.7% 28.2%	7226	Kelp forests of Iceland	171.0%	59.7%	34.9%
5055 Stopovers 49.7% 22.2% 5055 Harbour popoles feeding areas in Iceland 328.4% 51.7% 22.2% 4008 Fish zoogeography, Atlantic Boreal Region, low-boreal district of the provided of the Statent Allantic surfection 284.0% 66.8% 21.9% 6075 Common murre (Urta asige asige) breeding grounds 37.9% 36.0% 21.5% 7213 V.2. South Iceland Slope 105.7% 77.7% 16.5% 5066 Minke whale feeding areas in the Central Atlantic 97.4% 29.2% 13.5% 5066 Minke whale feeding areas in the Central Atlantic 57.2% 33.6% 13.1% 6076 File zoogeography, Archor Region, Subarctic Transitional-Atlantic 52.2% 33.6% 13.1% 6077 Subarctic Region Subarctic Transitional-Atlantic 52.2% 33.6% 13.1% 6078 File zoogeography, Archor Region, Subarctic Transitional-Atlantic 52.2% 33.6% 13.1% 6078 File zoogeography, Archor Region 17.2% 14.8% 12.2% 6078 File zoogeography, Archor Region 18.1% <t< td=""><td>4069</td><td>Spawning areas of the Atlantic herring (Clupea harengus) (F6)</td><td>442.1%</td><td>66.3%</td><td>29.7%</td></t<>	4069	Spawning areas of the Atlantic herring (Clupea harengus) (F6)	442.1%	66.3%	29.7%
Fish zoogoography, Allantic Boreal Region, low-boreal district of 284.0% 68.8% 21.9% 21.5%	6086		46.5%	45.7%	28.2%
the Eastern Attantic subregion 6075 Common murre (Uria aalge aalge) breeding grounds 6075 Common murre (Uria aalge aalge) breeding grounds 6076 Common murre (Uria aalge aalge) breeding grounds 6076 Common murre (Uria aalge aalge) breeding grounds 6076 Minke whale feeding areas in the Central Atlantic 6076 Minke whale feeding areas in the Central Atlantic 6077 Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic 6077 Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic 6078 Black-legged kittiwake (Rissa tridactyla polilicarius) breeding 6079 Colonies 6101 Grey seal distribution range 6101 G101 Uriaalge aelge breeding colonies 6107 Grey seal distribution range 6103 G107 Grey seal distribution range 6104 G107 Grey seal distribution range 6105 G107 Grey seal distribution range 6106 Migration area of European Eel (Angullia angulla) (F5): 6107 Grey seal distribution range 6108 Migration area of European Eel (Angullia angulla) (F5): 6108 Migration area of European Eel (Angullia angulla) (F5): 6109 Humpback whale summer feeding areas in the East Greenland and West leaden 6109 Fin whale summer feeding areas in the East Greenland and West leaden 6108 Willier whale summer feeding areas in the North East Atlantic 6108 Willier whale summer feeding areas in the North East Atlantic 6108 Uritionwilormubreeding colonies 7.0% 5.1% 3.8% 6.6% 6108 G108 Uritionwilormubreeding colonies 7.0% 5.1% 3.5% 6.7% 3.2% 6.6% 6.9% 6.99 Range of the Shorthom Sculpin (Myxocoephalus scorpius) (F 46), 6.9% 6109 G109 Rissa tridactyla breeding colonies 7.0% 5.1% 3.5% 6.5% 6.5% 6.5% 6.5% 6.5% 6.5% 6.5% 6	5055	Harbour porpoise feeding areas in Iceland	328.4%	51.7%	22.9%
7029 Iceland region 110.8% 49.9% 19.3% 7213 V.2.2. South Iceland slope 105.7% 77.7% 16.5% 5066 Minke whale feeding areas in the Central Atlantic 97.4% 29.2% 13.5% 4086 Fish zoogeography. Arctic Region. Subarctic Transitional-Atlantic Province, Iceland District 55.2% 33.6% 13.3% 6047 Black-legged kittwake (Rissa tridactyla polikicarius) breeding colonies 27.9% 18.7% 11.8% 6101 Glori Unfaelge adge breeding colonies 27.9% 19.7% 11.8% 28.8% 6101 Grey seal distribution range 164.3% 23.1% 11.8% 29.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 11.1% 50.9% 12.1% 6.8% 50.9% 12.	4082		284.0%	68.8%	21.9%
105.7% 17.7% 16.8%	6075	Common murre (Uria aalge aalge) breeding grounds	37.9%	36.0%	21.5%
5066 Minke whale feeding areas in the Central Atlantic 97.4% 29.2% 13.5% 4086 Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic Province, Iceland District 55.2% 33.6% 13.1% 6047 Black-legged kithwake (Rissa tiridactyla pollicarius) breeding colonies 17.2% 14.8% 12.8% 6101 Grey seal distribution range 164.3% 23.1% 11.8% 7209 V.1.1.1. North Iceland medium and low profile shelf 67.2% 30.9% 11.1% 5098 White-beaked dolphin feeding area in the Central North Atlantic 64.2% 21.2% 8.6% 4088 Migration area of European Eel (Anguilla anguilla) (F5): 29.3% 16.0% 7.5% 5059 Humpback whale summer feeding areas in the East Greenland and West Iceland 52.9% 17.8% 7.5% 5044 Fin whale summer feeding areas in the North East Allantic 98.2% 16.1% 6.5% 5037 Blue whale summer feeding areas in the North East Allantic 98.2% 16.1% 6.5% 5038 Blue whale summer feeding areas in the North East Allantic 17.4% 13.2% 6.5% 5037 Blue whale summer feeding areas in the North East Allantic 17.5% 15.1% 6.5%	7029	Iceland region	110.8%	49.9%	19.1%
Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic 55.2% 33.6% 13.3%	7213	·		77.7%	
Province, Icoland District So.2m So.8m	5066	-	97.4%	29.2%	13.5%
17.2% 18.2% 12.2% 18.2% 12.2% 18.2% 12.2% 18.2% 12.2% 18.2% 12.2% 18.2% 18.2% 12.2% 18.2	4086	Province, Iceland District	55.2%	33.6%	13.1%
2017 Grey seal distribution range 164.3% 23.1% 11.4% 14.5% 27.20% 11.1 North Iceland medium and low profile shelf 67.2% 30.9% 11.1% 30.9% 11.1% 30.9% 11.1% 30.9%	6047	· · · · · · · · · · · · · · · · · ·	17.2%	14.8%	12.8%
7209 V.1.1.1. North Iceland medium and low profile shelf 67.2% 30.9% 11.1% 5098 White-beaked dolphin feeding area in the Central North Atlantic 64.2% 21.2% 8.6% 4088 Migration area of European Eel (Anguilla anguilla) (F5): 29.3% 16.0% 7.9% 5059 Humpback whale summer feeding areas in the Eastern Greenland and Celand 52.9% 17.8% 7.5% 5048 Fin whale summer feeding areas in the East Greenland and West Iceland 21.9% 21.8% 6.8% 5064 Killer whale summer feeding areas in the North East Atlantic 96.2% 16.1% 6.5% 50720 V.1.1. North Iceland shelf 31.8% 21.0% 6.0% 5037 Blue whale summer feeding areas in the Northeast Atlantic 17.4% 13.2% 5.1% 6106 Uniform/iom/ibreeding colonies 7.0% 5.1% 3.8% 4058 European populations 7.0% 5.1% 3.8% 4059 Feeding area of the Arctic charr (Salvelinus alpinus), anadromous populations (F28) 7.6% 6.7% 3.2% 6099 Rissa tridactyla tridactyla breeding colonies 4.1% 4.1% 3.1% 4027 Feeding/migration area of the Atlantic salmon (Salmo salar) American popu	6101				
5098 White-beaked dolphin feeding area in the Central North Atlantic 64.2% 21.2% 8.6% 4068 Migration area of European Eel (Anguilla anguilla) (F5): 29.3% 16.0% 7.9% 5059 Humback whale summer feeding areas in the Eastern Greenland and Iceland 52.9% 17.8% 7.5% 5048 Fin whale summer feeding areas in the East Greenland and West Iceland 21.9% 21.8% 6.8% 5064 Killer whale summer feeding areas in the North East Atlantic 96.2% 16.1% 6.5% 7208 V.1.1. North Iceland shelf 31.8% 21.0% 6.0% 5077 Blue whale summer feeding areas in the Northeast Atlantic 17.4% 13.2% 5.1% 6106 6106 Urilomvilomvibreeding colonies 7.0% 5.1% 3.8% 4054 European populations 46), European populations 7.6% 6.7% 3.5% 4009 Googa Rissa tridactyla tridactyla breeding colonies 4.1% 4.1% 3.1% 4027 American populations (F27) 12.4% 8.5% 2.9% 6076 Common murre (Uria aalge aalge) wintering grounds 12.2% 6.5% 2.5% 2079 Harbour seal range in the North Atlantic region 34.0%					
4068 Migration area of European Eel (Anguilla anguilla) (F5): 29,3% 16,0% 7.9% 5059 Humpback whale summer feeding areas in the Eastern Greenland and Lealand 52,9% 17,8% 7.5% 5048 Fin whale summer feeding areas in the East Greenland and West Iceland 21,9% 21,8% 6.8% 5046 Killer whale summer feeding areas in the North East Atlantic 96,2% 16,1% 6.5% 7208 V.1.1. North Iceland shelf 31,8% 21,0% 6.0% 5037 Blue whale summer feeding areas in the Northeast Atlantic 17,4% 13,2% 5.1% 6106 6106 Uniomvilomvibreeding colonies 7.0% 5.1% 3.8% 4054 Range of the Shorthom Sculpin (Myoxocephalus scorpius) (F 46), European populations 102,5% 7.5% 3.5% 4054 Range of the Arctic charr (Salvelinus alpinus), anadromous populations (F28) 7.6% 6.7% 3.2% 6099 Fissa tridactyla tridactyla breeding colonies 4.1% 4.1% 3.1% 4077 Feeding/migration area of the Atlantic region 34,0% 5.5% 2.5% 2094		·			
Humpback whale summer feeding areas in the Eastern Greenland and Iceland 17.8% 17.8% 17.8% 17.8% 17.8% 17.8% 18.8% 1					
South Celein South Sou		Humpback whale summer feeding areas in the Eastern Greenland			_
Coleiand		Fin whale summer feeding areas in the East Greenland and West			_
7208 V.1.1. North Iceland shelf 31.8% 21.0% 6.0% 5037 Blue whale summer feeding areas in the Northeast Atlantic 17.4% 13.2% 5.1% 6106 6106 Urilomvilomvibreeding colonies 7.0% 5.1% 3.8% 4054 Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46). European populations 102.5% 7.5% 3.5% 4030 Feeding area of the Arctic charr (Salvelinus alpinus), anadromous populations (F28) 7.6% 6.7% 3.2% 6099 6099 Rissa tridactyla tridactyla breeding colonies 4.1% 4.1% 4.1% 3.1% 4027 Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27) 12.4% 8.5% 2.9% 407 American populations (F27) 12.4% 8.5% 2.5% 2019 Harbour seal range in the North Atlantic region 34.0% 5.2% 2.5% 2019 Harbour seal range in the North Atlantic region 34.0% 5.2% 2.4% 4057 Range of the American Polaticalitions 6.3.2% 5.7% 2.2% 4049 Range of the In					
5037 Blue whale summer feeding areas in the Northeast Atlantic 17.4% 13.2% 5.1% 6106 6106 Urilomvilomvibreeding colonies 7.0% 5.1% 3.8% 4054 Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), European populations 102.5% 7.5% 3.5% 4030 Feeding area of the Arctic charr (Salvelinus alpinus), anadromous populations (F28) 7.6% 6.7% 3.2% 6099 6099 Rissa tridactyla tridactyla breeding colonies 4.1% 4.1% 3.1% 4027 Feeding/migration area of the Atlantic salmon (Salmo salar) 12.4% 8.5% 2.9% 6076 Common murre (Uria aalge aalge) wintering grounds 12.2% 6.5% 2.5% 2019 Harbour seal range in the North Atlantic region 34.0% 5.2% 2.4% 4057 Range of the American Plaice (Hippoglossoides platessoides) (F 63.2% 5.7% 2.2% 4049 Range of the Haddock (Melanogrammus aeglefinus) (F 42) 31.3% 5.0% 2.1% 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 6.7% 5.6% 2.1%					
6106 6106 Urilomvilomvibreeding colonies 7.0% 5.1% 3.8% 4054 Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), European populations 7.5% 3.5% 4030 Feeding area of the Arctic charr (Salvelinus alpinus), anadromous populations (F28) 7.6% 6.7% 3.2% 6099 6099 Rissa tridactyla tridactyla breeding colonies 4.1% 4.1% 3.1% 4027 Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27) 12.4% 8.5% 2.9% 6076 Common murre (Uria aalge aalge) wintering grounds 12.2% 6.5% 2.5% 2019 Harbour seal range in the North Atlantic region 34.0% 5.2% 2.4% 4057 Range of the American Plaice (Hippoglossoides platessoides) (F47), American populations 63.2% 5.7% 2.2% 4049 Range of the Haddock (Melanogrammus aeglefinus) (F 42) 31.3% 5.0% 2.1% 6049 Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds 6.7% 5.6% 2.1% 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 6.7% 5.4% <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), European populations Feeding area of the Arctic charr (Salvelinus alpinus), anadromous populations (F28) Feeding area of the Arctic charr (Salvelinus alpinus), anadromous populations (F28) Feeding Argingration area of the Atlantic salmon (Salmo salar) Autor Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27) Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27) American populations (F27) Feeding/migration area of the North Atlantic region Feeding/migration area of the Salmon (Oncorhynchus gorbuscha), native distribution (F23) Feeding/migration area of the Greenland Shark (Somniosus microcephalus) (F1) Feeding/migration area of the Greenland Shark (Somniosus microcephalus) (F1) Feeding/migration area of the Greenland Shark (Somniosus microcephalus) (F1)					
Feeding area of the Arctic charr (Salvelinus alpinus), anadromous populations (F28) 6099 6099 Rissa tridactyla tridactyla breeding colonies 4.1% 4.1% 4.1% 4.1% 3.1% 4027 Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27) 6076 Common murre (Uria aalge aalge) wintering grounds 12.2% 6.5% 2.9% 4079 Harbour seal range in the North Atlantic region 4057 Range of the American Plaice (Hippoglossoides platessoides) (F 47), American populations 4048 Range of the Haddock (Melanogrammus aeglefinus) (F 42) 6049 Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 6024 Thick-billed murre (Uria lomvia lomvia) breeding colonies 7.6% 6032 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 6032 Thick-billed murre (Uria lomvia lomvia) breeding colonies 7.6% 6032 Thick-billed murre (Uria lomvia lomvia) breeding colonies 7.6% 6033 Thick-billed murre (Uria lomvia lomvia) wintering grounds 7.6% 7.6% 7.6% 7.7% 7.7% 7.7% 7.7% 7.7%		Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46),			
6099 6099 Rissa tridactyla tridactyla breeding colonies 4.1% 4.1% 3.1% 4027 Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27) 5076 Common murre (Uria aalge aalge) wintering grounds 12.2% 6.5% 2.5% 2019 Harbour seal range in the North Atlantic region 34.0% 5.2% 2.4% 4057 Range of the American Plaice (Hippoglossoides platessoides) (F 47), American populations 477), American populations 4049 Range of the Haddock (Melanogrammus aeglefinus) (F 42) 31.3% 5.0% 2.1% 6049 Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds 5.6% 5.6% 5.6% 2.1% 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 6.7% 5.4% 1.5% 1.4% 6002 Little Auk (Alle alle alle) winetring grounds 4.8% 3.3% 1.3% 4045 Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23) 1.0% 8083 Thick-billed murre (Uria lomvia lomvia) wintering grounds 3.7% 2.6% 1.0% 8083 Thick-billed murre (Uria lomvia lomvia) wintering grounds 3.7% 2.6% 1.0% 8083 Thick-billed murre (Uria lomvia lomvia) wintering grounds 3.7% 2.6% 1.0% 8083 Thick-billed murre (Uria lomvia lomvia) wintering grounds 3.7% 2.6% 1.0% 8083 Thick-billed murre (Uria lomvia lomvia) wintering grounds 3.7% 2.6% 1.0% 8083 Thick-billed murre (Uria lomvia lomvia) wintering grounds 3.7% 2.6% 1.0% 8083 Thick-billed murre (Uria lomvia lomvia) wintering grounds 3.7% 2.6% 1.0% 8083 Feeding/ migration area of the Greenland Shark (Somniosus 8.7% 8.2% 0.9% 80.	4030	Feeding area of the Arctic charr (Salvelinus alpinus), anadromous	7.6%	6.7%	3.2%
Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27) 6076 Common murre (Uria aalge aalge) wintering grounds 12.2% 6.5% 2.5% 2019 Harbour seal range in the North Atlantic region Range of the American Plaice (Hippoglossoides platessoides) (F 47), American populations 4049 Range of the Haddock (Melanogrammus aeglefinus) (F 42) 8lack-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds 6049 Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 6082 Thick-billed murre (Uria lomvia lomvia) breeding colonies 1.7% 6082 Little Auk (Alle alle alle) winetring grounds 4.8% 3.3% 4045 Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23) 6083 Thick-billed murre (Uria lomvia lomvia) wintering grounds 3.7% 2.6% 1.0% 4059 Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49) 4017 Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1)	6000				_
6076 Common murre (Uria aalge aalge) wintering grounds 2019 Harbour seal range in the North Atlantic region 34.0% 5.2% 2.4% 4057 Range of the American Plaice (Hippoglossoides platessoides) (F 47), American populations 4049 Range of the Haddock (Melanogrammus aeglefinus) (F 42) 31.3% 5.0% 2.1% 6049 Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 6082 Thick-billed murre (Uria lomvia lomvia) breeding colonies 7.7% 6082 Little Auk (Alle alle alle) winetring grounds 6083 Thick-billed murre (Uria lomvia lomvia) breeding colonies 6083 Thick-billed murre (Uria lomvia lomvia) wintering grounds 6084 Thick-billed murre (Uria lomvia lomvia) wintering grounds 6085 Thick-billed murre (Uria lomvia lomvia) wintering grounds 6086 Thick-billed murre (Uria lomvia lomvia) wintering grounds 6087 Thick-billed murre (Uria lomvia lomvia) wintering grounds 6088 Thick-billed murre (Uria lomvia lomvia) wintering grounds 6089 Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 6080 49) 6080 2080 2.4% 6081 Thick-billed murre (Uria lomvia lomvia) wintering grounds 6083 Thick-billed murre (Uria lomvia lomvia) wintering grounds 6084 2.4% 6085 Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 6080 2.4%		Feeding/migration area of the Atlantic salmon (Salmo salar)			_
2019 Harbour seal range in the North Atlantic region Range of the American Plaice (Hippoglossoides platessoides) (F 47), American populations Range of the Haddock (Melanogrammus aeglefinus) (F 42) Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds Columbia Atlantic puffin (Fratercula arctica naumanni) wintering grounds Columbia Thick-billed murre (Uria lomvia lomvia) breeding colonies Little Auk (Alle alle alle) winetring grounds Little Auk (Alle alle alle) winetring grounds Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23) Thick-billed murre (Uria lomvia lomvia) wintering grounds Thick-billed murre (Uria lomvia lomvia) wintering grounds Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 29.0% 2.2% 2.4% 1.0% Peeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1)	6076	, ,	12.20/	6 E <mark>9</mark> /	2.5%
Range of the American Plaice (Hippoglossoides platessoides) (F 47), American populations Range of the Haddock (Melanogrammus aeglefinus) (F 42) Range of the Haddock (Melanogrammus aeglefinus) (F 42) Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds Range of the Haddock (Melanogrammus aeglefinus) (F 42) Black-legged kittiwake (Rissa tridactyla tridactyla) wintering founds Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 2.1% Range of the American Plaice (Hippoglossoides) (F 2.2% Range of the American Plaice (Hippoglossoides) (F 29.0% Range of the American Plaice (Hippoglossoides) (F 29.0% Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 29.0% Reding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1)		, , , , , , , , , , , , , , , , , , , ,			
Range of the Haddock (Melanogrammus aeglefinus) (F 42) 31.3% 5.0% 2.1% Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds 5.6% 5.6% 2.1% 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 6.7% 5.4% 1.9% 6082 Thick-billed murre (Uria lomvia lomvia) breeding colonies 1.7% 1.5% 1.4% 6002 Little Auk (Alle alle alle) winetring grounds 4.8% 3.3% 1.3% 6003 Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23) 15.4% 2.5% 1.1% 6003 Thick-billed murre (Uria lomvia lomvia) wintering grounds 3.7% 2.6% 1.0% 6003 Thick-billed murre (Uria lomvia lomvia) wintering grounds 3.7% 2.6% 1.0% 6003 Thick-billed murre (Uria lomvia lomvia) wintering grounds 3.7% 2.6% 1.0% 6005 Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 3.7% 2.2% 0.9%		Range of the American Plaice (Hippoglossoides platessoides) (F			
Black-legged kittiwake (Rissa tridactyla) wintering grounds 5.6% 5.6% 5.6% 6023 Atlantic puffin (Fratercula arctica naumanni) wintering grounds 6.7% 6082 Thick-billed murre (Uria lomvia lomvia) breeding colonies 1.7% 6002 Little Auk (Alle alle alle) winetring grounds 4.8% 3.3% 1.3% 4045 Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23) 6083 Thick-billed murre (Uria lomvia lomvia) wintering grounds 4059 Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 4017 Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 3.7% 2.2% 0.9%	4049	<i>,</i>	31.3%	5.0%	2 1%
Atlantic puffin (Fratercula arctica naumanni) wintering grounds 6.7% 5.4% 1.9% Thick-billed murre (Uria lomvia lomvia) breeding colonies 1.7% 1.5% 1.4% 6002 Little Auk (Alle alle alle) winetring grounds 4.8% 3.3% 1.3% Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23) Thick-billed murre (Uria lomvia lomvia) wintering grounds 7.7% 8.7% 8.7% 9.0% 1.1% 1.1% 1.0%		Black-legged kittiwake (Rissa tridactyla tridactyla) wintering			_
Thick-billed murre (Uria lomvia lomvia) breeding colonies Little Auk (Alle alle alle) winetring grounds 4.8% 3.3% 1.3% Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23) Thick-billed murre (Uria lomvia lomvia) wintering grounds 7.5% 1.1% 1.4% 2.5% 1.1% 2.5% 1.1% 2.6% 1.0% Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49) Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 3.7% 2.2% 0.9%	6023		6.7%	5.4%	1.9%
Little Auk (Alle alle alle) winetring grounds 4.8% 3.3% 1.3% 4045 Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23) 6083 Thick-billed murre (Uria lomvia lomvia) wintering grounds 7.5% 8.6% 1.1% 4059 Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49) 4017 Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 3.7% 3.8% 2.5% 1.1% 2.5% 1.0% 2.4% 1.0%		, , ,			
Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23) Thick-billed murre (Uria lomvia lomvia) wintering grounds Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F49) Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1)		· · · · · · · · · · · · · · · · · · ·			
Thick-billed murre (Uria Iomvia Iomvia) wintering grounds 3.7% 2.6% 1.0% Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49) Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 3.7% 2.6% 2.6% 2.6% 1.0% 2.4% 1.0%	4045	Feeding/migration area of the Pink Salmon (Oncorhynchus			
Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 29.0% 2.4% 1.0% 49) Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 3.7% 2.2% 0.9%	6083		3.7%	2.6%	1.0%
Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1) 3.7% 2.2% 0.9%		Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F			•
	4017	Feeding/ migration area of the Greenland Shark (Somniosus	3.7%	2.2%	0.9%
	4003		26.6%	2.2%	0.9%

CF	Name	Target Achieve- ment for Region	Proportion of Target Achievement in Region	Amount Propor- tion in Region
6029	Glaucous gull (Larus hyperboreus euceretes) breeding grounds	5.2%	1.2%	0.9%
4046	Range of the Thorny Skate (Amblyraja radiata) (F 3)	9.8%	1.8%	0.8%
3024	Marginal Ice Zone distribution in April in the Iceland LME	0.6%	0.4%	0.1%
4085	Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic Province, Labrador – S Greenland District	0.6%	0.1%	0.1%
4037	Distribution of the Glacial cod (Arctogadus glacialis) (F34)	0.1%	0.0%	0.0%
4032	Range of the Arctic skate (Amblyraja hyperborea) (F2)	0.1%	0.0%	0.0%