











Region 30

“ArcNet” scenario 33 achievement for region 30.
Use [Accenter](#) for advanced mode.



Thematic group diversity



CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
7238	Kelp forests of Spitsbergen	316.7%	100.0%	100.0%
2051	Ringed seal whelping areas in the Spitsbergen region	555.6%	100.0%	100.0%
5028	Beluga of the Svalbard stock summer core distribution	169.2%	100.0%	100.0%
2039	Ringed seal foraging areas in the Spitsbergen region	541.3%	99.9%	99.9%
8044	Spitsbergen glacial termini	327.2%	99.5%	98.5%
6033	Little auk (Alle alle alle) breeding colonies in Spitsbergen	176.8%	97.4%	96.4%
6042	Ivory gull (Pagophila eburnea) Spitsbergen breeding colonies	144.1%	99.8%	95.7%
3121	polynya Svalbard	778.4%	97.3%	95.1%
3015	Fast ice distribution in the Spitsbergen region	1528.9%	97.9%	95.0%
5027	Beluga of the Svalbard stock summer distribution	258.3%	98.2%	94.9%
6056	Common eider (Somateria mollissima borealis) Spitsbergen breeding&moulting grounds	164.3%	94.2%	92.6%
2018	Harbour seal whelping and moulting areas in Spitsbergen region	213.1%	94.3%	76.7%
1008	Atlantic Walrus haulouts in Spitsbergen and FJL region	92.3%	79.9%	76.5%
6098	6098 PagophileburneSvalbard breeding colonies	164.6%	96.1%	72.6%
6022	Atlantic puffin (Fratercula arctica naumanni) breeding colonies	97.5%	73.9%	71.3%
6093	6093 Little auk breeding colonies of A. alle alle Svalbard	171.8%	80.4%	63.4%
2015	Bearded seal whelping areas in Spitsbergen region	318.1%	80.9%	58.8%
7053	cold corals of the High Arctic	77.0%	58.1%	50.0%
1005	Atlantic Walrus Winter Distribution in Spitsbergen and FJL region	157.6%	60.9%	44.7%
6082	Thick-billed murre (Uria lomvia lomvia) breeding colonies	59.5%	50.7%	43.6%
6090	6090 Fratercularcticnaumanni breeding colonies	74.8%	47.4%	36.9%
3037	Marginal Ice Zone distribution in July in the Barents Sea LME	147.2%	49.3%	35.9%
6009	Brent goose (Branta bernicla hrota) Greenland, Svalbard and FJL breeding&moulting grounds	180.8%	33.5%	33.8%
9003	polar bear of the BS (Barents Sea) subpopulation distribution	118.7%	57.8%	32.5%
1006	Atlantic Walrus Summer Distribution in Spitsbergen and FJL region	109.7%	59.1%	31.0%
7056	cold seeps and mud vulcanoes	36.0%	34.4%	28.6%
6047	Black-legged kittiwake (Rissa tridactyla pollicarius) breeding colonies	39.1%	33.7%	25.6%
7070	I.1.2.1. Barents western slope	132.5%	62.4%	22.9%
5045	Bowhead whale of the Spitsbergen population core distribution	25.9%	25.9%	19.8%
4039	Spawning areas of the Polar Cod (Boreogadus saida) in the Barents Sea (F 35)	40.3%	27.1%	19.7%
5051	Fin whale summer feeding areas in Norway	72.0%	52.6%	19.5%
5061	Humpback whale summer feeding areas in Norway	150.0%	41.9%	18.5%
7072	I.1.2.3. Slope canyons	68.4%	49.0%	17.3%
4001	Arctic fish complex of the Barents region	273.9%	49.8%	17.0%
7071	I.1.2.2. Barents - Kara northern slope	47.1%	46.5%	16.6%
7066	I.1.1.3. Shelf plains	425.0%	35.0%	16.1%
3026	Marginal Ice Zone distribution in April in the Barents Sea LME	124.8%	29.6%	15.3%
4090	Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic Province, Euro-Asian Bathyal District	89.1%	49.6%	14.7%
5067	Minke whale feeding areas in the Northeast Atlantic	117.7%	36.3%	14.4%
7252	7252 I 1 1 5 1	19.4%	18.2%	13.6%
4040	Larvae distribution of the Polar Cod (Boreogadus saida) in the Barents Sea (F35)	26.1%	15.0%	13.1%
9038	polar bear denning areas of BS (Barents Sea) subpopulation	23.9%	15.3%	12.8%
6028	Glaucous gull (Larus hyperboreus hyperboreus) breeding grounds	98.8%	15.5%	12.1%
4038	Feeding area of the Polar cod in the Barents Sea (F 35)	46.8%	33.8%	11.6%
7190	VI.2. Gakkel Ridge and Ermak Plateau VI.2.1. Plateaus	22.3%	22.1%	11.1%
6106	6106 Urilomvilomvibreeding colonies	22.2%	16.3%	10.9%
6099	6099 Rissa tridactyla tridactyla breeding colonies	16.2%	16.2%	10.8%
5099	White-beaked dolphin feeding area in the Eastern North Atlantic	83.9%	30.2%	10.2%
5037	Blue whale summer feeding areas in the Northeast Atlantic	39.2%	29.8%	10.0%
2036	Ringed seal foraging areas in the Beaufort Sea	34.4%	15.2%	8.5%
6040	Ivory gull (Pagophila eburnea) postbreeding grounds in the Barents and the Kara Sea	30.9%	14.5%	6.9%

CF	Name	Target Achievement for Region	Proportion of Target Achievement in Region	Amount Proportion in Region
4057	Range of the American Plaice (<i>Hippoglossoides platessoides</i>) (F 47), American populations	216.7%	19.6%	6.7%
6015	Black guillemot (<i>Cephus grylle mandti</i>) breeding grounds	50.1%	10.8%	6.2%
4054	Range of the Shorthorn Sculpin (<i>Myoxocephalus scorpius</i>) (F 46), European populations	182.5%	13.3%	5.7%
3055	Multiyear Ice distribution in September in the Barents Sea LME	30.2%	10.0%	5.6%
7025	Eurasian bathyal region	50.9%	13.6%	5.4%
5112	Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicted by MIZ	12.1%	9.9%	5.0%
7068	I.1.1.5.1. Shallow (< 100 m) shelf banks	52.8%	7.5%	4.9%
4076	Fish zoogeography, Arctic Region, High-Arctic Shelf Province, N Barents – Kara-Sea District	62.8%	16.2%	4.6%
6004	Little Auk (<i>Alle alle polaris</i>) wintering grounds	20.5%	11.4%	3.8%
4094	Subarctic fish complex of the Barents region	61.7%	11.4%	3.8%
5046	Bowhead whale of the Spitsbergen population home range	18.9%	18.8%	3.7%
4087	Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic Province, Murman – Spitsbergen aquatory of the Barents District	17.6%	11.0%	3.5%
4046	Range of the Thorny Skate (<i>Amblyraja radiata</i>) (F 3)	45.2%	8.5%	3.4%
4049	Range of the Haddock (<i>Melanogrammus aeglefinus</i>) (F 42)	51.2%	8.1%	3.2%
7067	I.1.1.4. Shelf troughs	94.9%	15.2%	3.0%
4045	Feeding/migration area of the Pink Salmon (<i>Oncorhynchus gorbuscha</i>), native distribution (F23)	49.2%	8.0%	3.0%
4059	Range of the Greenland Halibut (<i>Reinhardtius hippoglossoides</i>) (F 49)	95.0%	8.0%	2.9%
4030	Feeding area of the Arctic charr (<i>Salvelinus alpinus</i>), anadromous populations (F28)	6.9%	6.0%	2.8%
4017	Feeding/ migration area of the Greenland Shark (<i>Somniosus microcephalus</i>) (F1)	12.0%	7.0%	2.7%
4003	Range of the Atlantic Capelin (<i>Mallotus villosus</i>) (F10)	82.2%	6.9%	2.5%
6096	6096 PagophileburneFJL breeding colonies	4.9%	3.9%	2.2%
4032	Range of the Arctic skate (<i>Amblyraja hyperborea</i>) (F2)	61.7%	4.7%	1.9%
4037	Distribution of the Glacial cod (<i>Arctogadus glacialis</i>) (F34)	20.2%	4.9%	1.9%
2020	Harp seal foraging areas in the Barents Sea	5.3%	5.3%	1.3%
4041	Range of the Polar Cod (<i>Boreogadus saida</i>) (F35)	9.9%	3.8%	1.2%
2061	Ringed seal circumpolar foraging areas as predicted by MIZ distribution	3.8%	2.0%	0.9%
4096	Range of the Glacial eelpout (<i>Lycodes frigidus</i>)	10.8%	2.8%	0.7%
4027	Feeding/migration area of the Atlantic salmon (<i>Salmo salar</i>) American populations (F27)	2.4%	1.6%	0.5%
4079	Fish zoogeography, Arctic Region, Arctic Abyssal Province (11A - Scandian, 11B - Central-Arctic and 11C - Baffin Deep-sea Districts)	10.4%	1.8%	0.4%
5113	Sperm whale summer feeding areas in Atlantic	1.3%	1.1%	0.2%
9006	polar bear of the EG (East Greenland) subpopulation distribution	0.6%	0.3%	0.2%
3025	Marginal Ice Zone distribution in April in the Greenland Sea LME	0.5%	0.5%	0.2%
7173	VII.1.3. Abyssal hills	0.9%	0.3%	0.1%
7174	VII.1.4. Abyssal mountains	0.5%	0.3%	0.1%
3036	Marginal Ice Zone distribution in July in the Greenland Sea LME	0.4%	0.1%	0.1%
7265	Barents and Kara Sea Throughs	0.3%	0.1%	0.0%
3054	Multiyear Ice distribution in September in the Greenland Sea LME	0.1%	0.0%	0.0%
7194	VI.2.6. Rift valleys	0.0%	0.0%	0.0%
2059	Harp seal foraging areas in Greenland as predicted by MIZ distribution	0.0%	0.0%	0.0%
7017	Amundsen and Nansen Basins abyssal region	0.0%	0.0%	0.0%