
Region 44



"ArcNet" scenario 33 achievement for region 44. Use Accenter for advanced mode.



CF	Name	Target Achie- vement for Region	Proportion of Target Achievement in Region	Amount Pro- portion in Region
7260	7260 4 1 1 2	142.9%	100.0%	100.0%
5068	Minke whale feeding areas in the Western Atlantic	799.7%	99.7%	98.1%
7259	7259 4 1 1 1	139.7%	97.8%	97.8%
7152	III.4.1. Southwest Greenland shelf	693.2%	97.7%	85.1%
5056	Harbour porpoise summer feeding areas in West Greenland	640.3%	96.9%	81.6%
6019	Long-tailed duck (Clangula hyemalis) Greenland wintering grounds	95.1%	94.7%	80.0%
7154	III.4.1.2. SW Greenland glacial troughs	468.4%	81.0%	79.1%
5100	White-beaked dolphin feeding area in the Western North Atlantic	595.5%	94.2%	78.1%
7153	III.4.1.1. SW Greenland medium and low profile shelf	657.0%	93.4%	77.4%
5040	,	95.3%	94.8%	69.2%
6059	Common eider (Somateria mollissima borealis) West Greenland wintering grounds	97.5%	96.3%	69.1%
3123	polynya Greenland W	562.1%	93.9%	68.0%
6055	Common eider (Somateria mollissima borealis) NE Canada wintering grounds	84.4%	84.1%	58.5%
6071	King eider (Somateria spectabilis) Canadian moulting&migration stopovers	93.8%	74.4%	47.4%
3021	Marginal Ice Zone distribution in April in the Baffin Bay LME	379.8%	58.5%	46.4%
7243	Kelp forests of western Greenland	143.2%	86.6%	46.1%
5006	Beluga of the Baffin Bay winter distribution	87.8%	44.9%	42.5%
6058	Common eider (Somateria mollissima borealis) West Greenland breeding&moulting grounds	56.8%	56.5%	41.4%
	cold corals of Canada and Western Greenland	63.2%	42.0%	34.8%
5060		123.4%	56.4%	31.3%
6072	King eider (Somateria spectabilis) Canadian winetring grounds	57.9%	50.0%	29.4%
	•	42.1%	36.8%	28.4%
6018	Long-tailed duck (Clangula hyemalis) Greenland moulting&migration stopovers Bearded seal concentration areas in Greenland	33.8% 108.3%	33.7% 30.3%	26.7% 26.0%
	Common eider (Somateria mollissima borealis) East Greenland			
6052	breeding&moulting grounds	36.3%	36.1%	25.2%
5038	Blue whale summer feeding areas in the Northwest Atlantic	92.2%	58.5%	24.9%
7155	III.4.2. Southwest Greenland slope	140.9%	35.9%	23.3%
7240	Kelp forests of southern Greenland	130.0%	76.6%	21.3%
5050	Fin whale summer feeding areas in the Northwest Atlantic	70.4%	37.3%	20.1%
5078	Narwhal Eclipse Sound stock winter core distribution	25.6%	24.9%	18.8%
5102	Bottlenose whale summer feeding areas in the Northwest Atlantic	111.4%	36.7%	18.3%
2007	Bearded seal whelping areas in the Baffin Bay	67.4%	23.5%	16.7%
6091	3	32.8%	23.4%	16.1%
4085	Fish zoogeography, Arctic Region, Subarctic Transitional-Atlantic Province, Labrador – S Greenland District	162.8%	34.3%	14.7 <mark>%</mark>
5115	Narwhal wintering areas	59.0%	30.0%	14.4%
5104	Bowhead whale Baffin population winter distribution	50.3%	24.9%	12.2%
4056	Distribution of the American Plaice (Hippoglossoides platessoides) (F 47), European populations	373.7%	23.8%	11.9%
4048	Feeding/nursery area of the ogac (Gadus ogac) (F 41)	91.5%	22.8%	11.6%
6101	6101 Uriaalge aalge breeding colonies	29.9%	2 <mark>1.1%</mark>	11.4%
6029	Glaucous gull (Larus hyperboreus euceretes) breeding grounds	83.0%	19.1%	11.0%
6041	Ivory gull (Pagophila eburnea) postbreeding grounds in the Canadian Arctic	46.0%	17.9%	10.2%
4028	Feeding/migration area of the Atlantic salmon (Salmo salar) American populations (F27)	75.1%	24.1%	9.8%
6034	Ivory gull (Pagophila eburnea) Atlantic wintering grounds	42.2%	21.1%	9.4%
7150	III.3.1.2. NW Greenland glacial troughs	90.4%	14.9%	8.4%
6015	Black guillemot (Cepphus grylle mandti) breeding grounds	56.8%	12. <mark>2%</mark>	7.3%
4055	Range of the Shorthorn Sculpin (Myoxocephalus scorpius) (F 46), American populations	221.0%	12. <mark>5%</mark>	7.1%
	Range of the Arctic skate (Amblyraja hyperborea) (F2)	202.4%	15.5%	6.5%
7247		20.8%	11.5%	6.2%
7171	VII.1. Greenland Sea and Fram Strait Basin basins VII.1.1. Rises (slope foot)	31.5%	26.2%	6.1%
7163	III.6.2. Southwest Greenland slope	36.9%	16 <mark>.0%</mark>	6.0%

CF	Name	Target Achie- vement for Region	Proportion of Target Achievement in Region	Amount Pro- portion in Region
6002	Little Auk (Alle alle alle) winetring grounds	23.0%	15.9%	6.0%
5042	Bowhead whale winter concentrations in the Baffin Bay	11.9%	8.1%	5.7%
6049	Black-legged kittiwake (Rissa tridactyla tridactyla) wintering grounds	16.2%	16.2%	5.6%
2019	Harbour seal range in the North Atlantic region	78.3%	11.9%	5.1%
4029	Feeding area of the Arctic charr (Salvelinus alpinus), anadromous populations (F28)	11.9%	10.4 <mark>%</mark>	5.0%
6031	Little auk (Alle alle alle) breeding colonies in Greenland and Canada	6.7%	6.5 <mark>%</mark>	4.9%
5103	Bowhead whale Baffin population spring-autumn distribution	19.6%	10. <mark>7%</mark>	4.9%
4046	Range of the Thorny Skate (Amblyraja radiata) (F 3)	62.6%	11. <mark>7%</mark>	4.8%
6106	6106 Urilomvilomvibreeding colonies	9.4%	6.9 <mark>%</mark>	4.8%
7148	III.3. 1. Northwest Greenland shelf	38.1%	9.4 <mark>%</mark>	4.6%
6075	Common murre (Uria aalge aalge) breeding grounds	8.5%	8.1 <mark>%</mark>	4.6%
7161	III.6.1.1. SE Greenland medium and low profile shelf	35.7%	9.8%	4.6%
7160	III.6.1. Southeast Greenland shelf	41.0%	10.1 <mark>%</mark>	4.6%
4059	Range of the Greenland Halibut (Reinhardtius hippoglossoides) (F 49)	135.6%	11. <mark>4%</mark>	4.3%
4049	Range of the Haddock (Melanogrammus aeglefinus) (F 42)	65.7%	10.5 <mark>%</mark>	4.2%
7034	North-western Greenland region	18.2%	11.1 <mark>%</mark>	4.2%
4045	Feeding/migration area of the Pink Salmon (Oncorhynchus gorbuscha), native distribution (F23)	65.7%	10.7%	4.2%
5112	Arctic Cetaceans (beluga, bowhead, narwhal) winter habitats as predicterd by MIZ	10.0%	8.2 <mark>%</mark>	4.1%
6083	Thick-billed murre (Uria Iomvia Iomvia) wintering grounds	15.1%	10. <mark>6%</mark>	3.9%
4017	Feeding/ migration area of the Greenland Shark (Somniosus microcephalus) (F1)	15.5%	9.1 <mark>%</mark>	3.6%
6099	6099 Rissa tridactyla tridactyla breeding colonies	5.1%	5.1 <mark>%</mark>	3.5%
4003	Range of the Atlantic Capelin (Mallotus villosus) (F10)	105.6%	8.9 <mark>%</mark>	3.3%
6023	Atlantic puffin (Fratercula arctica naumanni) wintering grounds	12.6%	10.2 <mark>%</mark>	3.3%
2044	Ringed seal whelping areas in the Baffin Bay region	13.2%	6.4 <mark>%</mark>	3.2%
4037	Distribution of the Glacial cod (Arctogadus glacialis) (F34)	32.5%	7.8%	3.1%
9002	polar bear of the BB (Baffin Bay) subpopulation distribution	8.9%	7.3%	2.9%
4053	Range of the Fourhorn Sculpin (Myoxocephalus quadricornis) (F 45), Euro-Asian populations	89.9%	5.4%	2.8%
6076	Common murre (Uria aalge aalge) wintering grounds	13.0%	7.0%	2.7%
1011	Atlantic Walrus haulouts in Nunavut and West Greenland	2.4%	2.4%	2.4%
7149	III.3.1.1. NW Greenland medium and low profile shelf	16.6%	4.1%	2.0%
1002	Atlantic Walrus Summer Distribution in Canada	5.9%	4.0%	2.0%
3025	Marginal Ice Zone distribution in April in the Greenland Sea LME	4.2%	4.0%	1.6%
7189	VI.1.8. Seamounts	1.3%	1.3%	1.3%
4041	Range of the Polar Cod (Boreogadus saida) (F35)	10.1%	3.9%	1.3%
4080	Fish zoogeography, Deepsea Atlantic Region, North-Atlantic Abyssal Province (11A -Scandian, 11B - Central-Arctic and 11C - Baffin Deep-sea Districts)	16.2%	2.9%	1.3%
6082	Thick-billed murre (Uria Iomvia Iomvia) breeding colonies	1.7%	1.5%	1.2%
8040	Greenland glacial termini	3.7%	3.0%	1.2%
6047	Black-legged kittiwake (Rissa tridactyla pollicarius) breeding colonies	1.0%	0.8%	0.7%
5048	Fin whale summer feeding areas in the East Greenland and West Iceland	2.1%	2.1%	0.6%
9005	polar bear of the DS (Davis Strait) subpopulation distribution	0.6%	0.5%	0.2%
3034	Marginal Ice Zone distribution in July in the Baffin Bay LME	0.8%	0.3%	0.2%
5071	Narwhal Admiralty Inlet stock winter core distribution	0.2%	0.2%	0.2%
7146	III.2.2.1. Archipelago slope in Baffin Bay and Lancaster Sound	2.2%	0.3%	0.1%
5098	White-beaked dolphin feeding area in the Central North Atlantic	1.2%	0.4%	0.1%
9024	polar bear denning areas of EG (East Greenland) subpopulation	0.0%	0.0%	0.0%
9006	polar bear of the EG (East Greenland) subpopulation distribution	0.1%	0.0%	0.0%
2047	Ringed seal whelping areas in Greenland region	0.3%	0.1%	0.0%
3036	Marginal Ice Zone distribution in July in the Greenland Sea LME	0.0%	0.0%	0.0%