

6) Evaluate $\int_0^3 \int_{-1}^1 \int_2^4 (y - xz) dz dy dx$.

6 L2 5 1

7) Evaluate $\int_0^\infty \int_0^\infty e^{-(x^2+y^2)} dx dy$ by changing to polar coordinates.

Hence deduce that $\int_0^\infty e^{-x^2} dx = \frac{\sqrt{\pi}}{2}$.

7 L2 5 2

8) Find the area between the parabolas $y^2 = 4ax$ and $x^2 = 4ay$ by using double integration.

7 L2 5 1

Bloom's Taxonomy, L* Level; CO* Course Outcome; PO* Program Outcome

3. a) Test for consistency and hence solve the system of equations by the Gauss elimination method:

$$4x + y + z = 4$$

$$x + 4y - 2z = 4$$

$$3x + 2y - 4z = 6$$

6 L2 1

- b) State Comparison test. Test for convergence of the series

$$\frac{1.2}{3.4.5} + \frac{2.3}{4.5.6} + \frac{3.4}{5.6.7} + \dots \infty$$

7 L2 2

- c) State Cauchy's root test. Test for convergence of the series:

$$1 + \frac{2}{3}x + \left(\frac{3}{4}\right)^2 x^2 + \left(\frac{4}{5}\right)^3 x^3 + \dots \infty, (x > 0)$$

7 L2 2

Unit - II

4. a) Define Jacobian of a transformation. If $x + y + z = u$, $y + z = uv$ and

$$z = uvw \text{ then find the value of } \frac{\partial(x, y, z)}{\partial(u, v, w)}.$$

6 L2 4

- b) With usual notation prove that $\tan \phi = r \frac{d\theta}{dr}$.

7 L1 3

- c) State Lagrange's mean value theorem. Verify Lagrange's mean value theorem for the function $f(x) = \sin^{-1} x$ in $[0, 1]$.

7 L1 3

5. a) Find the angle of intersection between the curves $r^n = a^n \cos n\theta$ and $r^n = b^n \sin n\theta$.

6 L3 3

- b) i) If $V = f(2x - 3y, 3y - 4z, 4z - 2x)$ then find the value of $6 \frac{\partial V}{\partial x} + 4 \frac{\partial V}{\partial y} + 3 \frac{\partial V}{\partial z}$.

- ii) Find $\frac{dy}{dx}$ from the implicit function $x \sin(x - y) - (x + y) = 0$.

7 L2 3

- c) Find the extreme value of the function $f(x, y) = x^3 y^2 (1 - x - y)$.

7 L3 4

6. a) Find the radius of curvature of the curve $x = 6t^2 - 3t^4$, $y = 8t^3$.

6 L2 3

- b) Find the volume of the greatest rectangular parallelepiped that can

$$\text{be inscribed in the ellipsoid } \frac{x^2}{a^2} + \frac{y^2}{b^2} + \frac{z^2}{c^2} = 1.$$

7 L3 4

- c) Expand the function $f(x, y) = \log(1 + x - y)$ as a Maclaurin's series upto second degree terms.

7 L2 4

Unit - III

7. a) Using Gamma function evaluate $\int_0^1 x^2 \left(\log\left(\frac{1}{x}\right)\right)^3 dx$.

6 L1 5

- b) Prove that $\beta(m, n) = \frac{\Gamma(m) \Gamma(n)}{\Gamma(m+n)}$.

7 L2 5

- c) By changing the order of integration, evaluate $\int_0^3 \int_1^{\sqrt{4-y}} (x+y) dx dy$.

7 L3 5

NMAM INSTITUTE OF TECHNOLOGY, NITTE
 (An Autonomous Institution affiliated to VTU, Belagavi)
First Semester B.E. (Credit System) Degree Examinations
 April - May 2022

21MA101 - ENGINEERING MATHEMATICS - I

Duration: 3 Hours

Max. Marks: 100

Instruction: Answer **Five full** questions choosing **Two full** questions from **Unit – I & Unit – II** each and **One full** question from **Unit – III**.

Unit – I

Marks BT* CO* PO*

- a) Find the rank of the matrix $A = \begin{bmatrix} 3 & 4 & 5 & 6 & 7 \\ 4 & 5 & 6 & 7 & 8 \\ 5 & 6 & 7 & 8 & 9 \\ 10 & 11 & 12 & 13 & 14 \end{bmatrix}$ using

elementary row transformation.

6 L*2 1 1

- b) Find the eigen values and eigen vectors of the matrix

$$A = \begin{bmatrix} 3 & 1 & 4 \\ 0 & 2 & 6 \\ 0 & 0 & 5 \end{bmatrix}$$

7 L2 1 1

- c) Obtain the Maclaurin's series expansion for $f(x) = (1+x)^{\frac{1}{2}}$ up to the terms containing x^4 .

7 L1 2 1

- a) Using Power method, find the dominant eigen value and corresponding eigen vector of the matrix $\begin{bmatrix} 1 & 2 & -1 \\ 2 & 1 & 1 \\ 1 & -1 & 2 \end{bmatrix}$ starting with

an initial eigen vector as $\begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}$. Perform five iterations.

6 L1 1 1

- b) Using Gauss-Seidel method solve the given system of linear equations:
 $6x + y + z = 105$
 $4x + 8y + 3z = 155$
 $5x + 4y - 10z = 65$

Take $\begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$ as an initial approximation and carry out three iterations.

7 L3 1 2

- c) State D'Alembert's ratio test. Test the convergence of the series:

$$\sum \frac{1.3.5.7 \dots (2n-1)}{4.7.10 \dots (3n+1)}$$

7 L2 2 2

- c) Obtain the Maclaurin's expansion of $e^{\sin x}$ upto third degree terms.

7 L3 2

Unit – III

5. a) With usual notation prove that $\tan \phi = r \frac{d\theta}{dr}$.
 b) Show that the radius of curvature at the point $(\frac{3a}{2}, \frac{3a}{2})$ of the folium $x^3 + y^3 = 3axy$ is $\frac{3a}{8\sqrt{2}}$.
 c) State and prove Cauchy's mean value theorem.
6. a) Find $\frac{ds}{d\theta}$, $\frac{ds}{dx}$, $\frac{ds}{dy}$ for the cycloid $x = a(\theta - \sin\theta)$, $y = a(1 - \cos\theta)$.
 b) i) With usual notation prove that $\rho = \frac{(1+y_1^2)^{3/2}}{y_2}$
 ii) Find the radius of curvature for the curve $y = a \log \frac{x}{a}$.
 c) State and prove Lagrange's mean value theorem.

7 L3 3

6 L2 3

7 L3 3

7 L2 3

6 L1 3

Unit – IV

7. a) i) If $z = yf(x^2 - y^2)$ then show that $\frac{\partial z}{\partial x} + x \frac{\partial z}{\partial y} = \frac{zx}{y}$.
 ii) If $z = x^2y - xsinxy$ find $\frac{\partial z}{\partial x}$ and $\frac{\partial z}{\partial y}$.
 b) If $u = x + 3y^2 - z^3$, $v = 4x^2yz$, $w = 2z^2 - xy$ find $\frac{\partial(u,v,w)}{\partial(x,y,z)}$ at $(1, -1, 0)$.
 c) Suppose a closed rectangular box has length twice its breadth and has constant volume V. Determine the dimension of the box requiring least surface area.
8. a) i) If u is a homogeneous function of degree n prove that $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} = nu$.
 ii) If $\sin u = \frac{x^2+y^2}{x+y}$ then prove that $x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} = \tan u$.
 b) Find total derivative of $u = xy + yz + zx$, when $x = t \cos t$, $y = t \sin t$, $z = t$ at $\frac{\pi}{4}$.
 c) Expand $f(x, y) = \tan^{-1}(\frac{y}{x})$ in powers of $(x - 1)$ and $(y - 1)$ upto second-degree terms.

6 L3 4

7 L3 4

7 L2 4

6 L1 4

7 L2 4

7 L3 4

Unit – V

9. a) Obtain the reduction formula for $\int \sin^n x dx$. Hence obtain $\int_0^{\pi/2} \sin^n x dx$.
 b) Trace the curve $y^2(a - x) = x^3$, $a > 0$.
 c) Find the volume of the solid generated by the revolution of the cardioid $r = a(1 + \cos\theta)$ about the initial line.
10. a) Evaluate i) $\int_0^{\pi} \frac{\sin^4 \theta}{(1 + \cos \theta)^2} d\theta$ ii) $\int_0^{2a} x^2 \sqrt{2ax - x^2} dx$
 b) Trace $r^2 = a^2 \cos 2\theta$.
 c) Find the surface area generated by revolving asteroid $x = a \sin^3 t$, $y = a \cos^3 t$ about the initial line.

7 L2 5

7 L3 5

6 L2 5

7 L2 5

7 L3 5

6 L2 5

NMAM INSTITUTE OF TECHNOLOGY, NITTE
 (An Autonomous Institution affiliated to VTU, Belagavi)
First Semester B.E. (Credit System) Degree Examinations
Supplementary Examinations - September 2022

20MA101 - ENGINEERING MATHEMATICS - I

Max. Marks: 100

Duration: 3 Hours

Note: Answer Five full questions choosing One full question from each Unit.

Unit - I

Marks BT* CO* PO*

- a) Define Rank of the matrix. Find rank of the following matrix using elementary row transformation

$$\begin{bmatrix} -2 & -1 & -3 & -1 \\ 1 & 2 & 3 & 1 \\ 1 & 0 & 1 & 1 \\ 0 & 1 & 1 & 1 \end{bmatrix}$$

6 L*2 1 2

- b) Test for consistency and solve the following system of equations by Gauss-elimination method

$$\begin{aligned} x_1 + x_2 - x_3 &= 0 \\ 2x_1 - x_2 + x_3 &= 3 \\ 4x_1 + 2x_2 - 2x_3 &= 2 \end{aligned}$$

7 L3 1 2

- c) Find Eigen value and Eigen vector of the matrix

$$\begin{bmatrix} 11 & -4 & -7 \\ 7 & -2 & -5 \\ 10 & -4 & -6 \end{bmatrix}$$

7 L3 1 2

- a) Determine the largest Eigen value and the corresponding Eigen vector of the matrix $\begin{bmatrix} 2 & -1 & 0 \\ -1 & 2 & -1 \\ 0 & -1 & 2 \end{bmatrix}$ using Rayleigh's power method, with initial approximation $[1 \ 0 \ 0]^T$, carry out four iterations.

7 L3 1 2

- b) Find matrix P which diagonalizes the matrix $A = \begin{bmatrix} -1 & 3 \\ -2 & 4 \end{bmatrix}$. Verify $P^{-1}AP = D$ where D is the diagonal matrix.

7 L2 1 2

- c) Reduce the quadratic form $3x_1^2 + 5x_2^2 + 3x_3^2 - 2x_2x_3 + 2x_3x_1 - 2x_1x_2$ to canonical form.

6 L2 1 2

Unit - II

- a) Test for convergence of the series $\frac{\sqrt{2}-1}{3^3-1} + \frac{\sqrt{3}-1}{4^3-1} + \frac{\sqrt{4}-1}{5^3-1} + \dots$

6 L2 2 2

- b) Examine convergence or divergence of the series

$$\frac{1}{2\sqrt{1}} + \frac{x^2}{3\sqrt{2}} + \frac{x^4}{4\sqrt{3}} + \dots, \quad x > 0$$

7 L2 2 2

- c) Obtain Taylor's series expansion of $\log(\sec x)$ about the point $x = \frac{\pi}{3}$ upto third degree terms.

7 L3 2 2

- a) Test for convergence

$$\text{i) } \frac{1}{1.2} + \frac{1}{2.3} + \frac{1}{3.4} + \dots \quad \text{ii) } \sum \frac{\sqrt{n}}{n^2+1}$$

6 L2 2 2

- b) State Cauchy's root test and test the convergence of

$$1 + \frac{x}{2} + \frac{x^2}{5} + \frac{x^3}{10} + \dots, \quad x > 0$$

7 L2 2 2

7. a) Evaluate $\int_1^6 \int_2^3 \int_0^2 5x^2 y^2 z^3 \, dx dy dz$. 6 L2 5 1
- b) Prove that $\beta(m, n) = \frac{\Gamma(m)\Gamma(n)}{\Gamma(m+n)}$. 7 L2 5 2
- c) Evaluate $\int_0^1 \int_x^{\sqrt{x}} 5xy \, dy dx$ by changing the order of integration. 7 L2 5 1
8. a) Prove that $\int_0^{\frac{\pi}{2}} \sqrt{\sin \theta} \, d\theta \int_0^{\frac{\pi}{2}} \frac{1}{\sqrt{\sin \theta}} \, d\theta = \pi$. 6 L2 5 2
- b) Evaluate $\int_0^1 x^7 (1-x^4)^3 \, dx$ using Beta and Gamma functions. 7 L2 5 1
- c) Evaluate $\int_0^1 \int_0^{\sqrt{1-y^2}} 2(x^2 + y^2) \, dy dx$ by changing to polar coordinates. 7 L2 5 1

BT* Bloom's Taxonomy, L* Level; CO* Course Outcome; PO* Program Outcome

- b) Using Rayleigh's power method obtain the largest eigen value and

the corresponding eigen vector of the matrix $\begin{bmatrix} 2 & -1 & 0 \\ -1 & 2 & -1 \\ 0 & -1 & 2 \end{bmatrix}$

,select $\begin{bmatrix} 1 & 0 & 0 \end{bmatrix}^T$ as the initial eigen vector and carry out 5 iterations.

7 L1 1 1

- c) Write Maclaurin's series expansion of $f(x) = e^x \cos x$ up to third degree terms.

7 L2 2 2

Unit – II

4. a) Given $u = 10 \sin \left(\frac{x}{y} \right)$, $x = 3e^{2t}$ and $y = 5t^2$, find $\frac{du}{dt}$ as a function of t .

6 L1 4 2

- b) If ρ is the radius of curvature at any point p on the parabola $y^2 = 4ax$ and s is its focus, then show that ρ^2 varies as $(sp)^3$.

7 L2 3 1

- c) With usual notation prove that $\tan \phi = r \frac{d\theta}{dr}$.

7 L2 3 2

5. a) Expand the function $f(x, y) = (\cos x)(\cos y)$ up to second degree terms.

6 L1 4 1

- b) Examine the following function for extreme values $u = x^4 + y^4 - x^2 - y^2 + 1$.

7 L2 4 1

- c) State and prove Cauchy's mean value theorem.

7 L2 3 1

6. a) The period of oscillation of a simple pendulum is $T = 2\pi \sqrt{\frac{l}{g}}$. In an experiment carried out to find the value of g , errors of 1.5% and 0.5% are possible in values of l and T respectively. Find the error in the calculated value of g .

6 L2 4 2

- b) If $x = r \cos \theta$, $y = r \sin \theta$, find $J = \frac{\partial(x, y)}{\partial(r, \theta)}$, $J' = \frac{\partial(r, \theta)}{\partial(x, y)}$ and show that $JJ' = 1$.

7 L1 4 1

- c) With usual notations prove that $\rho = \frac{(r^2 + r_1^2)^{3/2}}{r^2 + 2r_1^2 - rr_2}$.

7 L2 3 1

NMAM INSTITUTE OF TECHNOLOGY, NITTE

(An Autonomous Institution affiliated to VTU, Belagavi)

First Semester B.E. (Credit System) Degree Examinations

September – October 2022

21MA101 - ENGINEERING MATHEMATICS

Duration: 3 Hours

Max. Marks: 100

Note: Answer **Five full** questions choosing **Two full** questions from **Unit – I & Unit – II** each and **One full** question from **Unit – III**.

Unit – I

Marks BT* CO* PO*

1. a) Find the rank of the following matrix using elementary row

transformations
$$\begin{bmatrix} 2 & 7 & 1 & -2 \\ 1 & 3 & 1 & 4 \\ -3 & 0 & -2 & 1 \\ 0 & -3 & 1 & 5 \end{bmatrix}$$

6 L*1 1 1

- b) Find the eigen values and eigen vectors of the matrix

$$\begin{bmatrix} 5 & 4 \\ 1 & 2 \end{bmatrix}$$

7 L2 1 1

- c) (i) State Cauchy's root test.

(ii) Test for convergence of the series $\sum \left(\frac{n+2}{n+3} \right)^n x^n, x > 0$.

7 L2 2 2

2. a) Solve the system of equations given below by Gauss - Seidel Method.

$$6x + 15y + 2z = 72$$

$$27x + 6y - z = 85$$

$$x + y + 54z = 110$$

take $x^{(0)} = 0, y^{(0)} = 0, z^{(0)} = 0$, carry out three iterations.

6 L1 1 1

- b) Test for convergence of the series

$$\frac{1}{2\sqrt{1}} + \frac{x^2}{3\sqrt{2}} + \frac{x^4}{4\sqrt{3}} + \frac{x^6}{5\sqrt{4}} + \dots \infty, x > 0.$$

7 L2 2 2

- c) Test for consistency and solve the system of equations

$$x - 4y + 5z = 8$$

$$3x + 7y - z = 2 \quad \text{by Gauss elimination method.}$$

$$x + 15y - 11z = -14$$

7 L2 1 1

3. a) Test for the convergence of the series

(i) $\sum \frac{n^3}{3^n}$, (ii) $\frac{1}{2.3} + \frac{1}{3.4} + \frac{1}{4.5} + \frac{1}{5.6} + \dots \infty$

6 L2 2 1