Andika - Font Features

Andika is an OpenType-enabled font family that supports the Latin and Cyrillic scripts. It includes a number of optional features that may be useful or required for particular uses or languages. This document lists all the available features.

These OpenType features are primarily specified using four-letter tags (e.g. 'cv17'), although some applications may provide a direct way to control certain common features such as small caps. For more information on how to access OpenType features in specific environments and applications, see Using Font Features.

Please note that Graphite support has been removed in the current release, but continues to be available in the version 5 fonts. See our Previous Versions archive.

This page uses web fonts (WOFF2) to demonstrate font features and should display correctly in all modern browsers. For a more concise example of how to use Andika as a web font see *Andika-webfont-example.html* in the font package *web* folder. For detailed information, see Using SIL Fonts on Web Pages.

If this document is not displaying correctly a PDF version is also provided in the documentation/pdf folder of the release package.

Complete feature list

Stylistic alternates

Small caps from lowercase

Affects: all lowercase letters with capital equivalents

Feature	Sample	Feature setting
Standard	a Z (all letters with capital equivalents)	smcp=0
Small caps	A Z (all letters with capital equivalents)	smcp=1

Small caps from capitals

This feature is not supported in TypeTuner Web.

Affects: all capitals

Feature	Sample	Feature setting
Standard	A Z (all capitals)	c2sc=0
Small caps	A Z (all capitals)	c2sc=1

Double-story a and g

On TypeTuner Web this feature is called 'Single-story a and g'. It was formerly called 'Literacy alternates'.

Affects: U+0061 U+00AA U+00E0 U+00E1 U+00E2 U+00E3 U+00E4 U+00E5 U+0101 U+0103 U+0105 U+010E U+01DF U+01E1 U+01FB U+0201 U+0203 U+0227 U+1E01 U+1E9A U+1EA1 U+1EA3 U+1EA5 U+1EA5 U+1EA9 U+1EAB U+1EAD U+1EAF U+1EB1 U+1EB3 U+1EB5 U+1EB7 U+2C65 U+2090 U+1D43 U+0363 U+0067 U+011D U+011F U+0121 U+0123 U+01E7 U+01F5 U+01E5 U+1E21 U+A7A1 U+1D4D

Feature	Sample	Feature setting
Standard	a ª à á â ã ä å ā ā ą ǎ ā ā å à â à a a a a á â à ổ ã ậ ấ ằ ằ ẵ ặ ø a ª ^a g ĝ ğ ġ ġ ġ ġ g g g g	ss01=0
Double-story	aªàáâãäåāäąǎāāååàâàaạảáâà ẩãâáášäääaaªågĝġġġġġggg	ss01=1

Double-story a (only)

Affects: U+0061 U+00AA U+00E0 U+00E1 U+00E2 U+00E3 U+00E4 U+00E5 U+0101 U+0103 U+0105 U+01CE U+01DF U+01E1 U+01FB U+0201 U+0203 U+0227 U+1E01 U+1E9A U+1EA1 U+1EA3 U+1EA5 U+1EA7 U+1EA9 U+1EAB U+1EAD U+1EAF U+1EB1 U+1EB3 U+1EB5 U+1EB7 U+2C65 U+2090 U+1D43 U+0363

Feature	Sample	Feature setting
Standard	a ª à á â ã ä å ā ă ą ǎ ā ā å à â à a a a a á â à ổ ã ậ á ằ ằ ӑ ặ ø a ª ^a ื	ss13=0
Double-story	a ª à á â ã ä å ā ā ą ǎ ā ā å à â à a a a a á ấ à ấ ã ậ ấ ằ ἄ ẵ ặ ạ a a ి	ss13=1

Double-story g (only)

Affects: U+0067 U+011D U+011F U+0121 U+0123 U+01E7 U+01F5 U+01E5 U+1E21 U+A7A1 U+1D4D

Feature	Sample	Feature setting
Standard	g ĝ ğ ġ ģ ǧ ģ ǥ ḡ ǥ ^g	ss14=0
Double-story	gĝġġġģģggg ^g	ss14=1

Barred-bowl forms

Affects: U+0111 U+0180 U+01E5

Feature	Sample	Feature setting
Standard	đbg	ss04=0
Barred-bowl	d b g	ss04=1

Slant italic specials

Affects: U+0061 U+00E3 U+00E0 U+00E1 U+00E2 U+00E4 U+00E5 U+0101 U+0103 U+01CE U+01DF U+01E1 U+01E1 U+01FB U+0201 U+0203 U+0227 U+1E01 U+1E9A U+1EA3 U+1EA5 U+1EA7 U+1EA9 U+1EAB U+1EAD U+1EAF U+1EB1 U+1EB3 U+1EB5 U+1EA1 U+1EB7 U+2C65 U+0250 U+00E6 U+00E6 U+1E1F U+0069 U+00EC U+00ED U+00EE U+00EF U+0129 U+012B U+012D U+012F U+01D0 U+0209

U+020B U+1E2D U+1E2F U+1EC9 U+1ECB U+0131 U+006C U+013A U+1E37 U+1E39 U+1E3B U+1E3D U+0076 U+1E7D U+1E7F U+007A U+017A U+017C U+017E U+1E91 U+1E93 U+1E95 U+0493 U+04FB U+F327 U+A749 U+A75F U+2097

Feature	Sample	Feature setting
Standard	aãàáâäåāăăäāáåââaaååâââââ ằàăăąặøρæffiìíîïĩīĭįĭἳῖϳΐἰἰιΙί! ṬỊỊtινῦγμzźżžżzzeęĘạfiffi	ss05=0
Slanted	aãàáâäåāăăäāáåââaaåáâââââ ằàăăaặøɐæfḟiìíîïīīĭįĭìîjïíjılĺḷḷ ḷḷᡮႨvῦṅოzźżžāẓz̃ғffffi	ss05=1

Character alternates

B hook

Affects: U+0181

Feature	Sample	Feature setting
Standard	В	cv13=0
Lowercase-style	Б	cv13=1

D hook

Affects: U+018A

Feature	Sample	Feature setting
Standard	T	cv17=0
Lowercase-style	Ъ	cv17=1

H stroke

Affects: U+0126

Feature	Sample	Feature setting
Standard	Ħ	cv28=0
Vertical stroke	Н	cv28=1

i

Affects: U+0069 U+00EC U+00ED U+00EE U+00EF U+0129 U+012B U+012D U+012F U+0131 U+01D0 U+0209 U+020B U+0365 U+1D62 U+1DA4 U+1E2C U+1E2D U+1E2F U+1ECB U+2071

Feature	Sample	Feature setting
Standard	iìíîïīĭĭjıĭïî [¦] i [‡] iৣḯfiffi	cv31=0
Curved tail	iìíîïīĭţıĭïî ⁱ ¡ţiৣïi¦ififfi	cv31=1

J

Affects: U+004A U+006A U+0134 U+0135 U+0248 U+0249 U+029D U+1D0A U+1D36 U+A7B2

Feature	Sample	Feature setting
Standard	٦ĵ+ı []] ل	cv35=0
Bar top	JĴŦı ^I Į	cv35=1

j

Affects: U+006A U+0135 U+01F0 U+0237 U+0249 U+025F U+029d U+02B2 U+1DA1 U+1DA8 U+2C7C

Feature	Sample	Feature setting
Standard	jĵjjţţ ^{ţţ} ţ	cv34=0
Top serif	jĵjj j ji ^{jji} j	cv34=1

J stroke hook

Affects: U+0284

Feature	Sample	Feature setting
Standard	f	cv37=0
Top serif	ţ	cv37=1

ı

Affects: U+006C U+013A U+013C U+013E U+0140 U+0142 U+019A U+026B U+026C U+02E1 U+1D85 U+1DAA U+1E37 U+1E39 U+1E3B U+1E3D U+2C61 U+A749 U+2097

Feature	Sample	Feature setting
Standard		cv39=0
Curved tail	lĺļľŀłłłł ^l ļ ^l ļĪ <u>l</u> Įŧt _l	cv39=1

Eng

Affects: U+014A

Feature	Sample	Feature setting
Standard	ŋ	cv43=0
Lowercase style on baseline	n	cv43=1
Uppercase style with descender	Ŋ	cv43=2
Alt. lowercase style on baseline	ŋ	cv43=3

N left hook

Affects: U+019D

Feature	Sample	Feature setting
Standard	Ŋ	cv44=0
Lowercase-style	'n	cv44=1

Open-O

Affects: U+0186 U+0254 U+1D10 U+1D53 U+1D97

Feature	Sample	Feature setting
Standard	O o o ° ρ	cv46=0
Top serif	Ορορορ	cv46=1

OU

Affects: U+0222 U+0223 U+1D3D U+1D15

Feature	Sample	Feature setting
Standard	8 8 8 ⁸	cv47=0
Open	888 ⁸	cv47=1

p hook

Affects: U+01A5

Feature	Sample	Feature setting
Standard	β	cv49=0
Right hook	þ	cv49=1

Q

Affects: U+0051 U+A756 U+A758

Feature	Sample	Feature setting
Standard	QQQ	cv52=0
Tail across	QQQ	cv52=1

q

Affects: U+0071 U+A757 U+A759 U+02A0

Feature	Sample	Feature setting
Standard	१५५ व	cv51=0
Pointed	q q q q	cv51=1

R tail

Affects: U+2C64

Feature	Sample	Feature setting
Standard	R	cv55=0
Lowercase-style	r	cv55=1

t

Affects: U+0074 U+0163 U+0165 U+0167 U+01AB U+01AD U+021B U+0287 U+02A6 U+02A7 U+02A8 U+036D U+1D57 U+1D75 U+1D7A U+1DB5 U+1E6B U+1E6D U+1E6F U+1E71 U+1E97 U+209C U+2C66 U+A729

Feature	Sample	Feature setting
Standard	tţťŧţfţītsʧtɕ [†] tŧtĥţṫṭṯţïţtg	cv56=0
Straight stem	† † † † † f † ₊ †s †∫ †₅ [†] † † † † † <u>†</u> † † † † † † † † † † † † †	cv56=1

T hook

Affects: U+01AC

Feature	Sample	Feature setting
Standard	τ	cv57=0
Right hook	Т	cv57=1

V hook

Affects: U+01B2 U+028B U+1DB9

Feature	Sample	Feature setting
Standard	U ט ^ט	cv62=0
Straight with low hook	Vν ^ν	cv62=1
Straight with high hook	Vν ^ν	cv62=2

Y hook

Affects: U+01B3

Feature	Sample	Feature setting
Standard	Υ	cv68=0
Left hook	Υ	cv68=1

y

Affects: U+0079 U+024F U+02B8 U+00FD U+1EF3 U+0177 U+1E99 U+00FF U+1EF9 U+1E8F U+0233 U+1EF7 U+1EF5 U+01B4 U+028E U+107A1 U+1DF06

Feature	Sample	Feature setting
Standard	y y ^y ý ỳ ŷ ÿ ÿ ÿ ÿ y y ſ ʎ [₭] ₭	cv67=0
Straight tail	y y ^y ý ỳ ŷ ÿ ÿ ÿ ÿ ÿ y y ⁄ ʎ ¾ ¾	cv67=1

Ezh

Affects: U+01B7 U+04E0

Feature	Sample	Feature setting
Standard	33	cv20=0
Reversed sigma	ΣΣ	cv20=1

ezh curl

Affects: U+0293

Feature	Sample	Feature setting
Standard	3	cv19=0
Large bowl	3	cv19=1

rams horn

Affects: U+0264

Feature	Sample	Feature setting
Standard	r	cv25=0
Large bowl	ত	cv25=1
Small gamma	¥	cv25=2

Clicks

Affects: U+01C0 U+01C1 U+01C2 U+2980

Feature	Sample	Feature setting
Standard (descending)	‡	cv69=0
Baseline	‡	cv69=1

Diacritic and symbol alternates

Vietnamese-style diacritics

Affects: U+1EA4 U+1EA5 U+1EA6 U+1EA7 U+1EA8 U+1EA9 U+1EA4 U+1EAB U+1EAE U+1EAF U+1EB0 U+1EB1 U+1EB2 U+1EB3 U+1EB4 U+1EB5 U+1EBE U+1EBF U+1EC0 U+1EC1 U+1EC2 U+1EC3 U+1EC4 U+1EC5 U+1ED0 U+1ED1 U+1ED2 U+1ED3 U+1ED4 U+1ED5 U+1ED6 U+1ED7

Feature	Sample	Feature setting
Standard	ấấ Àà Ẩẩ Ãã Ăắ Àà Ăẳ Ãã Éế Èề Éể ễễ ốố ồò ổổ ỗỗ	cv75=0
Vietnamese- style	ấã ầà Ẩẩ Ấã ắắ ằằ ẳẳ ẵã ếế ềề ểể ễễ ốố ồò ổổ ỗỗ	cv75=1

Kayan diacritics

Affects: U+0300 U+0301

Feature	Sample	Feature setting
Standard	Š	cv79=0
Side by side	്	cv79=1

Ogonek

Affects: U+0328 U+0104 U+0105 U+0118 U+0119 U+012E U+012F U+0172 U+0173 U+01EA U+01EB U+01EC U+01ED

Feature	Sample	Feature setting
Standard	anything with ႂ (Ąą Ęę Įį Ųų Qọ Ō̄ō)	cv76=0
Straight	anything with ্ (Ąą Ęę Įį Ųų Qọ Ōo)	cv76=1

Caron

Affects: U+010F U+013D U+013E U+0165

Feature	Sample	Feature setting
Standard	^ť	cv77=0
Global-style	ďĽĬť	cv77=1

Modifier apostrophe

Affects: U+02BC U+A78B U+A78C

Feature	Sample	Feature setting
Standard	, 1 1	cv70=0
Large	11	cv70=1

Modifier colon

Affects: U+A789

Feature	Sample	Feature setting
Standard	:	cv71=0
Expanded	:	cv71=1

Empty set

Affects: U+2205

Feature	Sample	Feature setting
Standard	Ø	cv98=0
Zero-style	Ø	cv98=1

Cyrillic alternates

There are also Cyrillic characters affected by the "Ezh" and "Small capitals" features. Some languages may also use the "Modifier apostrophe".

Cyrillic E

Affects: U+042D U+044D

Feature	Sample	Feature setting
Standard	Ээ	cv80=0
Mongolian-style	Ээ	cv80=1

Cyrillic shha

Affects: U+04BB

Feature	Sample	Feature setting
Standard	h	cv81=0
Uppercase-style	h	cv81=1

Cyrillic breve

Affects: U+0306

Feature	Sample	Feature setting
Standard	anything with ŏ (ðĕ)	cv82=0
Cyrillic-style	anything with ് (ðð)	cv82=1

Serbian Cyrillic alternates

These alternate forms mainly affect italic styles. Unlike other features, this is activated by tagging the span of text as being in the Serbian language, not by turning on an OpenType feature. It is also not available through TypeTuner Web although a similar feature is supported (cv84).

Affects: U+0431 U+0433 U+0434 U+043F U+0442 U+0453

Feature	Sample	Feature setting
Standard	бгдптѓ	
Serbian	δīgūūί	lang='sr'

Macedonian Cyrillic alternates

These alternate forms mainly affect italic styles. Unlike other features, this is activated by tagging the span of text as being in the Macedonian language, not by turning on an OpenType feature. It is also not available through TypeTuner Web although a similar feature is supported (cv84).

Affects: U+0431 U+0433 U+0434 U+043F U+0442 U+0453

Feature	Sample	Feature setting
Standard	бгдптѓ	
Macedonian	δīgūūί	lang='mk'

Serbian and Macedonian Cyrillic alternates

This feature provides an alternate way to activate the Serbian and Macedonian forms in applications that do not support language-specific features.

Affects: U+0431 U+0433 U+0434 U+043F U+0442 U+0453

Feature	Sample	Feature setting
Standard	бгдптέ	cv84=0
Serbian Macedonian forms	δīgūūί	cv84=1

Tone alternates

Chinantec tones

Affects: U+02CB U+02C8 U+02C9 U+02CA

Feature	Sample	Feature setting
Standard	\ - /	cv90=0
Chinantec-style	\1- /	cv90=1

Tone numbers

This feature is not supported in TypeTuner Web.

Affects: U+02E5 U+02E6 U+02E7 U+02E8 U+02E9 U+A712 U+A713 U+A714 U+A715 U+A716

Feature	Sample	Feature setting
Standard]	cv91=0
Numbers	5 4 3 2 1 5 4 3 2 1	cv91=1

Hide tone contour staves

This feature is not supported in TypeTuner Web.

Affects: U+02E5 U+02E6 U+02E7 U+02E8 U+02E9 U+A712 U+A713 U+A714 U+A715 U+A716

Feature	Sample	Feature setting
Standard	14411[FFF(\(\(\(\(\)\(\)\)	cv92=0
Hide staves	₋ ₋ (^^)	cv92=1

Numeral alternates

Subscript numerals

This feature is not supported in TypeTuner Web.

Affects: U+0030 U+0031 U+0032 U+0033 U+0034 U+0035 U+0036 U+0037 U+0038 U+0039

Feature	Sample	Feature setting
Standard	0123456789	subs=0
Subscript	0 1 2 3 4 5 6 7 8 9	subs=1

Superscript numerals

This feature is not supported in TypeTuner Web.

Affects: U+0030 U+0031 U+0032 U+0033 U+0034 U+0035 U+0036 U+0037 U+0038 U+0039

Feature	Sample	Feature setting
Standard	0123456789	sups=0
Superscript	0 1 2 3 4 5 6 7 8 9	sups=1

Automatic fractions

When activated this feature will automatically create fractions when numerals are separated by either the fraction slash (U+2044) or the solidus (U+002F). This feature is not supported in TypeTuner Web.

Affects: U+0030 U+0031 U+0032 U+0033 U+0034 U+0035 U+0036 U+0037 U+0038 U+0039 U+002F U+2044

Feature	Sample	Feature setting
Standard (none)	½ 456/789 1/2 456/789	frac=0
Automatic	1/2 456/789 1/2 456/789	frac=1

0

Affects: U+0030 U+2070 U+2080 U+2152 U+2189

Feature	Sample	Feature setting
Standard	0 0 1/10 1/3	cv10=0
Slashed	0 0 1/10 0/3	cv10=1

1

Affects: U+0031 U+00B9 U+00BC U+00BD U+2081 U+2150 U+2151 U+2152 U+2153 U+2155 U+2159 U+215B

Feature	Sample	Feature setting
Standard	1 1 1/4 1/2 1 1/7 1/9 1/10 1/3 1/5 1/6 1/8	cv01=0
No Base Serif	1 ¹ ¹ / ₄ ¹ / ₂ ₁ ¹ / ₇ ¹ / ₉ ¹ / ₁₀ ¹ / ₃ ¹ / ₅ ¹ / ₆ ¹ / ₈	cv01=1

4

Affects: U+0034 U+00BC U+00BE U+2074 U+2084 U+2158

Feature	Sample	Feature setting
Standard	4 1/4 3/4 4 4 1/5	cv04=0
Open	4 ½ ¾ 4 ₄ ½	cv04=1

6 and 9

Affects: U+0036 U+0039 U+2076 U+2079 U+2086 U+2089 U+2151 U+2159 U+215A

Feature	Sample	Feature setting
Standard	69 ⁶⁹ 69 ¹ / ₉ 1/ ₆ 5/ ₆	cv06=0
Diagonal stem	69 ⁶⁹ 69 ¹ / ₉ 1/ ₆ 5/ ₆	cv06=1

7

Affects: U+0037 U+2077 U+2087 U+2150 U+215E

Feature	Sample	Feature setting
Standard	7 ⁷ ₇ ¹ / ₇ %	cv07=0
Barred	7 ⁷ ₇ ¹ / ₇ ⁷ / ₈	cv07=1

This guide is from the Andika project version 6.200 and is copyright © 2004-2023 SIL International.