```
from pipelines.registry pipelines import all registries pipeline
from utils.fms import init registry dirs
from utils.helpers import handle cli verbosity
def update all registries (argv):
    Runs steps to extract aircraft registry data from all remote sources, transform the extracted data into a
    standardized format, and load the transformed data into tabular stores used to seed or update components of a data
    warehouse
    :param (list) argv: command line arguments - pass 'verbose' to print progress messages
    :return: effect - creates [DATA DIR]/world[REGISTRY.name] file;
        effect - creates [DATA DIR]/aircrafts[TABLE.name] file;
        effect - creates [DATA DIR]/registrants[TABLE.name] file;
        effect - creates [DATA DIR]/registrations[TABLE.name] file;
        effect - creates [DATA DIR]/[REGISTRY INPUT DIR]/[registry code]/[file or directory] asset(s) for each remote source;
        effect - creates [DATA DIR]/[REGISTRY OUTPUT DIR]/[registry code]/[registry code] [REGISTRY.name] file for each remote source
    # initialize registry data directories
    init registry dirs()
    # assign whether progress messages should be printed
    verbose = handle cli verbosity(argv, 1)
    # extract, transform, and load each remote registry data source and compile world registry data
    all registries pipeline (verbose=verbose)
if name == " main ":
    update all registries(sys.argv)
```

import sys