

Brand Email Setup

Workflow Guide

From Gmail to your own domain — in 30 minutes.

v1.0

WHAT'S INSIDE

Phase 1	Cloudflare Email Routing — receive mail at your domain
Phase 2	Gmail App Password — authenticate outgoing mail
Phase 3	Gmail "Send Mail As" — reply from your brand address
Phase 4	Testing & Email Signature

CONTENTS

What's Inside

Start Here	Why This Matters & What You Need	3
Phase 1	Cloudflare Email Routing + DMARC	5
	→ Enable routing, create addresses, catch-all, DMARC record	5
Phase 2	Gmail App Password	8
Phase 3	Gmail "Send Mail As"	9
Phase 4	Testing & Email Signature	11
Reference	Common Gotchas & Troubleshooting	13
More Tools	About DigitalForge Pro	14
Appendix	Version History	15

START HERE

Why This Matters & What You Need

If you sell digital products under a brand name, your email address matters. Replying to a customer from `yourname@gmail.com` signals "side project." Replying from `support@yourbrand.com` signals "real business." Buyers notice. So do affiliates, press contacts, and platform reviewers.

This guide gets you there in about 30 minutes, using only free services on top of your existing domain. At the end you will be able to receive email at any address on your domain, and send from those addresses directly inside your existing Gmail — with no unsubscribe prompt added to your replies.

What You Will Have at the End

- `support@yourdomain.com` , `info@yourdomain.com` , and any other address you want — all forwarding to your Gmail inbox
- A catch-all address — every email to `anything@yourdomain.com` lands in your Gmail
- The ability to compose and reply as those addresses from Gmail — recipients see your brand domain, not your Gmail
- No unsubscribe prompt added to your replies

How This Stack Works

Two free services, each doing one job:

- **Cloudflare Email Routing** — receives mail at your domain, forwards to Gmail
- **Gmail App Password** — authenticates outgoing mail through Google's own servers

What You Need Before Starting

See next page for requirements, then continue to Phase 1.

What You Need Before Starting

REQUIREMENT	NOTES
A registered domain	Already owned (e.g. yourbrand.com or .ai or .shop)
DNS managed by Cloudflare	Free tier is fine. Point your nameservers to Cloudflare — your domain stays registered where it is
A Gmail account	Personal or workspace, both work
2-Step Verification on Google	Required to create an App Password
About 30 minutes	Plus a few minutes of DNS propagation wait time

✓ TOTAL COST

Zero on top of what you already pay for the domain. Cloudflare Email Routing is free. Gmail is free. The only thing you pay for is the domain itself, which you already own.

PHASE

1

Cloudflare Email Routing + DMARC

Cloudflare Email Routing receives mail sent to any address on your domain and forwards it to your Gmail. DMARC is added in this phase since it protects your domain's sending reputation regardless of which outgoing mail path you use.

Step 1 — Get to the Email Routing Page

1. Log in to the Cloudflare dashboard at `dash.cloudflare.com`
2. From the home screen, click **Domains** in the left sidebar
3. Click on your domain (the domain name itself, not just hover)
4. In the left sidebar, look for **Email** — listed right below DNS
5. Click **Email** → click **Email Routing**

▲ COMMON STUCK POINT

If you do not see "Email" in the sidebar, you are not inside a specific domain. Go back to **Domains**, click the domain name itself, and try again.

Step 2 — Enable Email Routing

1. Click **Get Started** (or **Enable Email Routing**)
2. Cloudflare shows the DNS records it needs to add automatically — typically 3 MX records and 1 TXT record for SPF
3. Click **Add records and enable**

These records are locked so you do not accidentally break them later. Email Routing is now active on the domain.

Step 3 — Verify Your Gmail as a Destination

1. Cloudflare asks for a destination email — enter your Gmail address
2. Cloudflare sends a verification email to your Gmail
3. Open your Gmail, find the Cloudflare verification email, click the link
4. Return to Cloudflare — your Gmail now shows as a verified destination

Step 4 — Create Your Custom Addresses

Click the **Routes** tab. Under **Custom addresses**, click **Create address** and add each one:

CUSTOM ADDRESS	ACTION	DESTINATION
support	Send to an email	your Gmail
info	Send to an email	your Gmail

Cloudflare auto-fills @yourdomain.com . Click **Save** after each.

Step 5 — Enable the Catch-All

This is the key step. With catch-all on, every email to any address on your domain forwards to Gmail — no per-address configuration required.

1. Still on the **Routes** page, scroll to the **Catch-all address** section
2. Toggle the catch-all switch to **Active**
3. Action: **Send to an email**
4. Destination: your Gmail
5. Click **Save**

Step 6 — Add a DMARC Record

DMARC protects your domain from spoofing and improves inbox delivery. In Cloudflare, click your domain → **DNS** → **Records** → **Add record**.

FIELD	VALUE
Type	TXT
Name	_dmarc
TTL	1 hr

For **Content**, paste this (replace the email with your Gmail):

```
v=DMARC1; p=none; rua=mailto:you@gmail.com; fo=1; aspf=r; adkim=r
```

p=none is monitoring mode — safe to start with. After a few weeks of normal mail flow, you can tighten to p=quarantine .

✓ SPF IS ALREADY DONE

Cloudflare Email Routing automatically added an SPF record when you enabled it in Step 2. No manual SPF editing is needed for the Gmail SMTP path.

Step 7 — Test Inbound Routing

From a separate email account (phone, another Gmail, a friend), send a test message to `support@yourdomain.com` . It should arrive in your Gmail inbox within a minute or two. If it does not arrive after 5 minutes, DNS may still be propagating — wait 15 minutes and try again.

✓ WHAT YOU HAVE NOW

Inbound routing is complete. Any email sent to any address on your domain — including addresses you have never set up — arrives in your Gmail. Phase 2 sets up the outgoing side so you can reply from those addresses.

Routing Reference Table

SCENARIO	RESULT
Email to <code>support@yourdomain.com</code>	Arrives in Gmail inbox
Email to <code>info@yourdomain.com</code>	Arrives in Gmail inbox
Email to <code>anything@yourdomain.com</code>	Arrives in Gmail inbox (catch-all)
Reply from Gmail	Sends from your Gmail address — until Phase 3 is complete

PHASE
2

Gmail App Password

Gmail requires an App Password to authenticate outgoing mail from a third-party alias. This is different from your regular Gmail password — it is a 16-character code generated specifically for this use.

Step 1 — Enable 2-Step Verification

App Passwords require 2-Step Verification to be active. If it is already on, skip this step.

1. Go to `myaccount.google.com`
2. Click **Security** in the left sidebar
3. Find **2-Step Verification** → click through to enable it

Step 2 — Create an App Password

1. Go to `myaccount.google.com` → **Security**
2. Under "How you sign in to Google," click **2-Step Verification**
3. Scroll to the bottom → click **App passwords**
4. Name it `Gmail Send Mail As` → click **Create**
5. **Copy the 16-character password immediately** — Google only shows it once

✓ APP PASSWORD FORMAT

Google shows the password as four groups of four letters (e.g. `abcd efgh ijkl mnop`). Paste it exactly as shown — Gmail accepts it with or without spaces.

SMTP Credentials for Phase 3

Keep these values handy — you will enter them in Phase 3:

FIELD	VALUE
SMTP Server	<code>smtp.gmail.com</code>
Port	<code>587</code>
Username	Your full Gmail address (e.g. <code>you@gmail.com</code>)
Password	The 16-character App Password — not your Gmail password
Secured connection	TLS

PHASE

3

Gmail "Send Mail As"

This phase configures Gmail to send email using your brand domain address as the From field, routed through Google's own servers.

Step 1 — Open Gmail Settings

1. In Gmail, click the **gear icon** (top-right) → **See all settings**
2. Click the **Accounts and Import** tab
3. Under **Send mail as**, click **Add another email address**

Step 2 — Add Your Brand Address

1. Name: your brand name (e.g. `Maison du Zenith`)
2. Email address: `support@yourdomain.com`
3. Leave **Treat as an alias** checked
4. Click **Next Step**

Step 3 — Enter SMTP Credentials

1. SMTP Server: `smtp.gmail.com`
2. Port: `587`
3. Username: your full Gmail address
4. Password: the 16-character App Password from Phase 2
5. Select **Secured connection using TLS**
6. Click **Add Account**

▲ IF ADD ACCOUNT FAILS

"Authentication failed" → wrong App Password. Return to Phase 2 and generate a new one. **"Could not connect"** → wrong port. Must be 587 with TLS.

Step 4 — Verify the Address

Gmail sends a verification email to your new alias. Because of Cloudflare Email Routing (Phase 1), that verification email arrives in your regular Gmail inbox.

1. Open the verification email from Gmail
2. Click the verification link, OR copy the verification code into Gmail's popup
3. Done — your alias is now usable

Step 5 — Set Reply Behavior

Gmail no longer prompts for this during setup — you need to set it manually.

1. In Gmail, click the **gear icon** (top-right) → **See all settings**
2. Click the **Accounts and Import** tab
3. Find the **"When replying to a message:"** section
4. Select **"Reply from the same address the message was sent to"**
5. Click **Save Changes** at the bottom of the page

This means when someone emails `support@yourdomain.com`, your reply automatically sends from that address — no manual dropdown selection needed.

Optional — Set Default for New Mail

Still under **Accounts and Import** → **Send mail as**, you can choose which address is the default for composing new emails. Keep your personal Gmail as default for everyday mail. Use the **From** dropdown when composing brand-related messages.

Repeat for Additional Addresses

If you want to also send from `info@yourdomain.com` or any other address, repeat Steps 1–5 with the new address. The App Password is the same — only the identity (Name + Email address) changes.

✓ ONE APP PASSWORD, MANY ADDRESSES

The App Password authenticates your Gmail account as a sender, not a specific address. You can add unlimited custom addresses in Gmail using the same App Password.

PHASE

4

Testing & Email Signature

The End-to-End Test

1. From a separate email (phone, second Gmail, another account), send a message to `support@yourdomain.com`
2. Confirm it lands in your Gmail inbox (not spam)
3. Open the email in Gmail → click **Reply**
4. Verify the **From** dropdown shows your brand identity and address
5. Send the reply
6. Check the receiving inbox — the reply should arrive showing your brand address as the sender, with no Unsubscribe prompt

Verify Authentication Passes

In Gmail, open the received reply → click the three dots → **Show original**. Look for:

CHECK	EXPECTED RESULT
SPF	PASS
DKIM	PASS
DMARC	PASS or none (DMARC alignment may not be fully enforced for Gmail SMTP — this is normal)

SPF and DKIM passing means your emails are authenticated and will land in inboxes reliably.

Set Up Your Email Signature

In Gmail Settings → General → Signature → create a new signature for your support address. Keep it plain text — corporate signature blocks with large logos make replies feel automated. Plain text feels more genuine for customer support.

Your Name
YourBrand
yourdomain.com

One-line tagline describing what your brand does.

✓ FIRST-WEEK TIP

Even with proper authentication, brand-new domains have zero sender reputation. Send 5–10 manual messages over the first week, ask recipients to mark "Not Spam" if any land there. Reputation builds in 2–4 weeks of normal sending.

That is the entire setup. Your domain is now configured to receive mail via Cloudflare and send via Gmail's own servers. Replies carry no unsubscribe prompt and are authenticated via your Google account.

If you run into trouble during real-world use, the next page lists every common issue we have seen — chances are good your problem and its fix are already there.

REFERENCE

Common Gotchas & Troubleshooting

SYMPTOM	FIX
"Email" not in Cloudflare sidebar	You are not inside a specific domain. Go to Domains → click your domain name → look again.
Verification email from Cloudflare not arriving	Check spam. Wait 5 minutes. If still nothing, re-enter your Gmail address in Cloudflare and resend.
Test emails to your domain bounce	DNS not yet propagated. Wait 15 minutes and retry.
Gmail "Add Account" fails — Authentication error	Wrong App Password. Go back to Phase 2 and generate a new one. Make sure you are pasting it correctly (16 characters, no extra spaces).
Gmail "Add Account" fails — Cannot connect	Wrong port. Must be 587 with TLS selected (not 465, not 25).
Replies sending from personal Gmail, not brand address	Reply Behavior not set. Go to Gmail Settings → Accounts and Import → "When replying to a message:" → select "Reply from the same address".
Sent emails landing in spam	New domain has no reputation yet. Ask first recipients to mark Not Spam. Normal within 2–4 weeks of regular sending.
App Password option not visible	2-Step Verification is not enabled. Enable it first at myaccount.google.com → Security, then return to generate the App Password.
DMARC shows "none" in Show Original	Expected for Gmail SMTP — Google signs with their DKIM which may not fully align with your domain's DMARC policy. SPF and DKIM passing is what matters for deliverability.

MORE TOOLS

About DigitalForge Pro Dashboard

This guide is a free bonus included with DigitalForge Pro Dashboard — the unified tool that automates the most time-consuming parts of running a digital product shop on Etsy, Gumroad, or Shopify. Generate prompts, write listings, and batch-process images, all from one interface.

What's in the Dashboard

- **AI Prompt Generator** — 12 niche presets, generates prompts formatted for Midjourney, Firefly, DALL-E, and 6 more AI image tools, with auto-selected orientation per niche
- **Listing Generator** — writes complete SEO-optimized Etsy/Gumroad/Shopify listings (title, description, validated tags, Pinterest caption) for your entire collection in one run
- **Prompt Player** — works through your prompt list one by one, with one-click copy as you generate images in your AI tool
- **Batch Scaler** — slices one finished master image into every standard print size across 6 aspect ratios (2:3, 3:4, 4:5, 5:7, 11:14, ISO A-series) plus square, in both orientations, as JPG and PDF at 300 DPI — organized into folders and delivered as a single ZIP, ready to upload

What You Have Now

Your full email stack is wired up using Google's own infrastructure. Customer emails to `support@yourdomain.com` arrive in Gmail. Replies go back from `support@yourdomain.com` with no unsubscribe prompt. Recipients see your brand domain in both directions.

✓ UPGRADE PATH

As your shop grows, Google Workspace (~\$6–12/month) gives you a native @yourdomain.com Gmail account — no aliases, no App Passwords, no workarounds at all. The Gmail SMTP path you set up today is the natural stepping stone to that upgrade.

💬 FEEDBACK?

Email norm@digitalforgepro.ai with your thoughts, questions, or any issues you run into. We read every message and use your feedback to improve the Dashboard.

APPENDIX

Version History

VERSION	CHANGES
v1.0 2026	Brand email setup using Cloudflare Email Routing for inbound mail and Gmail "Send Mail As" with a Google App Password for outbound. Four-phase workflow: Cloudflare routing + DMARC, App Password generation, Gmail Send Mail As configuration, and end-to-end testing. Uses only free services — no paid relay or subscription required. Outgoing replies carry no unsubscribe prompt and are authenticated via your Google account.