

```
[0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ molecule converge INFO default scenario
test matrix: dependency, create, prepare, converge INFO Performing prerun... INFO Using
.cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find the role using
its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:/.cache/roles INFO Running default >
dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO
Running default > create WARNING Skipping, instances already created. INFO Running default > prepare WARNING
Skipping, instances already prepared. INFO Running default > converge PLAY [Converge]
*****
TASK [Gathering Facts]
***** ok:
[ubuntu-20.04] TASK [Include leantime_ansible]
***** TASK
[leantime_ansible : Atualiza a cache (equivalente a apt update)]
***** changed: [ubuntu-20.04] TASK [leantime_ansible :
Atualiza o sistema operativo] ***** ok:
[ubuntu-20.04] TASK [leantime_ansible : Instalar as dependencias necess ria ao programa leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Instala o servi  o
apache2 no arranque do sistema] ***** ok: [ubuntu-20.04] TASK
[leantime_ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Ativa v rias op  es no ficheiro
php.ini, utilizando o m dulo lineinfile.] ***** ok: [ubuntu-20.04] => (item={'regex':
'^file_uploads', 'line': 'file_uploads = 1'}) ok: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize', 'line':
'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_file_uploads', 'line': 'max_file_uploads = 20'})
ok: [ubuntu-20.04] => (item={'regex': '^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item=
{'regex': '^memory_limit', 'line': 'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_input_time', 'line':
'max_input_time = 3600'}) TASK [leantime_ansible : Cria a directoria tempor ria leantime e a directoria de apache
leantime] ***** ok: [ubuntu-20.04] => (item={'path': '/tmp/leantime'}) ok: [ubuntu-
20.04] => (item={'path': '/var/www/leantime'}) TASK [leantime_ansible : Cria a base de dados de mysql para o leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria o
utilizador para a base de dados leantime] ***** [WARNING]:
Module did not set no_log for update_password ok: [ubuntu-20.04] TASK [leantime_ansible : Faz o download do
software leantime a partir do reposit rio git] ***** ok: [ubuntu-20.04] TASK
[leantime_ansible : Descomprime o software leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ansible :
Copia o ficheiro de configura  o configuration.sample.php] *****
changed: [ubuntu-20.04] TASK [leantime_ansible : Altera as vari veis dbuser, dbpassword e dbdatabase no ficheiro
configuration.php utilizando o m dulo replace.] *** changed: [ubuntu-20.04] => (item={'regex': 'dbUser=""', 'line':
'dbUser="leantimeDBadmin"'}) changed: [ubuntu-20.04] => (item={'regex': 'dbDatabase=""', 'line':
'dbDatabase="leantime_database"'}) changed: [ubuntu-20.04] => (item={'regex': 'dbPassword=""', 'line':
'dbPassword="#$3gr3d0S3cr3t0#"'}) PLAY RECAP
*****
ubuntu-20.04 : ok=14 changed=3 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 [0;admlcal@devOps:
~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ molecule idempotence INFO default scenario test matrix:
idempotence INFO Performing prerun... INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current
repository in order to enable Ansible to find the role using its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:/.cache/roles INFO Running default >
idempotence PLAY [Converge]
*****
TASK [Gathering Facts]
***** ok:
[ubuntu-20.04] TASK [Include leantime_ansible]
***** TASK
[leantime_ansible : Atualiza a cache (equivalente a apt update)]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Atualiza o
sistema operativo] ***** ok: [ubuntu-20.04]
TASK [leantime_ansible : Instalar as dependencias necess ria ao programa leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Instala o servi  o
apache2 no arranque do sistema] ***** ok: [ubuntu-20.04] TASK
[leantime_ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Ativa v rias op  es no ficheiro
php.ini, utilizando o m dulo lineinfile.] ***** ok: [ubuntu-20.04] => (item={'regex':
'^file_uploads', 'line': 'file_uploads = 1'}) ok: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize', 'line':
'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_file_uploads', 'line': 'max_file_uploads = 20'})
ok: [ubuntu-20.04] => (item={'regex': '^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item=
{'regex': '^memory_limit', 'line': 'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_input_time', 'line':
'max_input_time = 3600'}) TASK [leantime_ansible : Cria a directoria tempor ria leantime e a directoria de apache
leantime] ***** ok: [ubuntu-20.04] => (item={'path': '/tmp/leantime'}) ok: [ubuntu-
20.04] => (item={'path': '/var/www/leantime'}) TASK [leantime_ansible : Cria a base de dados de mysql para o leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria o
utilizador para a base de dados leantime] ***** [WARNING]:
Module did not set no_log for update_password ok: [ubuntu-20.04] TASK [leantime_ansible : Faz o download do
software leantime a partir do reposit rio git] ***** ok: [ubuntu-20.04] TASK
[leantime_ansible : Descomprime o software leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ansible :
Copia o ficheiro de configura  o configuration.sample.php] *****
```

```
changed: [ubuntu-20.04] TASK [leantime_ansible : Altera as variáveis dbuser, dbpassword e dbdatabase no ficheiro
configuration.php utilizando o método replace.] *** changed: [ubuntu-20.04] => (item={'regex': 'dbUser=', 'line':
'dbUser="leantimeDBAdmin"'}) changed: [ubuntu-20.04] => (item={'regex': 'dbDatabase=', 'line':
'dbDatabase="leantime_database"'}) changed: [ubuntu-20.04] => (item={'regex': 'dbPassword=', 'line':
'dbPassword="#S3gr3d0S3cr3t0#"'}) PLAY RECAP
```

```
scenario test matrix: dependency, create, prepare, converge INFO Performing prerun... INFO Using
.cache/roles/nunomourinho.leanime_ansible symlink to current repository in order to enable Ansible to find the role using
its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:/.cache/roles INFO Running default >
dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO
Running default > create WARNING Skipping, instances already created. INFO Running default > prepare WARNING
Skipping, instances already prepared. INFO Running default > converge PLAY [Converge]
*****
TASK [Gathering Facts]
***** ok:
[ubuntu-20.04] TASK [Include leanime_ansible]
***** TASK
[leanime_ansible : Atualiza a cache (equivalente a apt update)]
***** ok: [ubuntu-20.04] TASK [leanime_ansible : Atualiza o
sistema operativo] ***** ok: [ubuntu-20.04]
TASK [leanime_ansible : Instalar as dependencias necess ria ao programa leanime]
***** ok: [ubuntu-20.04] TASK [leanime_ansible : Instala o servi  o
apache2 no arranque do sistema] ***** ok: [ubuntu-20.04] TASK
[leanime_ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
***** ok: [ubuntu-20.04] TASK [leanime_ansible : Ativa v rias op  es no ficheiro
php.ini, utilizando o m dulo lineinfile.] ***** ok: [ubuntu-20.04] => (item={'regex':
'^file_uploads', 'line': 'file_uploads = 1'}) ok: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize', 'line':
'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_file_uploads', 'line': 'max_file_uploads = 20'})
ok: [ubuntu-20.04] => (item={'regex': '^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item=
{'regex': '^memory_limit', 'line': 'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_input_time', 'line':
'max_input_time = 3600'}) TASK [leanime_ansible : Cria a directoria tempor ria leanime e a directoria de apache
leanime] ***** ok: [ubuntu-20.04] => (item={'path': '/tmp/leanime'}) ok: [ubuntu-
20.04] => (item={'path': '/var/www/leanime'}) TASK [leanime_ansible : Cria a base de dados de mysql para o leanime]
***** ok: [ubuntu-20.04] TASK [leanime_ansible : Cria o
utilizador para a base de dados leanime] ***** [WARNING]:
Module did not set no_log for update_password ok: [ubuntu-20.04] TASK [leanime_ansible : Faz o download do
software leanime a partir do reposit rio git] ***** ok: [ubuntu-20.04] TASK
[leanime_ansible : Descomprime o software leanime]
***** ok: [ubuntu-20.04] TASK [leanime_ansible :
Copia o ficheiro de configura  o configuration.sample.php] ***** ok:
[ubuntu-20.04] TASK [leanime_ansible : Altera as vari veis dbuser, dbpassword e dbdatabase no ficheiro
configuration.php utilizando o m dulo replace.] *** ok: [ubuntu-20.04] => (item={'regex': 'dbUser=""', 'line':
'dbUser="leanimeDBadmin"'}) ok: [ubuntu-20.04] => (item={'regex': 'dbDatabase=""', 'line':
'dbDatabase="leanime_database"'}) ok: [ubuntu-20.04] => (item={'regex': 'dbPassword=""', 'line':
'dbPassword="#$3gr3d0$3cr3t0#"'}) PLAY RECAP
*****
ubuntu-20.04 : ok=14 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 ]0;admlcal@devOps:
~/leanime_ansibleadmlcal@devOps:~/leanime_ansible$ molecule idempotence INFO default scenario test matrix:
idempotence INFO Performing prerun... INFO Using .cache/roles/nunomourinho.leanime_ansible symlink to current
repository in order to enable Ansible to find the role using its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:/.cache/roles INFO Running default >
idempotence PLAY [Converge]
*****
TASK [Gathering Facts]
***** ok:
[ubuntu-20.04] TASK [Include leanime_ansible]
***** TASK
[leanime_ansible : Atualiza a cache (equivalente a apt update)]
***** ok: [ubuntu-20.04] TASK [leanime_ansible : Atualiza o
sistema operativo] ***** ok: [ubuntu-20.04]
TASK [leanime_ansible : Instalar as dependencias necess ria ao programa leanime]
***** ok: [ubuntu-20.04] TASK [leanime_ansible : Instala o servi  o
apache2 no arranque do sistema] ***** ok: [ubuntu-20.04] TASK
[leanime_ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
***** ok: [ubuntu-20.04] TASK [leanime_ansible : Ativa v rias op  es no ficheiro
php.ini, utilizando o m dulo lineinfile.] ***** ok: [ubuntu-20.04] => (item={'regex':
'^file_uploads', 'line': 'file_uploads = 1'}) ok: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize', 'line':
'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_file_uploads', 'line': 'max_file_uploads = 20'})
ok: [ubuntu-20.04] => (item={'regex': '^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item=
{'regex': '^memory_limit', 'line': 'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_input_time', 'line':
'max_input_time = 3600'}) TASK [leanime_ansible : Cria a directoria tempor ria leanime e a directoria de apache
leanime] ***** ok: [ubuntu-20.04] => (item={'path': '/tmp/leanime'}) ok: [ubuntu-
20.04] => (item={'path': '/var/www/leanime'}) TASK [leanime_ansible : Cria a base de dados de mysql para o leanime]
***** ok: [ubuntu-20.04] TASK [leanime_ansible : Cria o
utilizador para a base de dados leanime] ***** [WARNING]:
Module did not set no_log for update_password ok: [ubuntu-20.04] TASK [leanime_ansible : Faz o download do
software leanime a partir do reposit rio git] ***** ok: [ubuntu-20.04] TASK
[leanime_ansible : Descomprime o software leanime]
***** ok: [ubuntu-20.04] TASK [leanime_ansible :
Copia o ficheiro de configura  o configuration.sample.php] ***** ok:
[ubuntu-20.04] TASK [leanime_ansible : Altera as vari veis dbuser, dbpassword e dbdatabase no ficheiro
```

```
configuration.php utilizando o mÃ³dulo replace.] *** ok: [ubuntu-20.04] => (item={'regex': 'dbUser=""', 'line':  
'dbUser="leantimeDBadmin"'}) ok: [ubuntu-20.04] => (item={'regex': 'dbDatabase=""', 'line':  
'dbDatabase="leantime_database"'}) ok: [ubuntu-20.04] => (item={'regex': 'dbPassword=""', 'line':  
'dbPassword="#S3gr3d0S3cr3t0#"'}) PLAY RECAP  
*****  
ubuntu-20.04 : ok=14 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 INFO Idempotence completed  
successfully. j0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ exit exit
```