

```
j0:admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ exitmolecule test --destroy never INFO
default scenario test matrix: dependency, lint, cleanup, destroy, syntax, create, prepare, converge, idempotence, verify,
cleanup, destroy INFO Performing prerun... INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current
repository in order to enable Ansible to find the role using its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./cache/roles INFO Running default >
dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO
Running default > lint COMMAND: set -e yamllint . ansible-lint Loading custom .yamllint config file, this extends our
internal yamllint config. INFO Running default > cleanup WARNING Skipping, cleanup playbook not configured. INFO
Running default > destroy WARNING Skipping, '--destroy=never' requested. INFO Running default > syntax playbook:
/home/admlcal/leantime_ansible/molecule/default/converge.yml INFO Running default > create PLAY [Create]
*****
TASK [Create molecule instance(s)]
***** changed: [localhost]
=> (item=ubuntu-20.04) TASK [Populate instance config dict]
***** ok: [localhost] =>
(item={'changed': True, 'log': '/home/admlcal/.cache/molecule/leantime_ansible/default/vagrant-ubuntu-20.04.out', 'Host':
'ubuntu-20.04', 'HostName': '127.0.0.1', 'User': 'vagrant', 'Port': '2222', 'UserKnownHostsFile': '/dev/null',
'StrictHostKeyChecking': 'no', 'PasswordAuthentication': 'no', 'IdentityFile':
'/home/admlcal/.cache/molecule/leantime_ansible/default/vagrant/machines/ubuntu-20.04/virtualbox/private_key',
'IdentitiesOnly': 'yes', 'LogLevel': 'FATAL', 'invocation': {'module_args': {'instance_name': 'ubuntu-20.04',
'instance_interfaces': [{'auto_config': True, 'network_name': 'private_network', 'type': 'dhcp'}], 'instance_raw_config_args':
['vm.network forwarded port, guest: 80, host: 8080'], 'platform_box': 'ubuntu/focal64', 'provider_memory': 2048,
'provider_cpus': 2, 'state': 'up', 'config_options': {}, 'provider_name': 'virtualbox', 'provider_options': {}, 'provision': False,
'force_stop': False, 'platform_box_version': None, 'platform_box_url': None, 'provider_override_args': None,
'provider_raw_config_args': None, 'workdir': None}}, 'failed': False, 'item': {'box': 'ubuntu/focal64', 'cpus': 2,
'instance_raw_config_args': ['vm.network forwarded port', 'guest: 80, host: 8080'], 'interfaces': [{'auto_config': True,
'network_name': 'private_network', 'type': 'dhcp'}], 'memory': 2048, 'name': 'ubuntu-20.04'}, 'ansible_loop_var': 'item'})
TASK [Convert instance config dict to a list]
***** ok: [localhost] TASK [Dump
instance config]
***** changed:
[localhost] PLAY RECAP
*****
localhost : ok=4 changed=2 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 INFO Running default > prepare
PLAY [Prepare]
*****
TASK [Bootstrap python for Ansible]
***** ok: [ubuntu-20.04]
PLAY RECAP
*****
ubuntu-20.04 : ok=1 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 INFO Running default >
converge PLAY [Converge]
*****
TASK [Gathering Facts]
***** ok:
[ubuntu-20.04] TASK [Include leantime_ansible]
***** TASK
[leantime_ansible : Atualiza a cache (equivalente a apt update)]
***** changed: [ubuntu-20.04] TASK [leantime_ansible :
Atualiza o sistema operativo] ***** changed:
[ubuntu-20.04] TASK [leantime_ansible : Instalar as dependencias necess ria ao programa leantime]
***** changed: [ubuntu-20.04] TASK [leantime_ansible : Instala o servi o
apache2 no arranque do sistema] ***** ok: [ubuntu-20.04] TASK
[leantime_ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Ativa v rias op  es no ficheiro
php.ini, utilizando o m dulo lineinfile.] ***** changed: [ubuntu-20.04] => (item=
{'regex': '^file_uploads', 'line': 'file_uploads = 1'}) changed: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize',
'line': 'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_file_uploads', 'line': 'max_file_uploads =
20'}) changed: [ubuntu-20.04] => (item={'regex': '^post_max_size', 'line': 'post_max_size = 2G'}) changed: [ubuntu-
20.04] => (item={'regex': '^memory_limit', 'line': 'memory_limit = 2G'}) changed: [ubuntu-20.04] => (item={'regex':
'^max_input_time', 'line': 'max_input_time = 3600'}) TASK [leantime_ansible : Cria a directoria tempor ria leantime e a
directoria de apache leantime] ***** changed: [ubuntu-20.04] => (item={'path':
'/tmp/leantime'}) changed: [ubuntu-20.04] => (item={'path': '/var/www/leantime'}) TASK [leantime_ansible : Cria a base
de dados de mysql para o leantime] ***** changed: [ubuntu-
20.04] TASK [leantime_ansible : Cria o utilizador para a base de dados leantime]
***** changed: [ubuntu-20.04] TASK [leantime_ansible : Cria o
utilizador para a base de dados leantime] ***** changed: [ubuntu-
20.04] TASK [leantime_ansible : Faz o download do software leantime a partir do reposit rio git]
***** changed: [ubuntu-20.04] TASK [leantime_ansible : Descomprime o software
leantime] ***** changed: [ubuntu-20.04] TASK
[leantime_ansible : Copia o ficheiro de configura  o configuration.sample.php]
***** changed: [ubuntu-20.04] TASK [leantime_ansible : Altera as
vari veis dbuser, dbpassword e dbdatabase no ficheiro configuration.php utilizando o m dulo replace.] *** changed:
[ubuntu-20.04] => (item={'regex': 'dbUser=""', 'line': 'dbUser="leantimeDBadmin"'}) changed: [ubuntu-20.04] =>
(item={'regex': 'dbDatabase=""', 'line': 'dbDatabase="leantime_database"'}) changed: [ubuntu-20.04] => (item=
{'regex': 'dbPassword=""', 'line': 'dbPassword="#S3gr3d0S3cr3t0#"'}) TASK [leantime_ansible : Copia o template do site
```

```
para a p sta /etc/apache2/sites-available] ***** changed: [ubuntu-20.04] TASK
[leantime ansible : Cria um link simb lico para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled]
***** changed: [ubuntu-20.04] TASK [leantime_ ansible : Cria um link simb lico para o ficheiro
leantime.conf na pasta /etc/apache/sites-enabled] ***** changed: [ubuntu-20.04] TASK [leantime_ ansible
: Apaga o link 000-default.conf na pasta sites-enabled do apache2] *****
changed: [ubuntu-20.04] TASK [leantime ansible : Activa o m dulo mod_rewrite no apache]
***** changed: [ubuntu-20.04] TASK [leantime_ ansible :
Cria o administrador da aplica  o leantime] ***** fatal:
[ubuntu-20.04]: FAILED! => {"changed": false, "connection": "close", "content": "<!DOCTYPE HTML PUBLIC \"-
//IETF//DTD HTML 2.0//EN\">\n<html><head>\n<title>404 Not Found</title>\n</head><body>\n<h1>Not
Found</h1>\n<p>The requested URL was not found on this server.</p>\n<hr>\n<address>Apache/2.4.41 (Ubuntu)
Server at localhost Port 80</address>\n</body></html>\n", "content_length": "271", "content_type": "text/html;
charset=iso-8859-1", "date": "Wed, 26 May 2021 14:17:22 GMT", "elapsed": 0, "msg": "Status code was 404 and not [200]:
HTTP Error 404: Not Found", "redirected": false, "server": "Apache/2.4.41 (Ubuntu)", "status": 404, "url":
"http://localhost/install"} PLAY RECAP
*****
ubuntu-20.04 : ok=20 changed=17 unreachable=0 failed=1 skipped=0 rescued=0 ignored=0 CRITICAL Ansible return
code was 2, command was: ansible-playbook --inventory
/home/admlocal/.cache/molecule/leantime_ ansible/default/inventory --skip-tags molecule-notest,notest
/home/admlocal/leantime_ ansible/molecule/default/converge.yml ]0;admlocal@devOps:
~/leantime_ ansibleadmlocal@devOps:~/leantime_ ansible$ molecule login INFO Running default > login Welcome to
Ubuntu 20.04.2 LTS (GNU/Linux 5.4.0-72-generic x86_64) * Documentation: https://help.ubuntu.com * Management:
https://landscape.canonical.com * Support: https://ubuntu.com/advantage System information as of Wed May 26 14:17:33
UTC 2021 System load: 1.17 Processes: 130 Usage of /: 6.9% of 38.71GB Users logged in: 0 Memory usage: 33% IPv4
address for enp0s3: 10.0.2.15 Swap usage: 0% IPv4 address for enp0s8: 172.28.128.29 *** System restart required *** Last
login: Wed May 26 14:17:21 2021 from 10.0.2.2 ]0;vagrant@ubuntu-20: ~vagrant@ubuntu-20:~$ sudo -i ]0;root@ubuntu-
20: ~root@ubuntu-20:~# ls /etc/apache2/sites-available/ 000-default.conf default-ssl.conf leantime.conf ]0;root@ubuntu-
20: ~root@ubuntu-20:~# ls /etc/apache2/sites-available/../../../../e/n/a/b/l/e/d/ leantime.conf ]0;root@ubuntu-20:
~root@ubuntu-20:~# exit logout ]0;vagrant@ubuntu-20: ~vagrant@ubuntu-20:~$ exit logout Connection to 127.0.0.1
closed. ]0;admlocal@devOps: ~/leantime_ ansibleadmlocal@devOps:~/leantime_ ansible$ molecule converge INFO default
scenario test matrix: dependency, create, prepare, converge INFO Performing prerun... INFO Using
.cache/roles/nunomourinho.leantime_ ansible symlink to current repository in order to enable Ansible to find the role using
its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles INFO Running default >
dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO
Running default > create WARNING Skipping, instances already created. INFO Running default > prepare WARNING
Skipping, instances already prepared. INFO Running default > converge PLAY [Converge]
*****
TASK [Gathering Facts]
***** ok:
[ubuntu-20.04] TASK [Include leantime_ ansible]
***** TASK
[leantime_ ansible : Atualiza a cache (equivalente a apt update)]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Atualiza o
sistema operativo] ***** ok: [ubuntu-20.04]
TASK [leantime_ ansible : Instalar as dependencias necess ria ao programa leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Instala o servi  o
apache2 no arranque do sistema] ***** ok: [ubuntu-20.04] TASK
[leantime_ ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Ativa v rias op  es no ficheiro
php.ini, utilizando o m dulo lineinfile.] ***** ok: [ubuntu-20.04] => (item={'regex':
'^file_uploads', 'line': 'file_uploads = 1'}) ok: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize', 'line':
'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_file_uploads', 'line': 'max_file_uploads = 20'})
ok: [ubuntu-20.04] => (item={'regex': '^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item=
{'regex': '^memory_limit', 'line': 'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_input_time', 'line':
'max_input_time = 3600'}) TASK [leantime_ ansible : Cria a directoria tempor ria leantime e a directoria de apache
leantime] ***** ok: [ubuntu-20.04] => (item={'path': '/tmp/leantime'}) ok: [ubuntu-
20.04] => (item={'path': '/var/www/leantime'}) TASK [leantime_ ansible : Cria a base de dados de mysql para o leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Cria o
utilizador para a base de dados leantime] ***** ok: [ubuntu-
20.04] TASK [leantime_ ansible : Cria o utilizador para a base de dados leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Faz o
download do software leantime a partir do reposit rio git] ***** ok: [ubuntu-
20.04] TASK [leantime_ ansible : Descomprime o software leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible :
Copia o ficheiro de configura  o configuration.sample.php] ***** ok:
[ubuntu-20.04] TASK [leantime_ ansible : Altera as vari veis dbuser, dbpassword e dbdatabase no ficheiro
configuration.php utilizando o m dulo replace.] *** ok: [ubuntu-20.04] => (item={'regex': 'dbUser=""', 'line':
'dbUser="leantimeDBAdmin"}) ok: [ubuntu-20.04] => (item={'regex': 'dbDatabase=""', 'line':
'dbDatabase="leantime_database"}) ok: [ubuntu-20.04] => (item={'regex': 'dbPassword=""', 'line':
'dbPassword="#$3gr3d0$3cr3t0#'}) TASK [leantime_ ansible : Copia o template do site para a p sta /etc/apache2/sites-
available] ***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Cria um link simb lico
para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled] ***** ok: [ubuntu-20.04] TASK
[leantime_ ansible : Cria um link simb lico para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Apaga o link 000-default.conf na pasta sites-enabled
do apache2] ***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Activa o m dulo
```

```
mod_rewrite no apache] ***** ok: [ubuntu-20.04] TASK
[leantime_ansible : Cria o administrador da aplica  o leantime]
***** fatal: [ubuntu-20.04]: FAILED! => {"changed": false,
"connection": "close", "content": "<!DOCTYPE HTML PUBLIC \"-//IETF/DTD HTML 2.0/EN\">\n<html>
<head>\n<title>404 Not Found</title>\n</head><body>\n<h1>Not Found</h1>\n<p>The requested URL was not
found on this server.</p>\n<hr>\n<address>Apache/2.4.41 (Ubuntu) Server at localhost Port 80</address>\n</body>
</html>\n", "content_length": "271", "content_type": "text/html; charset=iso-8859-1", "date": "Wed, 26 May 2021 14:19:56
GMT", "elapsed": 0, "msg": "Status code was 404 and not [200]: HTTP Error 404: Not Found", "redirected": false, "server":
"Apache/2.4.41 (Ubuntu)", "status": 404, "url": "http://localhost/install"} PLAY RECAP
*****
ubuntu-20.04 : ok=20 changed=0 unreachable=0 failed=1 skipped=0 rescued=0 ignored=0 CRITICAL Ansible return
code was 2, command was: ansible-playbook --inventory
/home/admlocal/.cache/molecule/leantime_ansible/default/inventory --skip-tags molecule-notest,notest
/home/admlocal/leantime_ansible/molecule/default/converge.yml ]0;admlocal@devOps:
~/leantime ansibleadmlocal@devOps:~/leantime_ansible$ molecule convergelogin INFO Running default > login Welcome
to Ubuntu 20.04.2 LTS (GNU/Linux 5.4.0-72-generic x86_64) * Documentation: https://help.ubuntu.com * Management:
https://landscape.canonical.com * Support: https://ubuntu.com/advantage System information as of Wed May 26 14:20:03
UTC 2021 System load: 0.33 Processes: 127 Usage of /: 6.9% of 38.71GB Users logged in: 0 Memory usage: 33% IPv4
address for enp0s3: 10.0.2.15 Swap usage: 0% IPv4 address for enp0s8: 172.28.128.29 *** System restart required *** Last
login: Wed May 26 14:19:56 2021 from 10.0.2.2 ]0;vagrant@ubuntu-20: ~vagrant@ubuntu-20:~$ exitsudo -i
]0;root@ubuntu-20: ~root@ubuntu-20:~# service apache2 reload ]0;root@ubuntu-20: ~root@ubuntu-20:~# exit logout
]0;vagrant@ubuntu-20: ~vagrant@ubuntu-20:~$ exit logout Connection to 127.0.0.1 closed. ]0;admlocal@devOps:
~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule loginconverge INFO default scenario test matrix:
dependency, create, prepare, converge INFO Performing prerun... INFO Using
.cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find the role using
its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:/.cache/roles INFO Running default >
dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO
Running default > create WARNING Skipping, instances already created. INFO Running default > prepare WARNING
Skipping, instances already prepared. INFO Running default > converge PLAY [Converge]
*****
TASK [Gathering Facts]
***** ok:
[ubuntu-20.04] TASK [Include leantime_ansible]
***** TASK
[leantime_ansible : Atualiza a cache (equivalente a apt update)]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Atualiza o
sistema operativo] ***** ok: [ubuntu-20.04]
TASK [leantime_ansible : Instalar as dependencias necess  ria ao programa leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Instala o servi  o
apache2 no arranque do sistema] ***** ok: [ubuntu-20.04] TASK
[leantime_ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Ativa v  rias op   es no ficheiro
php.ini, utilizando o m  dulo lineinfile.] ***** ok: [ubuntu-20.04] => (item={'regex':
'^file_uploads', 'line': 'file_uploads = 1'}) ok: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize', 'line':
'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_file_uploads', 'line': 'max_file_uploads = 20'})
ok: [ubuntu-20.04] => (item={'regex': '^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item=
{'regex': '^memory_limit', 'line': 'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_input_time', 'line':
'max_input_time = 3600'}) TASK [leantime_ansible : Cria a directoria tempor  ria leantime e a directoria de apache
leantime] ***** ok: [ubuntu-20.04] => (item={'path': '/tmp/leantime'}) ok: [ubuntu-
20.04] => (item={'path': '/var/www/leantime'}) TASK [leantime_ansible : Cria a base de dados de mysql para o leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria o
utilizador para a base de dados leantime] ***** ok: [ubuntu-
20.04] TASK [leantime_ansible : Cria o utilizador para a base de dados leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Faz o
download do software leantime a partir do reposit  rio git] ***** ok: [ubuntu-
20.04] TASK [leantime_ansible : Descomprime o software leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ansible :
Copia o ficheiro de configura  o configuration.sample.php] ***** ok:
[ubuntu-20.04] TASK [leantime_ansible : Altera as vari  veis dbuser, dbpassword e dbdatabase no ficheiro
configuration.php utilizando o m  dulo replace.] *** ok: [ubuntu-20.04] => (item={'regex': 'dbUser=""', 'line':
'dbUser="leantimeDBAdmin"'}) ok: [ubuntu-20.04] => (item={'regex': 'dbDatabase=""', 'line':
'dbDatabase="leantime_database"'}) ok: [ubuntu-20.04] => (item={'regex': 'dbPassword=""', 'line':
'dbPassword="#$3gr3d0$3cr3t0#"'}) TASK [leantime_ansible : Copia o template do site para a p  sta /etc/apache2/sites-
available] ***** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria um link simb  lico
para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled] ***** ok: [ubuntu-20.04] TASK
[leantime_ansible : Cria um link simb  lico para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Apaga o link 000-default.conf na pasta sites-enabled
do apache2] ***** ok: [ubuntu-20.04] TASK [leantime_ansible : Activa o m  dulo
mod_rewrite no apache] ***** ok: [ubuntu-20.04] TASK
[leantime_ansible : Cria o administrador da aplica  o leantime]
***** ok: [ubuntu-20.04] PLAY RECAP
*****
ubuntu-20.04 : ok=21 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 ]0;admlocal@devOps:
~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule idempotence INFO default scenario test matrix:
idempotence INFO Performing prerun... INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current
repository in order to enable Ansible to find the role using its expected full name. INFO Added
```



```
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles INFO Running default >
idempotence PLAY [Converge]
*****
TASK [Gathering Facts]
***** ok:
[ubuntu-20.04] TASK [Include leantime ansible]
***** TASK
[leantime_ ansible : Atualiza a cache (equivalente a apt update)]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Atualiza o
sistema operativo] ***** ok: [ubuntu-20.04]
TASK [leantime_ ansible : Instalar as dependencias necess ria ao programa leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Instala o servi  o
apache2 no arranque do sistema] ***** ok: [ubuntu-20.04] TASK
[leantime_ ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Ativa v rias op  es no ficheiro
php.ini, utilizando o m dulo lineinfile.] ***** ok: [ubuntu-20.04] => (item={'regex':
'^file_uploads', 'line': 'file_uploads = 1'}) ok: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize', 'line':
'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_file_uploads', 'line': 'max_file_uploads = 20'})
ok: [ubuntu-20.04] => (item={'regex': '^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item=
{'regex': '^memory_limit', 'line': 'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_input_time', 'line':
'max_input_time = 3600'}) TASK [leantime_ ansible : Cria a directoria tempor ria leantime e a directoria de apache
leantime] ***** ok: [ubuntu-20.04] => (item={'path': '/tmp/leantime'}) ok: [ubuntu-
20.04] => (item={'path': '/var/www/leantime'}) TASK [leantime_ ansible : Cria a base de dados de mysql para o leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Cria o
utilizador para a base de dados leantime] ***** ok: [ubuntu-
20.04] TASK [leantime_ ansible : Cria o utilizador para a base de dados leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Faz o
download do software leantime a partir do reposit rio git] ***** ok: [ubuntu-
20.04] TASK [leantime_ ansible : Descomprime o software leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible :
Copia o ficheiro de configura  o configuration.sample.php] ***** ok:
[ubuntu-20.04] TASK [leantime_ ansible : Altera as vari veis dbuser, dbpassword e dbdatabase no ficheiro
configuration.php utilizando o m dulo replace.] *** ok: [ubuntu-20.04] => (item={'regex': 'dbUser=""', 'line':
'dbUser="leantimeDBAdmin"'}) ok: [ubuntu-20.04] => (item={'regex': 'dbDatabase=""', 'line':
'dbDatabase="leantime_database"'}) ok: [ubuntu-20.04] => (item={'regex': 'dbPassword=""', 'line':
'dbPassword="#S3gr3d0S3cr3t0#"'}) TASK [leantime_ ansible : Copia o template do site para a p jta /etc/apache2/sites-
available] ***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Cria um link simb lico
para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled] ***** ok: [ubuntu-20.04] TASK
[leantime_ ansible : Cria um link simb lico para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled]
***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Apaga o link 000-default.conf na pasta sites-enabled
do apache2] ***** ok: [ubuntu-20.04] TASK [leantime_ ansible : Activa o m dulo
mod_rewrite no apache] ***** ok: [ubuntu-20.04] TASK
[leantime_ ansible : Cria o administrador da aplica  o leantime]
***** ok: [ubuntu-20.04] PLAY RECAP
*****
ubuntu-20.04 : ok=21 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 INFO Idempotence completed
successfully. j0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ exit exit
```